BERGARA®
OUR BARRELS MAKE THE DIFFERENCE
2020 INTERNATIONAL LINEUP

OUR BARRELS MAKE THE DIFFERENCE

A HISTORY OF PRECISION

With the most technically-advanced barrel manufacturing techniques, state-of-the-art machinery, and an unwavering commitment to quality, Bergara Barrels has become the barrel source of numerous top-tier gun manufacturers in both Europe and the United States. Now, with Bergara Rifles we are producing a full line of precision rifles engineered and built to showcase the performance capabilities of our world-class barrels.

At Bergara, we believe that a precision rifle requires not only the best components, but also an assembly process that is carried out by individuals who are the best of the best at their craft. For this reason, we brought together a team of the world's most talented and experienced rifle builders.

It all began several years ago when we first began with a small line of custom rifles and one top-notch craftsman, the former Production Chief and Chief Instructor for the United States Marine Corps Precision Weapons Section. As Bergara rapidly grew, we then assembled a hand-picked group.

Today, that team forms the core of our production team. They pass on their knowledge and expertise to every new employee, thereby bringing their own real world experience and expertise to every Bergara rifle.

EVERY RIFLE STARTS WITH A PRECISION BARREL

STEP 1 BARREL STRAIGHTENING

Each Bergara barrel must begin with a straight bar of cylindrical steel. We inspect every bar to ensure it meets a deviation of less than 4/1,000 (or .004) of an inch. Many barrel manufacturers never even evaluate this aspect of a barrel and consequently hinder the barrel's accuracy potential.

STEP 2 DEEP HOLE DRILLING

Once the steel bar is straightened, it moves on to a four spindle deep hole drilling machine where a specialized bit drills a perfect hole through the entire length of the bar.

STEP 3 BARREL HONING

Most other barrel manufacturers move from deep hole drilling to reaming, a process that leaves tool marks in the bore. Instead of reaming, Bergara uses three separate honing spindles that utilize diamond tipped bits that polish the interior surface of the barrel to a mirror-like finish that is almost completely free of tool marks. This time-consuming step lends Bergara a level of accuracy on par with barrels costing much more.

STEP 4 BUTTON RIFLING

A carbide rifling button is drawn through the barrel to produce the rifling grooves at the appropriate twist rate for each caliber. This produces a groove diameter deviation of less than 2/10,000 (or .0002") of an inch. It's the same result that many gunsmiths accomplish by hand lapping.

STEP 5 STRESS RELIEVING

Finally, a high temperature heating process realigns the steel molecules ensuring that the barrel is free from any stress after the button rifling process.

PREMIER SERIES 4-11
Highlander 6
Approach 7
Mountain 2.0 8
Ridgeback 9
HMR Pro 10
LRP 2.0 11

B-14 WILDERNESS SERIES 12-17
Terrain 14
HMR 15
Ridge 16
Hunter 17

B-14 SERIES 18-27
BMP 20
HMR 21
Ridge 22
Hunter 23
Timber 24
Sporter 25
Woodsman 26

B-14 EXTREME SERIES 28-31
Sporter Extreme 20
Hunter Extreme 21

RIMFIRE SERIES 32-37
B-14R Trainer Carbon 34
B-14R Trainer Steel 35
BXR Carbon 36
BXR Steel 37

BA-13 TAKE DOWN RIFLES ... 38-41
TD Thumbhole 40
TD Synthetic 41

ACCESSORIES 42-43

SPECIFICATIONS 44-46

Premier Series

Premier Series

Think of our Premier Series as an extension of our US Custom Series, but with standardized features for greater efficiencies in parts production and assembly – providing near custom performance at prices that are affordable to serious shooters.

Bergara's premium stainless steel barrels receive a proprietary honing process at our barrel-making facility in Bergara, Spain. Then, at the Bergara USA factory, the barrel receives a Cerakote™ finish and is coupled with our proprietary Bergara PREMIER action, featuring a nonrotating gas shield, coned bolt nose, and sliding plate extractor.

Premier Series rifles are built by hand and offer each shooter a wide variety of stock options. Choose from multiple carbon fiber, fiberglass, composite, and precision machined chassis stock offerings. All Premier Series rifles are built around legendary Bergara barrels and feature world-famous TriggerTech® triggers, among other industry-best components. All rifles are hand assembled in house by our qualified builders to our exacting standards and precise specifications and are guaranteed to produce sub-MOA groups using factory ammunition.

Features

BERGARA PREMIER ACTION	• Premium stainless steel with Cerakote™ finish • 2 locking lugs located on the front of the bolt head • Separate "floating" bolt head assures contact with lug abutments • Cone-shaped bolt nose assures smooth feeding • Sliding plate extractor • Ejector is a spring loaded plunger located in the bolt face • 1-piece stainless steel bolt body with threaded-in bolt handle • 90° bolt throw angle • Firing assembly is bayonet style allowing quick access to the firing pin assembly Simply twist the bolt shroud and the entire firing assembly can be removed without tools
BERGARA BARREL	• Made from Premium stainless steel • Cerakote™ finish • All Premier Rifles are guaranteed to produce sub-MOA groups at 100 yards using quality factory ammunition
TRIGGER	• All Premier rifles feature externally adjustable TriggerTech® triggers and Frictionless Release Technology™ as standard equipment
SAFETY MECHANISMS	• The 2-position safety is part of the trigger assembly. It allows the rifle to be unloaded while in the safe position • Non-rotating gas shield behind the bolt head protects the shooter from gas and debris in the event of a case or primer rupture

NEW FEATURE

HIGHLANDER

WEIGHT	3,3 kg (7.3 lbs) - 3,4 kg (7.7 lbs)
LENGTHS	51 cm (20”) - 66 cm (26”) barrel 98 cm (38.5”) - 109 cm (43”) overall
BARREL	17,8 mm / No. 5 taper, fluted Threaded 5/8”-24 UNEF with Omni Muzzle Brake
FINISH	Sniper Grey Cerakote®
STOCK	Grayboe® Fiberglass
TRIGGER	TriggerTech® Frictionless Release Technology™
MAGAZINE	Hinged floor plate 4 round capacity in standard calibers 3 round capacity in magnum calibers
SCOPE MOUNT	Fits Remington 700® bases with 8-40 screws

• *Featuring the Bergara Premier action*

CALIBER	TWIST
6.5 Creedmoor	1:8”
.308 Win.	1:10”
7mm Rem. Mag.	1:9.5”
.300 Win Mag.	1:10”

* *See page 44 for full specifications*

NEW FEATURE

APPROACH

WEIGHT	3,7 kg (8.2 lbs) - 3,9 kg (8.6 lbs)
LENGTHS	51 cm (20”) - 66 cm (26”) barrel 105 cm (39.5”) - 116 cm (46”) overall
BARREL	19,1 mm / No. 5.5 taper Threaded 5/8”-24 UNEF with Omni Muzzle Brake
FINISH	Graphite Black Cerakote®
STOCK	Grayboe® Fiberglass Integrated QD flush cup sling mount in forend Integrated QD flush cup sling mount in buttstock
TRIGGER	TriggerTech® Frictionless Release Technology™
MAGAZINE	Hinged floor plate 4 round capacity in standard calibers 3 round capacity in magnum calibers
SCOPE MOUNT	Fits Remington 700® bases with 8-40 screws

• *Featuring the Bergara Premier action*

CALIBER	TWIST
6.5 Creedmoor	1:8”
.308 Win.	1:10”
7mm Rem. Mag.	1:9.5”
.300 Win Mag.	1:10”

* *See page 44 for full specifications*

NEW

Mountain 2.0

WEIGHT	2,8 kg (6.2 lbs) - 2,9 kg (6.4 lbs)
LENGTHS	56 cm (22”) - 61 cm (24”) barrel 105 cm (41.5”) - 112 cm (44”) overall
BARREL	15 mm / No. 3 taper
FINISH	Tactical Grey Cerakote®
STOCK	AG Composite 100% carbon-fiber
TRIGGER	TriggerTech® Frictionless Release Technology™
MAGAZINE	Hinged floor plate 4 round capacity in standard calibers 3 round capacity in magnum calibers 2 round capacity: 300 PRC, 6.5 PRC
SCOPE MOUNT	Fits Remington 700® bases with 8-40 screws

- *Featuring the Bergara Premier action*

CALIBER	TWIST	
6.5 Creedmoor	1:8”	
6.5 PRC	1:8”	NEW
.308 Win.	1:10”	
.300 Win. Mag.	1:10”	
.300 PRC	1:9”	NEW

* See page 44 for full specifications

Ridgeback

WEIGHT	4,5 kg (10 lbs) - 4,8 kg (10.7 lbs)
LENGTHS	51 cm (20”) - 66 cm (26”) barrel 105 cm (39.5”) - 116 cm (46”) overall
BARREL	21 mm - Medium Palma taper Threaded 5/8”-24 UNEF with thread protector
FINISH	Graphite Black Cerakote®
STOCK	Grayboe® Fiberglass featuring an adjustable cheek piece and length of pull spacers
TRIGGER	TriggerTech® Frictionless Release Technology™
MAGAZINE	AICS style detachable 5 round mag provided
SCOPE MOUNT	Fits Remington 700® bases with 8-40 screws

- *Featuring the Bergara Premier action*
- *The first composite stock to fully support the M-LOK system*

CALIBER	TWIST	
6mm Creedmoor	1:7.5”	NEW
6.5 Creedmoor	1:8”	
.308 Win.	1:10”	
.300 Win. Mag.	1:10”	

* See page 44 for full specifications

HMR PRO
⟨HUNTING & MATCH⟩

WEIGHT	4,2 kg (9.3 lbs) - 4,4 kg (9.8 lbs)
LENGTHS	51 cm (20”) - 66 cm (26”) barrel 102 cm (39.5”) - 121 cm (47.5”) overall
BARREL	19,1 mm / No. 5.5 taper 21,3 mm / No. 6 taper Threaded 5/8”-24 UNEF with thread protector
FINISH	Tactical Grey Cerakote®
STOCK	Bergara HMR molded with mini-chassis featuring an adjustable cheek piece and length of pull spacers Integrated QD flush cup sling mounts and swivel mounts
TRIGGER	TriggerTech® Frictionless Release Technology™
MAGAZINE	AICS style detachable 5 round mag provided (3 round mag: 6.5 PRC)
SCOPE MOUNT	Fits Remington 700® bases with 8-40 screws

- *Featuring the Bergara Premier action*
- *Full-length Integrated mini-chassis for repeatable bedding and supports fully free-floated barrel*

CALIBER	TWIST	
.22-250	1:9”	
6mm Creedmoor	1:7.5”	NEW
6.5 Creedmoor	1:8”	
6.5 Creedmoor heavy barrel	1:8”	
6.5 PRC	1:8”	NEW
.308 Win.	1:10”	
7mm Rem. Mag.	1:9.5”	
.300 Win. Mag.	1:10”	
.300 PRC	1:9”	NEW

* See page 44 for full specifications

NEW

LRP 2.0
⟨LONG RANGE PRECISION⟩

WEIGHT	4,3 kg (9.6 lbs) - 4,4 kg (9.8 lbs)
LENGTHS	61 cm (24”) - 66 cm (26”) barrel 110 cm (39.5”) - 117 cm (46”) overall
BARREL	21,3 mm / No. 6 taper Threaded 5/8”-24 UNEF with thread protector
FINISH	Graphite Black Cerakote®
STOCK	XLR® Element 3.0
TRIGGER	TriggerTech® Frictionless Release Technology™
MAGAZINE	AICS style detachable 5 round mag provided
SCOPE MOUNT	Fits Remington 700® bases with 8-40 screws

- *Featuring the Bergara Premier action*

CALIBER	TWIST
6.5 Creedmoor	1:8”
.300 Win. Mag.	1:10”

* See page 44 for full specifications

B-14 Wilderness Series

B-14 Wilderness Series

Bridging the gap between the B-14 and Premier Series, we bring you the B-14 Wilderness Series. This series tackles the need for rifles that can withstand the rugged and unforgiving wilderness while blending into those very same elements – hence Bergara's hand-painted camouflage stocks with added webbing for increased texture and grip. All Wilderness Series barreled actions feature Sniper Grey Cerakote® finishes for advanced protection in extremely harsh weather. The Terrain, HMR, and Ridge models also feature a seamless, omnidirectional, and multi-ported muzzle brake that will reduce felt recoil by up to 35 percent.

The B-14 Wilderness Series provides a great deal of added value for the hunter that wants a no-non-sense performer that is built to withstand the backcountry. We are breaking through the uninhabited and inhospitable regions to bring you the weather protection needed to withstand these conditions.

We believe the word wilderness, while may be rugged, harsh and unforgiving, describes an experience rather than a location. We built the B-14 Wilderness Series to match every stride taken off the beaten trail.

Features

BERGARA B-14 ACTION	• Spring-loaded ejector • Side-mounted bolt stop • One-piece body with two locking lugs • 90° bolt throw angle • Cone-shaped bolt nose ejector - assures smooth feeding • Sliding plate extractor • Hinged floor plate or detachable magazine • Cerakoted® Sniper Grey
BERGARA BARREL	• Made from 4140 CrMo steel • Cerakoted® Sniper Grey • 1.0 MOA accuracy guaranteed
TRIGGER	• All B-14 Rifles feature a Bergara Performance Trigger
SAFETY MECHANISMS	• The two position safety is part of the trigger assembly. It allows the rifle to be unloaded while in the safe position.
STOCK	• All Wilderness Series rifles feature Bergara's hand-painted camouflage

NEW

TERRAIN
WILDERNESS SERIES

WEIGHT	4,2 kg (9.3 lbs) - 4,6 kg (10.1 lbs)
LENGTHS	51 cm (20”) - 66 cm (26”) barrel 104 cm (41”) - 122 cm (48”) overall
BARREL	19,1 mm / No. 5.5 taper Threaded 5/8”-24 UNEF with Omni Muzzle Brake
FINISH	Sniper Grey Cerakote®
STOCK	Bergara Terrain molded with mini-chassis Integrated QD flush cup sling mounts and swivel mounts Adjustable cheek rest
TRIGGER	Bergara Performance Trigger
MAGAZINE	AICS style detachable 5 round mag provided (3 round mag: 6.5 PRC)
SCOPE MOUNT	Fits Remington 700® bases with 6-48 screws

• *Featuring the Bergara B-14 action*

CALIBER	TWIST
6.5 Creedmoor	1:8”
6.5 PRC	1:8”
.308 Win.	1:10”
.300 Win. Mag.	1:10”
.300 PRC	1:9”

* *See page 44 for full specifications*



NEW

HMR
WILDERNESS SERIES

WEIGHT	4,3 kg (9.5 lbs) - 4,5 kg (9.9 lbs)
LENGTHS	51 cm (20”) - 66 cm (26”) barrel 102 cm (40”) - 121 cm (47.5”) overall
BARREL	21,6 mm / No. 6 taper Threaded 5/8”-24 UNEF with Omni Muzzle Brake
FINISH	Sniper Grey Cerakote®
STOCK	Bergara HMR molded with mini-chassis Integrated QD flush cup sling mounts and swivel mounts Adjustable cheek piece, and length-of-pull
TRIGGER	Bergara Performance Trigger
MAGAZINE	AICS style detachable 5 round mag provided (3 round mag: 6.5 PRC)
SCOPE MOUNT	Fits Remington 700® bases with 6-48 screws

• *Featuring the Bergara B-14 action*

CALIBER	TWIST
6.5 Creedmoor	1:8”
6.5 PRC	1:8”
.308 Win.	1:10”
.300 Win. Mag.	1:10”
.300 PRC	1:9”

* *See page 44 for full specifications*

NEW

RIDGE
WILDERNESS SERIES

WEIGHT	3,2 kg (7.4 lbs) - 3,6 kg (7.9 lbs)
LENGTHS	45,7 cm (18”) - 66 cm (26”) barrel 95 cm (37.5”) - 116 cm (46”) overall
BARREL	17,8 mm / No. 5 taper Threaded 5/8”-24 UNEF with Omni Muzzle Brake
FINISH	Sniper Grey Cerakote®
STOCK	American-style synthetic with SoftTouch finish
TRIGGER	Bergara Performance Trigger
MAGAZINE	Hinged Floor Plate Magazine 4 round capacity in standard calibers 3 round capacity in magnum calibers 2 round capacity in PRC calibers Detachable Magazine * 3 round capacity in standard calibers 2 round capacity in magnum calibers
SCOPE MOUNT	Fits Remington 700® bases with 6-48 screws

* *Not available in PRC calibers*

• *Featuring the Bergara B-14 action*

CALIBER	TWIST
6.5 Creedmoor	1:8”
6.5 Creedmoor SP	1:8”
6.5 PRC	1:8”
.308 Win.	1:10”
.308 Win. SP	1:10”
7mm Rem. Mag.	1:9.5”
.300 Win. Mag.	1:10”
300 PRC	1:9”

* *See page 44 for full specifications*

NEW

HUNTER
WILDERNESS SERIES

WEIGHT	3,2 kg (7.1 lbs) - 3,3 kg (7.3 lbs)
LENGTHS	56 cm (20”) - 61 cm (24”) barrel 105 cm (41.5”) - 112 cm (44”) overall
BARREL	16,5 mm / No. 4 taper
FINISH	Sniper Grey Cerakote®
STOCK	American-style synthetic with SoftTouch finish
TRIGGER	Bergara Performance Trigger
MAGAZINE	Hinged Floor Plate Magazine 4 round capacity in standard calibers 3 round capacity in magnum calibers 2 round capacity in PRC calibers Detachable Magazine 3 round capacity in standard calibers 2 round capacity in magnum calibers
SCOPE MOUNT	Fits Remington 700® bases with 6-48 screws

• *Featuring the Bergara B-14 action*

CALIBER	TWIST
6.5 Creedmoor	1:8”
.308 Win.	1:10”
7mm Rem. Mag.	1:9.5”
.300 Win. Mag.	1:10”

* *See page 44 for full specifications*

B-14 Series

Our B-14 Series brings Bergara quality and accuracy to a line of rifles that is affordable to almost any serious big-game hunter or shooter. Built in Spain at our state-of-the-art production facility, our highly-efficient manufacturing and assembly techniques allow us to deliver a rifle with a level of quality and performance that is unmatched for the price.

B-14 Series rifles feature the world-famous Bergara barrel, which is complemented by our own super-smooth B-14 Action. This action features a coned-bolt nose and breech, ensuring smooth feeding and a sliding plate extractor for proper alignment.

The Bergara 4140 CrMo steel barrel is finished in matte blue. Lengths and contours vary by model. Stocks are designed in various styles to ensure proper fit for every shooter.

The BMP Chassis rifle features a machined aluminum chassis stock that provides stability, adjustability, and versatility. The HMR features a built-in Mini-Chassis that offers repeatable bedding and maximizes accuracy by supporting a fully floated Bergara barrel.

The Timber model features Monte Carlo styling in hand-graded oil-finished walnut. The Hunter, Sporter and Ridge models support a lightweight synthetic stock designed to withstand the elements. Both the wood and synthetic stocks are bedded with integral pillars for stability and enhanced accuracy. All B-14 rifles are guaranteed to produce 100 yard groups of 1.0 MOA or better with quality factory ammunition.

Features

BERGARA B-14 ACTION	• Spring-loaded ejector • Side-mounted bolt stop • One-piece body with two locking lugs • 90° bolt throw angle • Cone-shaped bolt nose ejector - assures smooth feeding • Sliding plate extractor • Hinged floor plate or detachable magazine
BERGARA BARREL	• Made from 4140 CrMo steel • Matte blued finish • 1.0 MOA accuracy guaranteed
TRIGGER	• All B-14 Rifles feature an adjustable Bergara Performance Trigger
SAFETY MECHANISMS	• The two position safety is part of the trigger assembly. It allows the rifle to be unloaded while in the safe position.

BMP
⟨Bergara Match Precision⟩

WEIGHT	4,9 kg (10.8 lbs) - 6 kg (13.2 lbs)
LENGTHS	51 cm (20”) - 71 cm (28”) barrel 100 cm (39.5”) - 100 cm (47”) overall
BARREL	21,6 mm / No. 6 taper - 25 mm (0.98”) Threaded M18x1 with thread protector
FINISH	Matte Blued
STOCK	Bergara BMP Chassis Integrated QD flush cup sling mounts and swivel mounts Adjustable cheek piece and length of pull
TRIGGER	Bergara Performance Trigger
MAGAZINE	AICS style detachable 5 round mag provided
SCOPE MOUNT	Fits Remington 700® bases with 6-48 screws

• *Featuring the Bergara B-14 action*

CALIBER	TWIST
6.5 Creedmoor	1:8”
.308 Win.	1:10”
.308 Win. SuperVarmint	1:11”

* *See page 45 for full specifications*

HMR
⟨Hunting & Match Rifle⟩

WEIGHT	4,1 kg (9 lbs) - 4,5 kg (9.9 lbs)
LENGTHS	51 cm (20”) - 66 cm (26”) barrel 102 cm (20”) - 121 cm (24”) overall
BARREL	19,1 mm / Nº 5.5 - 21,6 mm / No. 6 taper Threaded M15x1 or M18x1 with thread protector
FINISH	Matte Blued
STOCK	Bergara HMR molded with mini-chassis Integrated QD flush cup sling mounts and swivel mounts Adjustable cheek piece, and length-of-pull
TRIGGER	Bergara Performance Trigger
MAGAZINE	AICS style detachable 5 round mag provided
SCOPE MOUNT	Fits Remington 700® bases with 6-48 screws

• *Featuring the Bergara B-14 action*

CALIBER	TWIST
.22-250 Rem.	1:9”
6.5 Creedmoor	1:8”
.308 Win.	1:10”
.300 Win. Mag.	1:10”

* *See page 45 for full specifications*

Left handed models available in all the calibers.



RIDGE

WEIGHT	3,5 kg (7.7 lbs) - 3,6 kg (7.9 lbs)
LENGTHS	56 cm (22”) - 61 cm (24”) barrel 105 cm (39.5”) - 112 cm (44”) overall
BARREL	19,1 mm / No. 5.5 taper Threaded M15x1 with thread protector
FINISH	Matte Blued
STOCK	American-style synthetic with SoftTouch finish
TRIGGER	Bergara Performance Trigger
MAGAZINE	Hinged Floor Plate Magazine 4 round capacity in standard calibers 3 round capacity in magnum calibers Detachable Magazine 3 round capacity in standard calibers 2 round capacity in magnum calibers
SCOPE MOUNT	Fits Remington 700® bases with 6-48 screws

• *Featuring the Bergara B-14 action*

CALIBER	TWIST
.270 Win.	1:10”
6.5 Creedmoor	1:8”
.308 Win.	1:11”
.300 Win. Mag.	1:10”

* *See page 45 for full specifications*

HUNTER

WEIGHT	3,2 kg (7.1 lbs) - 3,4 kg (7.5 lbs)
LENGTHS	56 cm (22”) - 61 cm (24”) barrel 105 cm (41.5”) - 112 cm (44”) overall
BARREL	16,5 mm / No. 4 taper - 19,1 mm / No. 5.5 taper Threaded M14x1 or M15x1 with thread protector
FINISH	Matte Blued
STOCK	American-style synthetic with SoftTouch finish
TRIGGER	Bergara Performance Trigger
MAGAZINE	Hinged Floor Plate Magazine 4 round capacity in standard calibers 3 round capacity in magnum calibers Detachable Magazine 3 round capacity in standard calibers 2 round capacity in magnum calibers
SCOPE MOUNT	Fits Remington 700® bases with 6-48 screws

• *Featuring the Bergara B-14 action*

CALIBER	TWIST	
.243 Win.	1:10”	
6.5 Creedmoor	1:8”	
7mm-08 Rem.	1:9.5”	NEW
.308 Win.	1:12”	
6.5x55 SE	1:8.66”	
.270 Win.	1:10”	
.30-06 Spring.	1:10”	
8x57 JS	1:10”	
7mm Rem. Mag.	1:9.5”	
.300 Win. Mag.	1:10”	
.338 Win. Mag.	1:12”	NEW

* *See page 45 for full specifications*



TIMBER

WEIGHT	3,4 kg (7.5 lbs) - 3,7 kg (8.1 lbs)
LENGTHS	56 cm (22”) - 61 cm (24”) barrel 107 cm (42”) - 115 cm (45.5”) overall
BARREL	16,5 mm / No. 4 taper - 21,3 mm / No. 6 taper Threaded M14x1 or M15x1 with thread protector
FINISH	Matte Blued
STOCK	Monte Carlo style walnut
TRIGGER	Bergara Performance Trigger
MAGAZINE	Hinged Floor Plate Magazine 4 round capacity in standard calibers 3 round capacity in magnum calibers Detachable Magazine 3 round capacity in standard calibers 2 round capacity in magnum calibers
SCOPE MOUNT	Fits Remington 700 bases with 6-48 screws

• *Featuring the Bergara B-14 action*

CALIBER	TWIST	
.243 Win.	1:10”	
6.5 Creedmoor	1:8”	
7mm-08 Rem.	1:9.5”	NEW
.308 Win.	1:12”	
6.5x55 SE	1:8.66”	
.270 Win.	1:10”	
.30-06 Spring.	1:10”	
8x57 JS	1:10”	
7mm Rem. Mag.	1:9.5”	
.300 Win. Mag.	1:10”	
.338 Win. Mag.	1:12”	NEW
.375 H&H Mag.	1:12”	

* *See page 45 for full specifications*

* *Left handed models available in:*
.243 Win. / 6.5 Creedmoor / 7 mm Rem. Mag
.308 Win / .300 Win. Mag. and .338 Win. Mag.

SPORTER

WEIGHT	3,3 kg (7.3 lbs) - 3,4 kg (7.5 lbs)
LENGTHS	56 cm (22”) - 61 cm (24”) barrel 107 cm (42”) - 115 cm (45.5”) overall
BARREL	16,5 mm / No. 4 taper - 19,1 mm / No 5.5 taper Threaded M14x1 or M15x1 with thread protector
FINISH	Matte Blued
STOCK	American-style synthetic with SoftTouch finish
TRIGGER	Bergara Performance Trigger
MAGAZINE	Hinged Floor Plate Magazine 4 round capacity in standard calibers 3 round capacity in magnum calibers Detachable Magazine 3 round capacity in standard calibers 2 round capacity in magnum calibers
SCOPE MOUNT	Fits Remington 700® bases with 6-48 screws

• *Featuring the Bergara B-14 action*

CALIBER	TWIST	
.243 Win.	1:10”	
6.5 Creedmoor	1:8”	
7mm-08 Rem.	1:9.5”	NEW
.308 Win.	1:12”	
6.5x55 SE	1:8.66”	
.270 Win.	1:10”	
.30-06 Spring.	1:10”	
8x57 JS	1:10”	
7mm Rem. Mag.	1:9.5”	
.300 Win. Mag.	1:10”	
.338 Win. Mag.	1:12”	NEW

* *See page 45 for full specifications*

* *Sporter Varmint models available in: .22-250 Rem.(1:9”) / 6.5 Creedmoor (1:10”) and .308 Win.(1:8”)*

WOODSMAN

WEIGHT	3,2 kg (7.1 lbs) - 3,4 kg (7.5 lbs)
LENGTHS	56 cm (22”) - 61 cm (24”) barrel 105 cm (41”) - 112 cm (44”) overall
BARREL	16,5 mm / No. 4 taper - 19,1 mm / No 5.5 taper Threaded M14x1 or M15x1 with thread protector
FINISH	Matte Blued
STOCK	American-style walnut
TRIGGER	Bergara Performance Trigger
MAGAZINE	Hinged Floor Plate Magazine 4 round capacity in standard calibers 3 round capacity in magnum calibers Detachable Magazine 3 round capacity in standard calibers 2 round capacity in magnum calibers
SCOPE MOUNT	Fits Remington 700 bases with 6-48 screws

• Featuring the Bergara B-14 action

CALIBER	TWIST	
.243 Win.	1:10”	
6.5 Creedmoor	1:8”	
7mm-08 Rem.	1:9.5”	NEW
.308 Win.	1:12”	
6.5x55 SE	1:8.66”	
.270 Win.	1:10”	
.30-06 Spring.	1:10”	
8x57 JS	1:10”	
7mm Rem. Mag.	1:9.5”	
.300 Win. Mag.	1:10”	
.338 Win. Mag.	1:12”	NEW

* See page 45 for full specifications

B-14 EXTREME SERIES

B-14 Extreme Series

The Bergara Extreme Series Hunter Rifle is Bergara's newest offering, geared towards extreme conditions rifle shooting. This rifle features Bergara's B-14 action mated with a 4 tapered (16,6 mm), stainless steel Bergara barrel with Stainless Grey Cerakote® finish. The barrel is threaded and 18" length. This new rifle is less than 1 meter long and weights less than 3 kg (6.6 lbs) what makes it perfect for mountain and rough conditions hunting.

The entire Extreme Series brings Bergara Barrel accuracy to a line of hunting rifles that is affordable to serious big-game hunters. Built in Spain, this rifle delivers a level of quality and performance that is unmatched in its price range.

It's outfitted with a Bergara curved adjustable trigger we designed to guarantee a crisp, clean pull every time you fire the rifle. The Extreme Series Rifles are available in .308 Win Caliber with hinged floorplate or detachable magazine and open sights are optional.

All Extreme rifles are capable of producing 1.0 MOA groups or less at 100 yards using factory match grade ammunition.

Features

BERGARA B-14 ACTION	• Spring-loaded ejector • Side-mounted bolt stop • One-piece body with two locking lugs • 90° bolt throw angle • Cone-shaped bolt nose ejector - assures smooth feeding • Sliding plate extractor • Hinged floor plate or detachable magazine
BERGARA BARREL	• 416 AISI stainless steel • Stainless Grey Cerakoted® finish • All barrels are threaded in 5/8"- 24 UNEF • 1.0 MOA accuracy guaranteed
TRIGGER	• All B-14 Rifles feature an adjustable Bergara Performance Trigger
SAFETY MECHANISMS	• The two position safety is part of the trigger assembly. It allows the rifle to be unloaded while in the safe position.

NEW

SPORTER
EXTREME SERIES

WEIGHT	2,1 kg (6.9 lbs)
LENGTHS	45,7 cm (18”) barrel 97 cm (38.2”) overall
BARREL	16,6 mm / No. 4 taper Threaded M14x1 - 416 AISI stainless steel
FINISH	Stainless Grey Cerakote®
STOCK	American-style synthetic with SoftTouch finish
TRIGGER	Bergara Performance Trigger
MAGAZINE	Hinged floor plate or detachable 4 round capacity in Hinged floor plate 3 round capacity in Detachable
SCOPE MOUNT	Fits Remington 700® bases with 6-48 screws

• *Featuring the Bergara B-14 action*

CALIBER	TWIST
.308 Win.	1:10”

* See page 46 for full specifications

NEW

HUNTER
EXTREME SERIES

WEIGHT	2,9 kg (6.6 lbs)
LENGTHS	45,7 cm (18”) barrel 95 cm (37.4”) overall
BARREL	16,6 mm / No. 4 taper Threaded M14x1 416 AISI stainless steel
FINISH	Stainless Grey Cerakote®
STOCK	American-style synthetic with SoftTouch finish
TRIGGER	Bergara Performance Trigger
MAGAZINE	Hinged floor plate or detachable 4 round capacity in Hinged floor plate 3 round capacity in detachable
SCOPE MOUNT	Fits Remington 700® bases with 6-48 screws

• *Featuring the Bergara B-14 action*

CALIBER	TWIST
.308 Win.	1:10”

* See page 46 for full specifications

Rimfire Series

The Rimfire Series is the natural evolution of Bergara continuing its journey forward. Due to the fact that we have been making highly accurate rimfire barrels on an OEM basis for over a decade, we are confident that we can deliver exceptional performance and relevant features that make your rimfire shooting experience more successful.

With our advanced expertise in engineering, we combined two distinct platforms that serve completely different needs such as plinking and hunting as well as serious competition shooting.

The semi-automatic BXR series is ideal for plinking and hunting. The series bridges the gap between mass produced models and boutique brands. The BXR series is compatible with certain Ruger® 10/22® components and is available in either chromoly steel or carbon fiber tensioned steel.

The B-14R is specifically designed for long range rimfire shooting, training, and competing. It features a full-size 700 footprint and accepts many after-market components including stocks, triggers, and mounts. The push-feed action sports dual extractors, a full-size detachable magazine.

BXR .22 LR

OVERALL LENGTH	87,6 cm (34.5”) with spacers
ACTION	BXR
BARREL LENGTH	42 cm (16.5”)
BARREL TWIST	1:16
BARREL PROFILE	21,3 mm / No. 6
BARREL THREADS	1/2-28 (includes thread protector)
WEIGHT	2,15 kg (4.75 lbs) Carbon Fiber
	2,38 kg (5.25 lbs) Chromoly Fluted Barrel
BARREL MATERIAL	4140 Chromoly Steel
CAPACITY	10 round rotary magazine (10/22 compatible)
SCOPE MOUNT	30MOA integral picatinny rail
TRIGGER	Bergara BXR Trigger
STOCK	Bergara synthetic tactical, integrated QD flush cup sling mounts and swivel mounts and adjustable length-of-pull

B-14R RIMFIRE SERIES

OVERALL LENGTH	96,5 cm (38”) with spacers
ACTION	B-14R
BARREL LENGTH	46 cm (18”)
BARREL TWIST	1:16
BARREL PROFILE	21,3 mm / No. 6
BARREL THREADS	1/2-28 (includes thread protector)
WEIGHT	3,67 kg (8.1 lbs) Carbon Fiber
	4,15 kg (9.2 lbs) Steel
BARREL MATERIAL	4140 Bergara barrel
CAPACITY	10 round magazine (included)
SCOPE MOUNT	6-48 screws, Rem 700 compatible
TRIGGER	Bergara Performance Trigger
STOCK	Bergara HMR Molded with mini-chassis, integrated QD flush cup sling mounts and swivel mounts, adjustable cheek piece and length-of-pull
	Full-length integrated mini-chassis for repeatable bedding and supports fully free-floated barrel

NEW

B-14R TRAINER - CARBON

WEIGHT	3,7 kg (8.1 lbs)
LENGTHS	46 cm (18") barrel 96,5 cm (38") with spacers
BARREL	21,3 mm / No. 6 Threaded 1/2-28" with thread protector Carbon fiber Bergara barrel
FINISH	Graphite Black Cerakote®
STOCK	Bergara HMR stock Integrated QD flush cup sling mounts and swivel mounts Adjustable cheek piece and length-of-pull Full-length Integrated mini-chassis for repeatable bedding and supports fully free-floated barrel
TRIGGER	Bergara Performance Trigger
MAGAZINE	AICS style 10 round magazine included
SCOPE MOUNT	Fits Remington 700® bases with 6-48 screws

• *Featuring the Bergara B-14 action*

CALIBER	TWIST
.22LR	1:16"

* *See page 46 for full specifications*

Barreled action available

NEW

B-14R TRAINER - STEEL

WEIGHT	4,1 kg (9.2 lbs)
LENGTHS	46 cm (18") 96,5 cm (38") with spacers
BARREL	21,3 mm / No. 6 Threaded 1/2-28" with thread protector
FINISH	Matte Blued
STOCK	Bergara HMR stock Integrated QD flush cup sling mounts and swivel mounts Adjustable cheek piece and length-of-pull Full-length Integrated mini-chassis for repeatable bedding and supports fully free-floated barrel
TRIGGER	Bergara Performance Trigger
MAGAZINE	AICS style 10 round magazine included
SCOPE MOUNT	Fits Remington 700® bases with 6-48 screws

• *Featuring the Bergara B-14 action*

CALIBER	TWIST
.22LR	1:16"

* *See page 46 for full specifications*

Barreled action available

NEW

BXR Carbon

WEIGHT	2,1 kg (4.7 lbs)
LENGTHS	42,5 cm (16.5”) 87,6 cm (34.5”) with spacers
BARREL	21,3 mm / No. 6 Carbon fiber Threaded 1/2-28” with thread protector
FINISH	Graphite Black Cerakote®
STOCK	Bergara synthetic tactical with LOP Spacers Integrated QD flush cup sling mounts and swivel mounts
TRIGGER	Bergara BXR Trigger Trigger Pull: 3.5 lbs (approximate)
MAGAZINE	Detachable 10 Round rotary magazine included
SCOPE MOUNT	30MOA integral picatinny rail

• Featuring the Bergara BXR .22 LR semi-auto action

CALIBER	TWIST
.22LR	1:16”

*See page 46 for full specifications



NEW

BXR Steel

WEIGHT	2,3 kg (5.2 lbs)
LENGTHS	42,5 cm (16.5”) 87,6 cm (34.5”) with spacers
BARREL	21,3 mm / No. 6 Chromoly with Black Cerakote™ Threaded 1/2-28” with thread protector
FINISH	Matte Blued
STOCK	Bergara synthetic tactical with LOP Spacers Integrated QD flush cup sling mounts and swivel mounts
TRIGGER	Bergara BXR Trigger Trigger Pull: 3.5 lbs (approximate)
MAGAZINE	Detachable 10 Round rotary magazine included
SCOPE MOUNT	30MOA integral picatinny rail

• Featuring the Bergara BXR .22 LR semi-auto action

CALIBER	TWIST
.22LR	1:16”

*See page 46 for full specifications

BA-13 TAKE DOWN SERIES

For the hunter who wants a high-quality single shot rifle, the BA-13 TAKE DOWN is the ideal choice. Its sleek, lightweight, and easy-to operate design sets a new standard for affordable single shot hunting rifles. Every stock is lightweight and features Bergara's CrushZone® Recoil pad – a real plus for heavier calibers. Every BA-13 TD model is perfectly balanced in a 100% ambidextrous, composite stock making the gun incredibly quick to aim and shoot. Each rifle includes a DuraSight® scope rail, which will accept most any standard scope rings found on the market today.

The quick-take-down, tools-free disassembly, makes it easy to carry and also a great stowaway gun for the camp, boat, or truck.

Our BA13 TAKE DOWN range is a popular choice for mountain hunting. Its excellent maneuverability, its lightness and the precision of the BERGARA barrels make the BA13 TD single shoot rifle an optimal performance for a stalking rifle.

FEATURES

BERGARA RIFLE	• 100% Ambidextrous Stock • CrushZone® Recoil Pad • Equipped with a DuraSight® Weaver-Style rail • Reversible Cocking Spur • Trigger guard actuated breech system
BERGARA BARREL	• Fluted Bergara barrel • 4140CrMo blued steel or 416 AISI stainless steel • All barrels are threaded in 5/8”- 24 UNEF

NEW

TD THUMBHOLE
TAKE DOWN SERIES

WEIGHT	3 kg (6.6 lbs) – 3,2 kg (7.1 lbs)
LENGTHS	42 cm (16.5”) – 51 cm (20”) barrel 80 cm (31.5”) – 89 cm (35”) overall
BARREL	No. 5.5 taper Threaded 5/8”-24 UNEF
FINISH	Matte Blued or Stainless Steel
STOCK	Synthetic Black / Wood Camo / Realtree® Edge Camo
TRIGGER	Trigger guard actuated breech system 1,8 kg Trigger weight
SCOPE MOUNT	DuraSight® Weaver-Style rail

CALIBER	TWIST
.222 Rem.	1:14”
.243 Win.	1:10”
6.5x57 R	1:8”
.300 BLK	1:8”
.308 Win.	1:8”
.308 Win.	1:12”
.30-06 Spring.	1:10”
.45-70 Gov.	1:20”
8x57 JRS	1:9.5”

* See page 46 for full specifications

Easy assembly / disassembly without using tools

* Also available with Wood Camo and Realtree Edge® Camo Stocks

* Available in Stainless steel and Carbon

NEW

TD SYNTHETIC
TAKE DOWN SERIES

WEIGHT	3 kg (6.6 lbs) – 3,2 kg (7.1 lbs)
LENGTHS	42 cm (16.5”) – 51 cm (20”) barrel 80 cm (31.5”) – 89 cm (35”) overall
BARREL	No. 5 taper Threaded 5/8”-24 UNEF
FINISH	Matte Blued or Stainless Steel
STOCK	Synthetic Black / Wood Camo / Realtree® Edge Camo
TRIGGER	Trigger guard actuated breech system 1,8 kg Trigger weight
SCOPE MOUNT	DuraSight® Weaver-Style rail
OPEN SIGHTS	Included in 20” barrels (not in 16.5”)

CALIBER	TWIST
.222 Rem.	1:14”
.243 Win.	1:10”
6.5x57 R	1:8”
.300 BLK	1:8”
.308 Win.	1:8”
.308 Win.	1:12”
.30-06 Spring.	1:10”
.45-70 Gov.	1:20”
8x57 JRS	1:9.5”

* See page 46 for full specifications

* Also available with Wood Camo and Realtree Edge® Camo Stocks

Bergara Accessories

HMR STOCK
Stocks available for all the B-14 and BA-13

OMNI MUZZLE BRAKE
Available 5/8x24 UNS and M14x1

10 ROUND MAGAZINE FOR B-14R

TACTICAL BOLT KNOB FOR B-14 RIFLES

TP1 MUZZLE BRAKE (SELF TIMING)
Available in M15x1 and M18x1

10 ROUND ROTATORY MAGAZINE FOR BXR

RAIL 0 MOA
RAIL 20MOA
(Short & long action models)
Fits Rem 700® with 6-48 & 8-40 screws

ST1 MUZZLE BRAKE (SELF TIMING)
Available 5/8x24 UNS

3, 5 & 10 ROUND BERGARA AICS MAGAZINES (Short action)

CONVERSION KIT

Bergara Accessories

BERGARA GUNCASE

BERGARA BA-13 GUNCASE

BERGARA DAYPACK 35L.

Quake Accessories

STAG™ All Terrain Seat

QUAKE SLINGS
(Swivels and quick detach flushcups models)

PREMIER SERIES RIFLES

*All Premier Series Rifles come with TriggerTech Frictionless Release Technology™

CALIBER	TWIST RATE	BARREL LENGHT	MUZZLE DIAMETER	MUZZLE THREAD	MAGAZINE	MAGAZINE CAPACITY	OVERALL LENGHT	OVERALL WEIGHT	FINISH
HIGHLANDER *All Highlander Rifles feature a hand laid fiberglass stock and installed Omni Brake									
6.5 Creedmoor	1:8	61 cm (24")	17,8 mm (No. 5)	5/8-24 UNEF	Hinged floor plate	4 standard	108 cm (42.5")	3,4 kg (7.6 lbs)	Sniper Grey Cerakote®
.308 Win.	1:10	51 cm (20")	17,8 mm (No. 5)	5/8-24 UNEF	Hinged floor plate	4 standard	98 cm (38.5")	3,3 kg (7.3 lbs)	Sniper Grey Cerakote®
7mm Rem. Mag.	1:9.5	61 cm (24")	17,8 mm (No. 5)	5/8-24 UNEF	Hinged floor plate	3 magnum	109 cm (43")	3,4 kg (7.7 lbs)	Sniper Grey Cerakote®
.300 Win. Mag.	1:10	61 cm (24")	17,8 mm (No. 5)	5/8-24 UNEF	Hinged floor plate	3 magnum	109 cm (43")	3,4 kg (7.7 lbs)	Sniper Grey Cerakote®
APPROACH *All Approach Rifles feature a fiberglass stock and installed Omni Brake									
6.5 Creedmoor	1:8	61 cm (24")	19,1 mm (No. 5.5)	5/8-24 UNEF	Hinged floor plate	4 standard	110 cm (43.5")	3,8 kg (8.4 lbs)	Graphite Black Cerakote®
.308 Win.	1:10	51 cm (20")	19,1 mm (No. 5.5)	5/8-24 UNEF	Hinged floor plate	4 standard	105 cm (39.5")	3,7 kg (8.2 lbs)	Graphite Black Cerakote®
7mm Rem. Mag.	1:9.5	61 cm (24")	19,1 mm (No. 5.5)	5/8-24 UNEF	Hinged floor plate	3 magnum	112 cm (44")	3,8 kg (8.5 lbs)	Graphite Black Cerakote®
.300 Win. Mag.	1:10	66 cm (26")	19,1 mm (No. 5.5)	5/8-24 UNEF	Hinged floor plate	3 magnum	116 cm (46")	3,9 kg (8.6 lbs)	Graphite Black Cerakote®
MOUNTAIN 2.0 *All Mountain Rifles feature a 100% carbon-fiber stock									
6.5 Creedmoor	1:8	56 cm (22")	15 mm (No. 3)	-	Hinged floor plate	4 standard	105 cm (41.5")	2,8 kg (6.2 lbs)	Tactical Grey Cerakote®
6.5 PRC	1:8	61 cm (24")	15 mm (No. 3)	-	Hinged floor plate	2 magnum	110 cm (43.5")	2,8 kg (6.3 lbs)	Tactical Grey Cerakote®
.308 Win.	1:10	56 cm (22")	15 mm (No. 3)	-	Hinged floor plate	4 standard	105 cm (41.5")	2,8 kg (6.2 lbs)	Tactical Grey Cerakote®
.300 Win. Mag.	1:10	61 cm (24")	15 mm (No. 3)	-	Hinged floor plate	3 magnum	112 cm (44")	2,9 kg (6.4 lbs)	Tactical Grey Cerakote®
300 PRC	1:9	61 cm (24")	15 mm (No. 3)	-	Hinged floor plate	2 magnum	112 cm (44")	2,9 kg (6.5 lbs)	Tactical Grey Cerakote®
RIDGEBACK *All Ridgeback Rifles feature a fiberglass stock									
6.5 Creedmoor	1:8	61 cm (24")	21 mm (Medium Palma)	5/8-24 UNEF	AICS detachable	5 round mag provided	110 cm (43.5")	4,6 kg (10.2 lbs)	Graphite Black Cerakote®
6mm Creedmoor	1:7.5	66 cm (26")	21 mm (Medium Palma)	5/8-24 UNEF	AICS detachable	5 round mag provided	115 cm (45.5")	4.8 kg (10.6 lbs)	Graphite Black Cerakote®
.308 Win.	1:10	51 cm (20")	21 mm (Medium Palma)	5/8-24 UNEF	AICS detachable	5 round mag provided	105 cm (39.5")	4,5 kg (10 lbs)	Graphite Black Cerakote®
.300 Win. Mag.	1:10	66 cm (26")	21 mm (Medium Palma)	5/8-24 UNEF	AICS detachable	5 round mag provided	116 cm (46")	4.8 kg (10.7 lbs)	Graphite Black Cerakote®
HMR PRO *All HMR Pro Rifles feature a Bergara HMR molded stock with mini-chassis									
.22-250 Rem.	1:9	61 cm (24")	19,1 mm (No. 5.5)	5/8-24 UNEF	AICS detachable	5 round mag provided	112 cm (44")	4,3 kg (9.5 lbs)	Tactical Grey Cerakote®
6mm Creedmoor	1:7.5	66 cm (26")	19,1 mm (No. 5.5)	5/8-24 UNEF	AICS detachable	5 round mag provided	116 cm (46")	4,3 kg (9.7 lbs)	Tactical Grey Cerakote®
6.5 Creedmoor	1:8	61 cm (24")	19,1 mm (No. 5.5)	5/8-24 UNEF	AICS detachable	5 round mag provided	112 cm (44")	4,3 kg (9.5 lbs)	Tactical Grey Cerakote®
6.5 Creedmoor Heavy Barrel	1:8	61 cm (24")	21,3 mm (No. 6)	5/8-24 UNEF	AICS detachable	5 round mag provided	112 cm (44")	4,3 kg (9.6 lbs)	Tactical Grey Cerakote®
6.5 PRC	1:8	66 cm (26")	19,1 mm (No. 5.5)	5/8-24 UNEF	AICS detachable	3 round mag provided	116 cm (46")	4,3 kg (9.7 lbs)	Tactical Grey Cerakote®
.308 Win.	1:10	51 cm (20")	19,1 mm (No. 5.5)	5/8-24 UNEF	AICS detachable	5 round mag provided	102 cm (40")	4,2 kg (9.3 lbs)	Tactical Grey Cerakote®
7mm Rem. Mag.	1:9.5	61 cm (24")	19,1 mm (No. 5.5)	5/8-24 UNEF	AICS detachable	5 round mag provided	121 cm (47.5")	4,3 kg (9.7 lbs)	Tactical Grey Cerakote®
.300 Win. Mag.	1:10	66 cm (26")	19,1 mm (No. 5.5)	5/8-24 UNEF	AICS detachable	5 round mag provided	121 cm (47.5")	4.4 kg (9.8 lbs)	Tactical Grey Cerakote®
300 PRC	1:9	66 cm (26")	19,1 mm (No. 5.5)	5/8-24 UNEF	AICS detachable	5 round mag provided	121 cm (47.5")	4.4 kg (9.8 lbs)	Tactical Grey Cerakote®
LRP 2.0 *All LRP Rifles feature a XLR Element stock									
6.5 Creedmoor	1:8	61 cm (24")	21,3 mm (No. 6)	5/8-24 UNEF	AICS detachable	5 round mag provided	110 cm (43.5")	4,3 kg (9.6 lbs)	Graphite Black Cerakote®
.300 Win. Mag.	1:10	66 cm (26")	21,3 mm (No. 6)	5/8-24 UNEF	AICS detachable	5 round mag provided	116 cm (46")	4.4 kg (9.8 lbs)	Graphite Black Cerakote®

B-14 WILDERNESS SERIE RIFLE

*All B-14 Series Rifles come with the Bergara Performance Trigger

CALIBER	TWIST RATE	BARREL LENGHT	MUZZLE DIAMETER	MUZZLE THREAD	HINGED FLOOR PLATE MAGAZINE	DETECHABLE MAGAZINE	OVERAL LENGHT	OVERALL WEIGHT	FINISH
TERRAIN *All Terrain Rifles feature a Bergara Terrain molded stock mini-chassis and installed Omni Brake									
6.5 Creedmoor	1:8	61 cm (24")	19,1 mm (No. 5.5)	5/8-24 UNEF	-	5 round mag provided	114 cm (45")	4,2 kg (9.3 lbs)	Sniper Grey Cerakote®
6.5 PRC	1:8	61 cm (24")	19,1 mm (No. 5.5)	5/8-24 UNEF	-	3 round mag provided	114 cm (45")	4,2 kg (9.3 lbs)	Sniper Grey Cerakote®
.308 Win.	1:10	51 cm (20")	19,1 mm (No. 5.5)	5/8-24 UNEF	-	5 round mag provided	104 cm (41")	4 kg (8.9 lbs)	Sniper Grey Cerakote®
.300 Win. Mag.	1:10	66 cm (26")	19,1 mm (No. 5.5)	5/8-24 UNEF	-	5 round mag provided	122 cm (48")	4,6 kg (10.1 lbs)	Sniper Grey Cerakote®
300 PRC	1:9	66 cm (26")	19,1 mm (No. 5.5)	5/8-24 UNEF	-	5 round mag provided	122 cm (48")	4,6 kg (10.1 lbs)	Sniper Grey Cerakote®
HMR *All HMR Rifles feature a Bergara HMR molded stock with mini-chassis and installed Omni Brake									
6.5 Creedmoor	1:8	61 cm (24")	21,6 mm (No. 6)	5/8-24 UNEF	-	5 round mag provided	112 cm (44")	4,4 kg (9.7 lbs)	Sniper Grey Cerakote®
6.5 PRC	1:8	61 cm (24")	21,6 mm (No. 6)	5/8-24 UNEF	-	3 round mag provided	112 cm (44")	4,4 kg (9.7 lbs)	Sniper Grey Cerakote®
.308 Win.	1:10	51 cm (20")	21,6 mm (No. 6)	5/8-24 UNEF	-	5 round mag provided	102 cm (40")	4,3 kg (9.5 lbs)	Sniper Grey Cerakote®
.300 Win. Mag.	1:10	66 cm (26")	21,6 mm (No. 6)	5/8-24 UNEF	-	5 round mag provided	121 cm (47.5")	4,5 kg (9.9 lbs)	Sniper Grey Cerakote®
300 PRC	1:9	66 cm (26")	21,6 mm (No. 6)	5/8-24 UNEF	-	5 round mag provided	121 cm (47.5")	4,5 kg (9.9 lbs)	Sniper Grey Cerakote®
RIDGE *All Ridge Rifles feature an American style synthetic stock with SoftTouch finish and installed Omni Brake									
6.5 Creedmoor	1:8	56 cm (22")	17,8 mm (No. 5)	5/8-24 UNEF	4 standard	3 standard	105 cm (41.5")	3,4 kg (7.5 lbs)	Sniper Grey Cerakote®
6.5 Creedmoor SP	1:8	45,7 cm (18")	17,8 mm (No. 5)	5/8-24 UNEF	4 standard	3 standard	95 cm (37.5")	3,2 kg (7.2 lbs)	Sniper Grey Cerakote®
6.5 PRC	1:8	61 cm (24")	17,8 mm (No. 5)	5/8-24 UNEF	2 magnum	-	110 cm (43.5")	3,4 kg (7.6 lbs)	Sniper Grey Cerakote®
.308 Win.	1:10	51 cm (20")	17,8 mm (No. 5)	5/8-24 UNEF	4 standard	3 standard	105 cm (39.5")	3,3 kg (7.4 lbs)	Sniper Grey Cerakote®
.308 Win. SP	1:10	45,7 cm (18")	17,8 mm (No. 5)	5/8-24 UNEF	4 standard	3 standard	95 cm (37.5")	3,2 kg (7.2 lbs)	Sniper Grey Cerakote®
7mm Rem. Mag.	1:9.5	61 cm (24")	17,8 mm (No. 5)	5/8-24 UNEF	3 magnum	2 magnum	112 cm (44")	3,5 kg (7.7 lbs)	Sniper Grey Cerakote®
.300 Win. Mag.	1:10	61 cm (24")	17,8 mm (No. 5)	5/8-24 UNEF	3 magnum	2 magnum	112 cm (44")	3,5 kg (7.7 lbs)	Sniper Grey Cerakote®
300 PRC	1:9	61 cm (24")	17,8 mm (No. 5)	5/8-24 UNEF	2 magnum	-	116 cm (46")	3,6 kg (7.9 lbs)	Sniper Grey Cerakote®
HUNTER *All Hunter Rifles feature an American style synthetic stock with SoftTouch finish									
6.5 Creedmoor	1:8	56 cm (22")	16,5 mm (No. 4)	-	4 standard	3 standard	105 cm (41.5")	3,2 kg (7.1 lbs)	Sniper Grey Cerakote®
.308 Win.	1:10	56 cm (22")	16,5 mm (No. 4)	-	4 standard	3 standard	105 cm (41.5")	3,2 kg (7.1 lbs)	Sniper Grey Cerakote®
7mm Rem. Mag.	1:9.5	61 cm (24")	16,5 mm (No. 4)	-	3 magnum	2 magnum	112 cm (44")	3,3 kg (7.3 lbs)	Sniper Grey Cerakote®
.300 Win. Mag.	1:10	61 cm (24")	16,5 mm (No. 4)	-	3 magnum	2 magnum	112 cm (44")	3,3 kg (7.3 lbs)	Sniper Grey Cerakote®

B-14 SERIES RIFLES

*All B-14 Series Rifles come with the Bergara Performance Trigger

CALIBER	TWIST RATE	BARREL LENGHT	MUZZLE DIAMETER	MUZZLE THREAD	HINGED FLOOR PLATE MAGAZINE	DETECHABLE MAGAZINE	OVERALL LENGHT	OVERALL WEIGHT	FINISH	LEFT HANDED OPT.	OPEN SIGHT OPTION
BMP											
6,5 Creedmoor	1:8"	61 cm (24")	21,3 mm (No. 6)	M18x1	-	5 + 1	110 cm (43.5")	4,9 kg (10.8 lbs)	Matte Blued		
.308 Win.	1:10"	51 cm (20")	21,8 mm (0.86")	M18x1	-	5 + 1	100 cm (39.5")	4,9 kg (10.8 lbs)	Matte Blued		
.308 Win.	1:10"	61 cm (24")	21,3 mm (No. 6)	M18x1	-	5 + 1	110 cm (43.5")	4,9 kg (10.8 lbs)	Matte Blued		
.308 Win. SuperVarmint	1:11"	71 cm (28")	25 mm (0.98)	-	-	5 + 1	120 cm (47")	6 kg (13.2 lbs)	Matte Blued		
HMR											
.22-250 Rem.	1:9"	61 cm (24")	21,3 mm (No. 6)	M18x1	-	5 + 1	115 cm (45.5")	4,5 kg (9.9 lbs)	Matte Blued	Yes	
6.5 Creedmoor	1:8"	56 cm (22")	19 mm (No. 5.5)	M15X1	-	5 + 1	110 cm (43.5")	4,3 kg (9.5 lbs)	Matte Blued	Yes	
6.5 Creedmoor	1:8"	61 cm (24")	21,3 mm (No. 6)	M18x1	-	5 + 1	115 cm (45.5")	4,5 kg (9.9 lbs)	Matte Blued	Yes	
.308 Win.	1:10"	51 cm (20")	19 mm (No. 5.5)	M15X1	-	5 + 1	105 cm (41.5")	4,1 kg (9 lbs)	Matte Blued	Yes	
.308 Win.	1:10"	61 cm (24")	21,3 mm (No. 6)	M18x1	-	5 + 1	115 cm (45.5")	4,5 kg (9.9 lbs)	Matte Blued	Yes	
.300 Win. Mag.	1:10"	66 cm (26")	19 mm (No. 5.5)	M15X1	-	5 + 1	120 cm (47")	4,5 kg (9.9 lbs)	Matte Blued	Yes	
RIDGE											
.270 Win.	1:10"	61 cm (24")	19 mm (No. 5.5)	M15X1	4 + 1	3 + 1	112 cm (44")	3,6 kg (7.9 lbs)	Matte Blued		
6.5 Creedmoor	1:8"	56 cm (22")	19 mm (No. 5.5)	M15X1	4 + 1	3 + 1	105 cm (39.5")	3,5 kg (7.7 lbs)	Matte Blued		
.308 Win.	1:11"	56 cm (22")	19 mm (No. 5.5)	M15X1	4 + 1	3 + 1	105 cm (39.5")	3,5 kg (7.7 lbs)	Matte Blued		
.300 Win. Mag.	1:10"	61 cm (24")	19 mm (No. 5.5)	M15X1	3 + 1	2 + 1	112 cm (44")	3,6 kg (7.9 lbs)	Matte Blued		
HUNTER											
.243 Win.	1:10"	56 cm (22")	16,6 mm (No.4)	M14x1	4 + 1	3 + 1	107 cm (42")	3,2 kg (7.1 lbs)	Matte Blued		Yes
6.5 Creedmoor	1:8"	56 cm (22")	16,6 mm (No.4)	M14x1	4 + 1	3 + 1	110 cm (43.5")	3,4 kg (7.5 lbs)	Matte Blued		Yes
7 mm-08 Rem.	1:9.5"	56 cm (22")	16,6 mm (No.4)	M14x1	4 + 1	3 + 1	107 cm (42")	3,4 kg (7.5 lbs)	Matte Blued		Yes
.308 Win.	1:12"	56 cm (22")	16,6 mm (No.4)	M14x1	4 + 1	3 + 1	107 cm (42")	3,2 kg (7.1 lbs)	Matte Blued		Yes
6,5x55 SE	1:8.66"	61 cm (24")	16,6 mm (No.4)	M14x1	4 + 1	3 + 1	112 cm (44")	3,3 kg (7.3 lbs)	Matte Blued		Yes
.270 Win.	1:10"	61 cm (24")	16,6 mm (No.4)	M14x1	4 + 1	3 + 1	112 cm (44")	3,3 kg (7.3 lbs)	Matte Blued		Yes
.30-06 Spring.	1:10"	61 cm (24")	16,6 mm (No.4)	M14x1	4 + 1	3 + 1	112 cm (44")	3,3 kg (7.3 lbs)	Matte Blued		Yes
.30-06 Spring.	1:10"	56 cm (22")	16,6 mm (No.4)	M14x1	4 + 1	3 + 1	107 cm (42")	3,2 kg (7.1 lbs)	Matte Blued		Yes
8x57 JS	1:10"	61 cm (24")	16,6 mm (No.4)	M14x1	4 + 1	3 + 1	112 cm (44")	3,5 kg (7.7 lbs)	Matte Blued		Yes
7 mm Rem. Mag.	1:9.5"	61 cm (24")	16,6 mm (No.4)	M14x1	3 + 1	2 + 1	112 cm (44")	3,5 kg (7.7 lbs)	Matte Blued		Yes
.300 Win Mag	1:10"	61 cm (24")	16,6 mm (No.4)	M14x1	3 + 1	2 + 1	112 cm (44")	3,3 kg (7.3 lbs)	Matte Blued		Yes
.338 Win Mag	1:12"	56 cm (22")	19,1 mm (No. 5.5)	M15X1	3 + 1	2 + 1	107 cm (42")	3,3 kg (7.3 lbs)	Matte Blued		Yes
TIMBER											
.243 Win.	1:10"	56 cm (22")	16,6 mm (No.4)	M14x1	4 + 1	3 + 1	107 cm (42")	3,4 kg (7.5 lbs)	Matte Blued	Yes	Yes
6.5 Creedmoor	1:8"	56 cm (22")	16,6 mm (No.4)	M14x1	4 + 1	3 + 1	107 cm (42")	3,4 kg (7.5 lbs)	Matte Blued	Yes	Yes
7 mm-08 Rem.	1:9.5"	56 cm (22")	16,6 mm (No.4)	M14x1	4 + 1	3 + 1	110 cm (43.5")	3,4 kg (7.5 lbs)	Matte Blued		Yes
.308 Win.	1:12"	56 cm (22")	16,6 mm (No.4)	M14x1	4 + 1	3 + 1	107 cm (42")	3,4 kg (7.5 lbs)	Matte Blued	Yes	Yes
6,5x55 SE	1:8.66"	61 cm (24")	16,6 mm (No.4)	M14x1	4 + 1	3 + 1	115 cm (45.5")	3,5 kg (7.7 lbs)	Matte Blued		Yes
.270 Win.	1:10"	61 cm (24")	16,6 mm (No.4)	M14x1	4 + 1	3 + 1	115 cm (45.5")	3,5 kg (7.7 lbs)	Matte Blued		Yes
.30-06 Spring.	1:10"	56 cm (22")	16,6 mm (No.4)	M14x1	4 + 1	3 + 1	110 cm (43.5")	3,4 kg (7.5 lbs)	Matte Blued		Yes
.30-06 Spring.	1:10"	61 cm (24")	16,6 mm (No.4)	M14x1	4 + 1	3 + 1	115 cm (45.5")	3,5 kg (7.7 lbs)	Matte Blued		Yes
8x57 JS	1:10"	61 cm (24")	16,6 mm (No.4)	M14x1	4 + 1	3 + 1	115 cm (45.5")	3,4 kg (7.5 lbs)	Matte Blued		Yes
7 mm Rem. Mag.	1:9.5"	61 cm (24")	16,6 mm (No.4)	M14x1	3 + 1	2 + 1	115 cm (45.5")	3,4 kg (7.5 lbs)	Matte Blued	Yes	Yes
.300 Win. Mag.	1:10"	61 cm (24")	16,6 mm (No.4)	M14x1	3 + 1	2 + 1	115 cm (45.5")	3,5 kg (7.7 lbs)	Matte Blued	Yes	Yes
.338 Win. Mag.	1:12"	56 cm (22")	19,1 mm (No. 5.5)	M15X1	3 + 1	2 + 1	110 cm (43.5")	3,5 kg (7.7 lbs)	Matte Blued	Yes	Yes
.375 H&H Mag.	1:12"	61 cm (24")	21,3 mm (No. 6)	M18x1	3 + 1	2 + 1	115 cm (45.5")	3,7 kg (8.1 lbs)	Matte Blued		Yes
SPORTER											
.243 Win	1:10"	56 cm (22")	16,6 mm (No.4)	M14x1	4 + 1	3 + 1	107 cm (42")	3,3 kg (7.3 lbs)	Matte Blued		Yes
6.5 Creedmoor	1:8"	56 cm (22")	16,6 mm (No.4)	M14x1	4 + 1	3 + 1	105 cm (41.5")	3,3 kg (7.3 lbs)	Matte Blued		Yes
7 mm-08 Rem.	1:9.5"	56 cm (22")	16,6 mm (No.4)	M14x1	4 + 1	3 + 1	105 cm (41.5")	3,3 kg (7.3 lbs)	Matte Blued		Yes
.308 Win.	1:12"	56 cm (22")	16,6 mm (No.4)	M14x1	4 + 1	3 + 1	107 cm (42")	3,3 kg (7.3 lbs)	Matte Blued		Yes
6,5x55 SE	1:8.66"	61 cm (24")	16,6 mm (No.4)	M14x1	4 + 1	3 + 1	115 cm (45.5")	3,4 kg (7.5 lbs)	Matte Blued		Yes
.270 Win.	1:10"	61 cm (24")	16,6 mm (No.4)	M14x1	4 + 1	3 + 1	115 cm (45.5")	3,4 kg (7.5 lbs)	Matte Blued		Yes
.30-06 Spring.	1:10"	56 cm (22")	16,6 mm (No.4)	M14x1	4 + 1	3 + 1	109 cm (43")	3,3 kg (7.3 lbs)	Matte Blued		Yes
.30-06 Spring.	1:10"	61 cm (24")	16,6 mm (No.4)	M14x1	4 + 1	3 + 1	115 cm (45.5")	3,4 kg (7.5 lbs)	Matte Blued		Yes
8x57 JS	1:10"	61 cm (24")	16,6 mm (No.4)	M14x1	4 + 1	3 + 1	115 cm (45.5")	3,4 kg (7.5 lbs)	Matte Blued		Yes
7 mm Rem. Mag.	1:9.5"	61 cm (24")	16,6 mm (No.4)	M14x1	3 + 1	2 + 1	115 cm (45.5")	3,4 kg (7.5 lbs)	Matte Blued		Yes
.300 Win. Mag.	1:10"	61 cm (24")	16,6 mm (No.4)	M14x1	3 + 1	2 + 1	115 cm (45.5")	3,4 kg (7.5 lbs)	Matte Blued		Yes
.338 Win. Mag.	1:12"	56 cm (22")	19,1 mm (No. 5.5)	M15X1	3 + 1	2 + 1	107 cm (42")	3,4 kg (7.5 lbs)	Matte Blued		Yes
SPORTER VARMINT											
.22-250 Rem.	1:9	61 cm (24")	21,3 mm (No. 6)	M18x1	4 + 1	3 + 1	114 cm (45")	3,8 kg (8.3 lbs)	Matte Blued		
6.5 Creedmoor	1:8	61 cm (24")	21,3 mm (No. 6)	M18x1	4 + 1	3 + 1	114 cm (45")	3,8 kg (8.3 lbs)	Matte Blued		
.308 Win.	1:10"	61 cm (24")	21,3 mm (No. 6)	M18x1	4 + 1	3 + 1	114 cm (45")	3,8 kg (8.3 lbs)	Matte Blued		
WOODSMAN											
.243 Win	1:10"	56 cm (22")	16,6 mm (No.4)	M14x1	4 + 1	3 + 1	107 cm (42")	3,2 kg (7.1 lbs)	Matte Blued		Yes
6.5 Creedmoor	1:8"	61 cm (24")	16,6 mm (No.4)	M14x1	4 + 1	3 + 1	112 cm (44")	3,4 kg (7.5 lbs)	Matte Blued		Yes
7 mm-08 Rem.	1:9.5"	56 cm (22")	16,6 mm (No.4)	M14x1	4 + 1	3 + 1	107 cm (42")	3,4 kg (7.5 lbs)	Matte Blued		Yes
.308 Win.	1:12"	56 cm (22")	16,6 mm (No.4)	M14x1	4 + 1	3 + 1	107 cm (42")	3,2 kg (7.1 lbs)	Matte Blued		Yes
6,5x55 SE	1:8.66"	61 cm (24")	16,6 mm (No.4)	M14x1	3 + 1	2 + 1	112 cm (44")	3,4 kg (7.5 lbs)	Matte Blued		Yes
.270 Win.	1:10"	61 cm (24")	16,6 mm (No.4)	M14x1	4 + 1	3 + 1	112 cm (44")	3,3 kg (7.3 lbs)	Matte Blued		Yes
.30-06 Spring.	1:10"	56 cm (22")	16,6 mm (No.4)	M14x1	4 + 1	3 + 1	107 cm (42")	3,2 kg (7.1 lbs)	Matte Blued		Yes
.30-06 Spring.	1:10"	61 cm (24")	16,6 mm (No.4)	M14x1	4 + 1	3 + 1	112 cm (44")	3,3 kg (7.3 lbs)	Matte Blued		Yes
8x57 JS	1:10"	61 cm (24")	16,6 mm (No.4)	M14x1	4 + 1	3 + 1	112 cm (44")	3,4 kg (7.5 lbs)	Matte Blued		Yes
7 mm Rem. Mag.	1:9.5"	61 cm (24")	16,6 mm (No.4)	M14x1	4 + 1	3 + 1	112 cm (44")	3,4 kg (7.5 lbs)	Matte Blued		Yes
.300 Win. Mag.	1:10"	61 cm (24")	16,6 mm (No.4)	M14x1	3 + 1	2 + 1	112 cm (44")	3,3 kg (7.3 lbs)	Matte Blued		Yes
.338 Win. Mag.	1:12"	56 cm (22")	19,1 mm (No. 5.5)	M15X1	3 + 1	2 + 1	107 cm (42")	3,3 kg (7.3 lbs)	Matte Blued		Yes

B-14 EXTREME SERIES RIFLES

CALIBER	TWIST RATE	BARREL LENGHT	MUZZLE DIAMETER	MUZZLE THREAD	HINGED FLOOR PLATE MAGAZINE	DETECHABLE MAGAZINE	OVERALL LENGHT	OVERALL WEIGHT	FINISH	OPEN SIGHT OPTION
EXTREME SPORTER * Stainless Steel barrel and action										
.308 Win.	1:10"	45,7 cm (18")	16,6 mm (No.4)	M14x1	4 + 1	3 + 1	97 cm (38.2")	3,1 kg (6.9 lbs)	Stainless Steel + Stainless Cerakote®	Yes
EXTREME HUNTER * Stainless Steel barrel and action										
.308 Win.	1:10"	45,7 cm (18")	16,6 mm (No.4)	M14x1	4 + 1	3 + 1	95 cm (37.4")	2,9 kg (6.6 lbs)	Stainless Steel + Stainless Cerakote®	Yes

RIMFIRE SERIES RIFLES

* Barreled actions are available

CALIBER	TWIST RATE	BARREL LENGHT	MUZZLE DIAMETER	MUZZLE THREAD	MAGAZINE	MAGAZINE CAPACITY	OVERALL LENGHT	OVERALL WEIGHT	FINISH
BXR									
.22LR (Steel)	1:16"	42 cm (16,5")	21,3 mm (No. 6)	1/2-28	Rotatory	10 round mag provided	88 cm (34.5")	2,3 kg (5.2 lbs)	Matte Blued
.22LR (carbon)	1:16"	42 cm (16.5")	21,3 mm (No. 6)	1/2-28	Rotatory	10 round mag provided	88 cm (34.5")	2,1 kg (4.7 lbs)	Carbon fiber and Graphite Black Cerakote®
B-14R									
.22LR (Steel)	1:16"	45,7 cm (18")	21,3 mm (No. 6)	1/2-28	AICS style	10 round mag provided	96 cm (38")	4,1 kg (9.2 lbs)	Matte Blued
.22LR (carbon)	1:16"	45,7 cm (18")	21,3 mm (No. 6)	1/2-28	AICS style	10 round mag provided	96 cm (38")	3,7 kg (8.1 lbs)	Carbon fiber and Graphite Black Cerakote®

BA-13 SERIES RIFLES

CALIBER	TWIST RATE	BARREL LENGHT	MUZZLE DIAMETER	MUZZLE THREAD	OVERALL LENGHT	OVERALL WEIGHT	STAINLESS OPTION	OPEN SIGHT
BA-13 TAKE DOWN * Available in different stocks and models. Open sights are not avaliable for the Thumbhole stock								
.222 Rem.	1:14"	51 cm (20")	17,8 mm (No. 5)	5/8-24 UNEF	89 cm (35")	3,1 kg (6.8 lbs)		Yes
.243 Win	1:10"	51 cm (20")	17,8 mm (No. 5)	5/8-24 UNEF	89 cm (35")	3,1 kg (6.8 lbs)		Yes
6,5x57 R	1:8"	51 cm (20")	17,8 mm (No. 5)	5/8-24 UNEF	89 cm (35")	3,1 kg (6.8 lbs)		Yes
.300 BLK	1:8"	42 cm (16.5")	17,8 mm (No. 5)	5/8-24 UNEF	80 cm (31.5")	3 kg (6.6 lbs)		
.300 BLK	1:8"	46 cm (18")	17,8 mm (No. 5)	5/8-24 UNEF	84 cm (33")	3,1 kg (6.8 lbs)		Yes
.308 Win.	1:8"	42 cm (16.5")	17,8 mm (No. 5)	5/8-24 UNEF	80 cm (31.5")	3 kg (6.6 lbs)	Yes	
.308 Win.	1:12"	51 cm (20")	17,8 mm (No. 5)	5/8-24 UNEF	89 cm (35")	3,1 kg (6.8 lbs)	Yes	Yes
.30-06 Spring.	1:10"	51 cm (20")	17,8 mm (No. 5)	5/8-24 UNEF	89 cm (35")	3,1 kg (6.8 lbs)		Yes
.45-70 Gov.	1:20"	51 cm (20")	19 mm (No. 5.5)	5/8-24 UNEF	89 cm (35")	3,1 kg (6.8 lbs)		Yes
8x57 JRS	1:9.5"	51 cm (20")	17,8 mm (No. 5)	5/8-24 UNEF	89 cm (35")	3,2 kg (7.1 lbs)		Yes

Bergara makes every effort to ensure that the information in this catalog is correct and accurate. However, continuous product refinements and design changes may result in revisions to models that may not be shown in this brochure. We reserve the right to make changes in specifications, models, features, materials, and colors at any time. Any and all errors in descriptions, and photos are subject to correction. Local laws and regulations may affect items in this catalog.

BERGARA®

OUR BARRELS MAKE THE DIFFERENCE

DIKAR

DIKAR S. COOP
Ugarte, 26
20570 Bergara-Guipúzcoa

info@bergararifles.com
Tel.: +34 943 769 893

www.bergara.online

Web Facebook Youtube Twiter Instagram

MONDRAGON
SENTIDO HUMANO DEL TRABAJO
Finanzas Industria Distribución Conocimiento

2020 - V1