BERGARA®
OUR BARRELS MAKE THE DIFFERENCE

DIKAR

DIKAR S. COOP
Ugarte, 26
20570 Bergara-Guipúzcoa
info@bergararifles.com
Tel.: +34 943 769 893
www.bergara.online

2021 INTERNATIONAL LINEUP

Website Facebook Youtube Twiter Instagram

MONDRAGON
SENTIDO HUMANO DEL TRABAJO
Finanzas Industria Distribución Conocimiento

2021 EN-V1.4



OUR BARRELS MAKE THE DIFFERENCE

A HISTORY OF PRECISION

With the most technically-advanced barrel manufacturing techniques, state-of-the-art machinery, and an unwavering commitment to quality, Bergara Barrels has become the barrel source of numerous top-tier gun manufacturers in both Europe and the United States. Bergara is producing a full line of precision firearms engineered and built to showcase the performance capabilities of our world-class barrels.

At Bergara, we believe that a precision firearm requires not only the best components, but also an assembly process that is carried out by individuals who are the best of the best at their craft. For this reason, we brought together a team of the world's most talented and experienced firearm builders.

It all began several years ago when we first began with a small line of custom rifles and one top-notch craftsman, the former Production Chief and Chief Instructor for the United States Marine Corps Precision Weapons Section. As Bergara rapidly grew, we then assembled a hand-picked group.

Today, that team forms the core of our production team. They pass on their knowledge and expertise to every new employee, thereby bringing their own real world experience and expertise to every Bergara firearm.

EVERY RIFLE STARTS WITH A PRECISION BARREL

STEP 1 FACE TURNING

The solid bar is face turned in order to assure straight deep hole drilling. Each Bergara barrel must begin with a straight bar of cylindrical steel. We inspect every bar to ensure it meets a deviation of less than 4/1,000 (or .004) of an inch. Many barrel manufacturers never even evaluate this aspect of a barrel and consequently hinder the barrel's accuracy potential.

STEP 2 DEEP HOLE DRILLING

Once the steel bar is straightened, it moves on to a four-spindle deep hole drilling machine where a specialized bit drills a perfect hole through the entire length of the bar.

STEP 3 TURNING

Turning the barrel before honing helps get a better bore finish.

STEP 4 BARREL HONING

Most other barrel manufacturers move from deep hole drilling to reaming, a process that leaves tool marks in the bore. Instead of reaming, Bergara uses three separate honing spindles that utilize diamond tipped bits that polish the interior surface of the barrel to a mirror-like finish that is almost completely free of tool marks. This time-consuming step lends Bergara a level of accuracy on par with barrels costing much more.

STEP 5 BUTTON RIFLING

A carbide rifling button is drawn through the barrel to produce the rifling grooves at the appropriate twist rate for each caliber. This produces a groove diameter deviation of less than 2/10,000 (or .0002") of an inch. It's the same result that many gunsmiths accomplish by hand lapping.

STEP 6 STRESS RELIEVING

Finally, a high temperature heating process realigns the steel molecules ensuring that the barrel is free from any stress after the button rifling process. Doing so the barrel will be more reliable and will last more rounds.

INDEX

PREMIER SERIES 4-9
Highlander 6
Mountain 2.0 8
HMR Pro 10

B-14 WILDERNESS SERIES 10-15
Terrain 12
HMR 13
Ridge 14
Hunter 15

B-14 EXTREME SERIES 16-19
Sporter 18
Hunter 19

B-14 SERIES 20-27
HMR 22
BMP 23
Sporter 24
Timber 25
Ridge 26
Hunter 27

RIMFIRE SERIES 28-35
B14R Trainer Carbon ... 30
B14R Trainer Steel 31
BMR Carbon 32
BMR Steel 33
BXR Carbon 34
BXR Steel 35

BA13 TD SERIES 36-39
Thumbhole 37
Synthetic 38

ACCESSORIES 40-41

SPECIFICATIONS 42-46



Premier Series

Think of our Premier Series as an extension of our US Custom Series, but with standardized features for greater efficiencies in parts production and assembly – providing near custom performance at prices that are affordable to serious shooters.

Bergara's premium stainless steel barrels receive a proprietary honing process at our barrel-making facility in Bergara, Spain. Then, at the Bergara USA factory, the barrel receives a Cerakote™ finish and is coupled with our proprietary Bergara PREMIER action, featuring a nonrotating gas shield, coned bolt nose, and sliding plate extractor.

Premier Series rifles are built by hand and offer each shooter a wide variety of stock options. Choose from multiple carbon fiber, fiberglass, composite, and precision machined chassis stock offerings. All Premier Series rifles are built around legendary Bergara barrels and feature world-famous TriggerTech® triggers, among other industry-best components. All rifles are hand assembled in house by our qualified builders to our exacting standards and precise specifications and are guaranteed to produce sub-MOA groups using factory ammunition.

Features

BERGARA PREMIER ACTION	• Premium stainless steel with Cerakote™ finish • 2 locking lugs located on the front of the bolt head • Separate "floating" bolt head assures contact with lug abutments • Cone-shaped bolt nose assures smooth feeding • Sliding plate extractor • Ejector is a spring loaded plunger located in the bolt face • 1-piece stainless steel bolt body with threaded-in bolt handle • 90º bolt throw angle • Firing assembly is bayonet style allowing quick access to the firing pin assembly Simply twist the bolt shroud and the entire firing assembly can be removed without tools
BERGARA BARREL	• Made from Premium stainless steel • Cerakote™ finish • All Premier Rifles are guaranteed to produce sub-MOA groups at 100 yards using quality factory ammunition
TRIGGER	• All Premier rifles feature externally adjustable TriggerTech® triggers and Frictionless Release Technology™ as standard equipment
SAFETY MECHANISMS	• The 2-position safety is part of the trigger assembly. It allows the rifle to be unloaded while in the safe position • Non-rotating gas shield behind the bolt head protects the shooter from gas and debris in the event of a case or primer rupture



HIGHLANDER

WEIGHT	3.3 kg (7.3 lbs) - 3.4 kg (7.7 lbs)
LENGTHS	51 cm (20”) - 66 cm (26”) barrel 98 cm (38.5”) - 109 cm (43”) overall
BARREL	17.8 mm / No. 5 taper, fluted Threaded 5/8”-24 UNEF with Omni Muzzle Brake
FINISH	Sniper grey Cerakote™
STOCK	Grayboe® fiberglass
TRIGGER	TriggerTech® Frictionless Release Technology™
MAGAZINE	Hinged floor plate: 4 round capacity in standard calibers 3 round capacity in magnum calibers
SCOPE MOUNT	Fits Remington 700® bases with 8-40 screws

Featuring the Bergara Premier action

CALIBER	TWIST
6.5 Creedmoor	1:8”
.308 Win.	1:10”
7mm Rem. Mag.	1:9.5”
.300 Win. Mag.	1:10”

* *See page 42 for full specifications*



MOUNTAIN 2.0

WEIGHT	2.8 kg (6.2 lbs) - 2.9 kg (6.4 lbs)
LENGTHS	56 cm (22”) - 61 cm (24”) barrel 105 cm (41.5”) - 112 cm (44”) overall
BARREL	15 mm / No. 3 taper
FINISH	Tactical grey Cerakote™
STOCK	AG Composite 100% carbon fiber
TRIGGER	TriggerTech® Frictionless Release Technology™
MAGAZINE	Hinged floor plate: 4 round capacity in standard calibers 3 round capacity in magnum calibers 2 round capacity: 300 PRC, 6.5 PRC
SCOPE MOUNT	Fits Remington 700® bases with 8-40 screws

Featuring the Bergara Premier action

CALIBER	TWIST
6.5 Creedmoor	1:8”
6.5 PRC	1:8”
.308 Win.	1:10”
.300 Win. Mag.	1:10”
300 PRC	1:9”

* *See page 42 for full specification*







HMR PRO
⟨HUNTING & MATCH⟩

WEIGHT	4.2 kg (9.3 lbs) - 4.4 kg (9.8 lbs)
LENGTHS	51 cm (20”) - 66 cm (26”) barrel 102 cm (39.5”) - 121 cm (47.5”) overall
BARREL	19,1 mm / No. 5.5 taper 21.3 mm / No. 6 taper Threaded 5/8”-24 UNEF with thread protector
FINISH	Tactical grey Cerakote™
STOCK	Bergara HMR molded with mini-chassis* featuring an adjustable cheek piece and length of pull spacers Integrated QD flush cup sling mounts and swivel mounts
TRIGGER	TriggerTech® Frictionless Release Technology™
MAGAZINE	AICS style detachable: 5 round mag provided (3 round mag: 6.5 PRC)
SCOPE MOUNT	Fits Remington 700® bases with 8-40 screws

Featuring the Bergara Premier action

* *Full-length Integrated mini-chassis for repeatable bedding and supports fully free-floated barrel*

CALIBER	TWIST
.22-250	1:9”
6mm Creedmoor	1:7.5”
6.5 Creedmoor	1:8”
6.5 PRC	1:8”
.308 Win.	1:10”
7mm Rem. Mag.	1:9.5”
.300 Win. Mag.	1:10”
300 PRC	1:9”

* *See page 42 for full specifications*





B-14 Wilderness Series

B-14 Wilderness Series

The Wilderness Series tackles the need for rifles that can withstand the rugged and unforgiving wilderness while blending into those very same elements – hence Bergara's hand-painted camouflage stocks with added webbing for increased texture and grip. All Wilderness Series barreled actions feature Sniper Grey Cerakote™ finishes for advanced protection in extremely harsh weather. The Terrain, HMR, and Ridge models also feature a seamless, omnidirectional, and multi-ported muzzle brake that will reduce felt recoil by up to 35 percent.

The B-14 Wilderness Series provides a great deal of added value for the hunter that wants a no-nonsense performer that is built to withstand the backcountry. We are breaking through the uninhabited and inhospitable regions to bring you the weather protection needed to withstand these conditions.

We believe the word wilderness, while may be rugged, harsh and unforgiving, describes an experience rather than a location. We built the B-14 Wilderness Series to match every stride taken off the beaten trail.

Features

BERGARA B-14 ACTION	• Spring-loaded ejector • Side-mounted bolt stop • One-piece body with two locking lugs • 90° Bolt throw angle • Cone-shaped bolt nose ejector - assures smooth feeding • Sliding plate extractor • Hinged floor plate or detachable magazine • Sniper grey Cerakote™
BERGARA BARREL	• Made from 4140 CrMo steel • Sniper grey Cerakote™ • 1.0 MOA accuracy guaranteed
TRIGGER	• All B-14 Rifles feature an adjustable Bergara Performance Trigger
SAFETY MECHANISMS	• The two position safety is part of the trigger assembly. It allows the rifle to be unloaded while in the safe position
STOCK	• All Wilderness Series rifles feature Bergara's hand-painted camouflage

TERRAIN



TERRAIN
WILDERNESS SERIES

WEIGHT	4.2 kg (9.3 lbs) - 4.6 kg (10.1 lbs)
LENGTHS	51 cm (20”) - 66 cm (26”) barrel 104 cm (41”) - 122 cm (48”) overall
BARREL	No. 5.5 taper Threaded 5/8-24” with Omni Muzzle Brake
FINISH	Sniper grey Cerakote™
STOCK	Bergara Terrain molded with mini-chassis Integrated QD flush cup sling mounts and swivel mounts Adjustable cheek rest
TRIGGER	Bergara Performance trigger
MAGAZINE	AICS style detachable: 5 round mag provided (3 round mag: 6.5 PRC)
SCOPE MOUNT	Fits Remington 700® bases with 8-40 screws

Featuring the Bergara B-14 action

CALIBER	TWIST
6.5 Creedmoor	1:8”
6.5 PRC	1:8”
.308 Win.	1:10”
.300 Win. Mag.	1:10”
300 PRC	1:9”

* *See page 42 for full specifications*



HMR
WILDERNESS SERIES

WEIGHT	4.3 kg (9.5 lbs) - 4.5 kg (9.9 lbs)
LENGTHS	51 cm (20”) - 66 cm (26”) barrel 102 cm (40”) - 121 cm (47.5”) overall
BARREL	21,6 mm / No. 6 taper Threaded 5/8”-24 UNEF with Omni Muzzle Brake
FINISH	Sniper grey Cerakote™
STOCK	Bergara HMR molded with mini-chassis Integrated QD flush cup sling mounts and swivel mounts Adjustable cheek piece, and length-of-pull
TRIGGER	Bergara Performance trigger
MAGAZINE	AICS style detachable: 5 round mag provided (3 round mag: 6.5 PRC)
SCOPE MOUNT	Fits Remington 700® bases with 6-48 screws

Featuring the Bergara B-14 action

CALIBER	TWIST
6.5 Creedmoor	1:8”
6.5 PRC	1:8”
.308 Win.	1:10”
.300 Win. Mag.	1:10”
300 PRC	1:9”

* *See page 42 for full specifications*





HUNTING & MATCH



RIDGE
WILDERNESS SERIES

WEIGHT	3.2 kg (7.4 lbs) - 3.6 kg (7.9 lbs)
LENGTHS	45.7 cm (18") - 61cm (24") barrel 95 cm (37.5") - 116 cm (46") overall
BARREL	17.8 mm / No. 5 taper Threaded 5/8"-24 UNEF with Omni Muzzle Brake
FINISH	Sniper grey Cerakote™
STOCK	American-style synthetic with soft-touch finish
TRIGGER	Bergara Performance trigger
MAGAZINE	Hinged floor plate magazine: 4 round capacity in standard calibers 3 round capacity in magnum calibers 2 round capacity in PRC calibers Detachable magazine *: 3 round capacity in standard calibers 2 round capacity in magnum calibers
SCOPE MOUNT	Fits Remington 700® bases with 6-48 screws

* *Not available in PRC calibers*

Featuring the Bergara B-14 action

CALIBER	TWIST
6.5 Creedmoor	1:8"
6.5 PRC	1:8"
.308 Win.	1:10"
7mm Rem. Mag.	1:9.5"
.300 Win. Mag.	1:10"
300 PRC	1:9"

* *See page 42 for full specifications*



HUNTER
WILDERNESS SERIES

WEIGHT	3.2 kg (7.1 lbs) - 3.3 kg (7.3 lbs)
LENGTHS	56 cm (20") - 61 cm (24") barrel 105 cm (41.5") - 112 cm (44") overall
BARREL	16.5 mm / No. 4 taper
FINISH	Sniper grey Cerakote™
STOCK	American-style synthetic with Soft-touch finish
TRIGGER	Bergara Performance trigger
MAGAZINE	Hinged floor plate magazine: 4 round capacity in standard calibers 3 round capacity in magnum calibers 2 round capacity in PRC calibers Detachable magazine *: 3 round capacity in standard calibers 2 round capacity in magnum calibers
SCOPE MOUNT	Fits Remington 700® bases with 6-48 screws

Featuring the Bergara B-14 action

CALIBER	TWIST
6.5 Creedmoor	1:8"
.308 Win.	1:10"
7mm Rem. Mag.	1:9.5"
.300 Win. Mag.	1:10"

* *See pages 42-43 for full specifications*







B-14 Extreme Series

The Bergara Extreme Series Hunter Rifle is Bergara's newest offering, geared towards extreme conditions rifle shooting. This rifle features Bergara's B-14 action mated with a 4 tapered (16.6 mm), stainless steel Bergara barrel with Cerakote™ finish. The barrel is threaded and 18" length. This new rifle is less than 1 meter long and weighs less than 3 kg (6.6 lbs) what makes it perfect for mountain and rough conditions hunting.

The entire Extreme Series brings Bergara Barrel accuracy to a line of hunting rifles that is affordable to serious big-game hunters. Built in Spain, this rifle delivers a level of quality and performance that is unmatched in its price range.

It's outfitted with a Bergara curved adjustable trigger we designed to guarantee a crisp, clean pull every time you fire the rifle. The Extreme Series Rifles are available in .308 Win. caliber and 6.5 Creedmoor with hinged floor plate or detachable magazine and open sights are optional. All Extreme rifles are capable of producing 1.0 MOA groups or less at 100 yards using factory match grade ammunition.

Features

BERGARA B-14 ACTION	• Spring-loaded ejector • Side-mounted bolt stop • One-piece body with two locking lugs • 90° bolt throw angle • Cone-shaped bolt nose ejector - assures smooth feeding • Sliding plate extractor • **Detachable magazine**
BERGARA BARREL	• Made from 416 AISI stainless steel • Sniper grey Cerakote™ / graphite black Cerakote™ • All barrels are threaded in M14x1 • 1.0 MOA accuracy guaranteed
TRIGGER	• All B-14 Rifles feature an adjustable Bergara Performance Trigger
SAFETY MECHANISMS	• The two position safety is part of the trigger assembly. It allows the rifle to be unloaded while in the safe position



NEW SPECIFICATIONS

SPORTER
EXTREME SERIES

WEIGHT	3.1 kg (6.9 lbs)
LENGTHS	45.7 cm (18") barrel 97 cm (38.2") overall
BARREL	16.6 mm / No. 4 taper Threaded M14x1 - 416 AISI stainless steel
FINISH	Graphite black Cerakote™
STOCK	American-style synthetic
TRIGGER	Bergara Performance trigger
MAGAZINE	Hinged floor plate: 4 round capacity Detachable magazine: 3 round capacity
SCOPE MOUNT	Fits Remington 700® bases with 6-48 screws

Featuring the Bergara B-14 action

CALIBER	TWIST
6.5 Creedmoor	1:8"
.308 Win.	1:10"

* See page 43 for full specifications



NEW SPECIFICATIONS

HUNTER
EXTREME SERIES

WEIGHT	2.9 kg (6.6 lbs)
LENGTHS	45.7 cm (18") barrel 95 cm (37.4") overall
BARREL	16.6 mm / No. 4 taper Threaded M14x1 - 416 AISI stainless steel
FINISH	Stainless grey Cerakote™
STOCK	American-style synthetic
TRIGGER	Bergara Performance trigger
MAGAZINE	Hinged floor plate: 4 round capacity Detachable magazine: 3 round capacity
SCOPE MOUNT	Fits Remington 700® bases with 6-48 screws

Featuring the Bergara B-14 action

CALIBER	TWIST
6.5 Creedmoor	1:8"
.308 Win.	1:10"

* See page 43 for full specifications







B-14 Series

B-14 Series Our B-14 Series brings Bergara quality and accuracy to a line of rifles that is affordable to almost any serious big game hunter or shooter. Built in Spain at our state-of-the-art production facility, our highly-efficient manufacturing and assembly techniques allow us to deliver a rifle with a level of quality and performance that is unmatched for the price.

B-14 Series rifles feature the world-famous Bergara barrel, which is complemented by our own super-smooth B-14 Action. This action features a coned-bolt nose and breech, ensuring smooth feeding and a sliding plate extractor for proper alignment.

The Bergara 4140 CrMo steel barrel is finished in matte blue. Lengths and contours vary by model. Stocks are designed in various styles to ensure proper fit for every shooter.

The BMP Chassis rifle features a machined aluminum chassis stock that provides stability, adjustability, and versatility. The HMR features a built-in Mini-chassis that offers repeatable bedding and maximizes accuracy by supporting a fully floated Bergara barrel.

The Timber model features Monte Carlo styling in hand-graded oil-finished walnut. The Hunter, Sporter and Ridge models support a lightweight synthetic stock designed to withstand the elements. Both the wood and synthetic stocks are bedded with integral pillars for stability and enhanced accuracy. All B-14 rifles are guaranteed to produce 100 yard groups of 1.0 MOA or better with quality factory ammunition.

Features

BERGARA B-14 ACTION	• Spring-loaded ejector • Side-mounted bolt stop • One-piece body with two locking lugs • 90° bolt throw angle • Cone-shaped bolt nose ejector assures smooth feeding • Sliding plate extractor • Hinged floor plate or detachable magazine
BERGARA BARREL	• Made from 4140 CrMo steel • Matte blued finish • 1.0 MOA accuracy guaranteed
TRIGGER	• All B-14 Rifles feature an adjustable Bergara Performance Trigger
SAFETY MECHANISMS	• The two position safety is part of the trigger assembly. It allows the rifle to be unloaded while in the safe position

HUNTING & MATCH

HMR
⟨Hunting & Match Rifle⟩

WEIGHT	4.1 kg (9 lbs) - 4.5 kg (9.9 lbs)
LENGTHS	51 cm (20”) - 66 cm (26”) barrel 102 cm (20”) - 121 cm (24”) overall
BARREL	19.1 mm / Nº 5.5 - 21.6 mm / No. 6 taper Threaded M15x1 or M18x1 with thread protector
FINISH	Matte blued
STOCK	Bergara HMR molded with mini-chassis integrated QD flush cup sling mounts and swivel mounts Adjustable cheek piece, and length-of-pull
TRIGGER	Bergara Performance trigger
MAGAZINE	AICS style detachable 5 round mag provided
SCOPE MOUNT	Fits Remington 700® bases with 6-48 screws

Featuring the Bergara B-14 action



CALIBER	TWIST
.22-250	1:14”
6.5 Creedmoor	1:8”
.308 Win.	1:10”
.300 Win. Mag.	1:10”

* *See page 43 for full specifications*



Left handed models available in all the calibers



BMP
⟨Bergara Match Precision⟩

WEIGHT	4.9 kg (10.8 lbs) - 6 kg (13.2 lbs)
LENGTHS	51 cm (20”) - 71 cm (28”) barrel 100 cm (39.5”) - 100 cm (47”) overall
BARREL	21.6 mm / No. 6 taper - 25 mm (0.98”) Threaded M18x1 with thread protector
FINISH	Matte blued
STOCK	Bergara BMP chassis integrated QD flush cup sling mounts and swivel mounts Adjustable cheek piece and length of pull
TRIGGER	Bergara Performance trigger
MAGAZINE	AICS style detachable 5 round mag provided
SCOPE MOUNT	Fits Remington 700® bases with 6-48 screws

Featuring the Bergara B-14 action


CALIBER	TWIST
6.5 Creedmoor	1:8”
.308 Win.	1:10”
.308 Win. SuperVarmint	1:11”

* *See page 43 for full specifications*





MATCH PRECISION



Sporter

WEIGHT	3.3 kg (7.3 lbs) - 3.4 kg (7.5 lbs)
LENGTHS	56 cm (22”) - 61 cm (24”) barrel 107 cm (42”) - 115 cm (45.5”) overall
BARREL	16.5 mm / No. 4 taper - 19.1 mm / No 5.5 taper Threaded M14x1 or M15x1 with thread protector
FINISH	Matte blued
STOCK	American-style synthetic
TRIGGER	Bergara Performance trigger
MAGAZINE	Hinged floor plate magazine: 4 round capacity in standard calibers 3 round capacity in magnum calibers Detachable magazine: 3 round capacity in standard calibers 2 round capacity in magnum calibers
SCOPE MOUNT	Fits Remington 700® bases with 6-48 screws

Featuring the Bergara B-14 action

CALIBER	TWIST
.243 Win.	1:10"
6.5 Creedmoor	1:8"
7mm-08 Rem.	1:9.5"
.308 Win.	1:12"
6.5x55 SE	1:8.66"
.270 Win.	1:10"
.30-06 Spring.	1:10"
.30-06 Spring.	1:10"
8x57 JS	1:10"
7 mm Rem. Mag.	1:9.5"
.300 Win. Mag.	1:10"
.338 Win. Mag.	1:10"

* *See pages 43-44 for full specifications*



Sporter Varmint model available in calibers:
.22-250 Rem.(1:9”) / 6.5 Creedmoor (1:10”)
and .308 Win.(1:8”), with different specifications



Timber

WEIGHT	3.4 kg (7.5 lbs) - 3.7 kg (8.1 lbs)
LENGTHS	56 cm (22”) - 61 cm (24”) barrel 107 cm (42”) - 115 cm (45.5”) overall
BARREL	16.5 mm / No. 4 taper - 21.3 mm / No 6 taper Threaded M14x1, M18x1 or M15x1 with thread protector
FINISH	Matte blued
STOCK	Monte Carlo style walnut
TRIGGER	Bergara Performance trigger
MAGAZINE	Hinged floor plate magazine: 4 round capacity in standard calibers 3 round capacity in magnum calibers Detachable magazine: 3 round capacity in standard calibers 2 round capacity in magnum calibers
SCOPE MOUNT	Fits Remington 700® bases with 6-48 screws

Featuring the Bergara B-14 action

CALIBER	TWIST
6.5 Creedmoor	1:8"
7mm-08 Rem.	1:9.5"
.308 Win.	1:12"
6.5x55 SE	1:8.66"
.30-06 Spring.	1:10"
.30-06 Spring.	1:10"
8x57 JS	1:10"
7 mm Rem. Mag.	1:9.5"
.300 Win. Mag.	1:10"
.338 Win. Mag.	1:10"
.375 H&H Mag.	1:12"

* *See page 44 for full specifications*



Left handed Timber model available in calibers:
6.5 Creedmoor / 7 mm Rem. Mag. / .308 Win.
.300 Win. Mag. and .338 Win. Mag.





RIDGE

WEIGHT	3.5 kg (7.7 lbs) - 3.6 kg (7.9 lbs)
LENGTHS	56 cm (22”) - 61 cm (24”) barrel 105 cm (39.5”) - 112 cm (44”) overall
BARREL	19.1 mm / No 5.5 taper Threaded M15x1 with thread protector
FINISH	Matte blued
STOCK	American-style synthetic with soft-touch finish
TRIGGER	Bergara Performance trigger
MAGAZINE	Hinged floor plate magazine: 4 round capacity in standard calibers 3 round capacity in magnum calibers Detachable magazine: 3 round capacity in standard calibers 2 round capacity in magnum calibers
SCOPE MOUNT	Fits Remington 700® bases with 6-48 screws

Featuring the Bergara B-14 action

CALIBER	TWIST
.270 Win.	1:10"
6.5 Creedmoor	1:08"
.308 Win.	1:11"
.300 Win. Mag.	1:10"

* *See page 45 for full specifications*



HUNTER

WEIGHT	3.2 kg (7.1 lbs) - 3.4 kg (7.5 lbs)
LENGTHS	56 cm (22”) - 61 cm (24”) barrel 105 cm (41.5”) - 112 cm (44”) overall
BARREL	16.5 mm / No. 4 taper - 19.1 mm / No. 5.5 taper Threaded M14x1 or M15x1 with thread protector
FINISH	Matte blued
STOCK	American-style synthetic with soft-touch finish
TRIGGER	Bergara Performance trigger
MAGAZINE	Hinged floor plate magazine: 4 round capacity in standard calibers 3 round capacity in magnum calibers Detachable magazine: 3 round capacity in standard calibers 2 round capacity in magnum calibers
SCOPE MOUNT	Fits Remington 700® bases with 6-48 screws

Featuring the Bergara B-14 action

CALIBER	TWIST
.243 Win.	1:10"
6.5 Creedmoor	1:8"
7mm-08 Rem.	1:9.5"
.308 Win.	1:12"
.270 Win.	1:10"
.30-06 Spring.	1:10"
7 mm Rem. Mag.	1:9.5"
.300 Win. Mag.	1:10"

* *See page 45 for full specifications*







Rimfire Series

Rimfire Series

The Rimfire Series is the natural evolution of Bergara continuing its journey forward. Due to the fact that we have been making highly accurate rimfire barrels on an OEM basis for over a decade, we are confident that we can deliver exceptional performance and relevant features that make your rimfire shooting experience more successful.

With our advanced expertise in engineering, we combined three distinct platforms that serve completely different needs such as plinking and hunting as well as serious competition shooting.

The Bergara BMR (Bergara Micro Rimfire) is for those that demand the best and expect nothing short of perfection. With the option of either a 5rd magazine for hunting or a 10rd magazine for running stages at your favorite rimfire match, we designed the BMR from the ground up with field and match performance in mind.

The semi-automatic BXR series is ideal for plinking and hunting. The series bridges the gap between mass produced models and boutique brands. The BXR series is compatible with certain Ruger® 10/22® components and is available in either chromoly steel or carbon fiber tensioned steel.

The B-14R is specifically designed for long range rimfire shooting, training, and competing. It features a full-size 700 footprint and accepts many after-market components including stocks, triggers, and mounts. The push-feed action sports dual extractors and a full-size detachable magazine.

Features

BERGARA ACTION	• Specialty Rimfire actions • Match grade chambers (B-14R and BMR bolt actions) • Detachable magazines • Left-handed available on B-14R
BERGARA BARREL	• Made from 4140 steel • Matte blued finish • Carbon barrel options available
TRIGGER	• Bergara Performance Trigger (B-14R and BMR) • Bergara BXR trigger (BXR)
STOCK	• Bergara HMR stock, adjustable cheek, free-floated (B-14R) • QD Cups and swivels (BMR swivel only)



NEW CALIBERS

B-14R TRAINER - CARBON

WEIGHT	3.7 kg - 3.8 kg (8.1 - 8.4 lbs)
LENGTHS	46 cm (18") - 51 cm (20") barrel 96 cm (38") - 101 cm (39.7") overall
BARREL	21.3 mm / No. 6 Threaded 1/2-28" with thread protector Carbon fiber Bergara barrel
FINISH	Matte blued
STOCK	Bergara HMR stock Integrated QD flush cup sling mounts and swivel mounts Adjustable cheek piece and length-of-pull Full-length integrated mini-chassis for repeatable bedding and supports fully free-floated barrel
TRIGGER	Bergara Performance trigger
MAGAZINE	AICS style 10 round magazine included
SCOPE MOUNT	Fits Remington 700® bases with 6-48 screws

Featuring the Bergara B-14 action

CALIBER	TWIST
.22LR	1:16"
.22 WMR	1:16"
.17 HMR	1:9"

* *See page 45 for full specifications*



Barreled actions and left-handed models are available



NEW LEFT-HANDED MODELS



NEW CALIBERS

B-14R TRAINER - STEEL

WEIGHT	4.1 kg - 4.2 kg (9 - 9.2 lbs)
LENGTHS	46 cm (18") - 51 cm (20") barrel 96 cm (38") - 101 cm (39.7") overall
BARREL	21.3 mm / No. 6 Threaded 1/2-28" with thread protector
FINISH	Matte blued
STOCK	Bergara HMR stock Integrated QD flush cup sling mounts and swivel mounts Adjustable cheek piece and length-of-pull Full-length integrated mini-chassis for repeatable bedding and supports fully free-floated barrel
TRIGGER	Bergara Performance trigger
MAGAZINE	AICS style 10 round magazine included
SCOPE MOUNT	Fits Remington 700® bases with 6-48 screws

Featuring the Bergara B-14 action

CALIBER	TWIST
.22LR	1:16"
.22 WMR	1:16"
.17 HMR	1:9"

* *See page XX for full specifications 45*



Barreled actions and left handed models are available



NEW LEFT-HANDED MODELS





NEW

BMR Carbon

WEIGHT	2.3 Kg (5 lbs) - 2.4 kg (5.4 lbs)
LENGTHS	46 cm (18") - 51cm (20") barrel 92 cm (36") - 97 cm (38") overall
BARREL	21.3 mm / No. 6 taper Carbon fiber Threaded 1/2-28" with thread protector
FINISH	Matte blued
STOCK	BMR stock Swivel mounts
TRIGGER	Bergara Performance trigger Remington 700® compatible
MAGAZINE	Detachable 5 and 10 round magazines included
SCOPE MOUNT	30MOA integral Picatinny rail

CALIBER	TWIST
.22LR	1:16"
.22 WMR	1:16"
.17 HMR	1:9"

* *See page 45 for full specifications*



NEW

BMR Steel

WEIGHT	2.5 Kg (5.5 lbs) - 2.6 kg (5.8 lbs)
LENGTHS	46 cm (18") - 51cm (20") barrel 92 cm (36") - 97 cm (38") overall
BARREL	21,3 mm / No. 6 taper 4140 Steel Threaded 1/2-28" with thread protector
FINISH	Matte blued
STOCK	BMR stock Swivel mounts
TRIGGER	Bergara Performance trigger Remington 700® compatible
MAGAZINE	Detachable 5 and 10 round magazines included
SCOPE MOUNT	30MOA integral Picatinny rail

CALIBER	TWIST
.22LR	1:16"
.22 WMR	1:16"
.17 HMR	1:9"

* *See page 45 for full specifications*







BXR CARBON

BXR Carbon

WEIGHT	2.1 Kg (4.7 lbs)
LENGTHS	42.5 cm (16.5”) barrel 87.6 cm (34.5”) with spacers
BARREL	21.3 mm / No. 6 taper Carbon fiber Threaded 1/2-28” with thread protector
FINISH	Graphite black Cerakote™
STOCK	Bergara synthetic tactical with LOP spacers Integrated QD flush cup sling mounts and swivel mounts
TRIGGER	Bergara BXR trigger Trigger pull: 3.5 lbs (approximate)
MAGAZINE	Detachable 10 round rotary magazine included
SCOPE MOUNT	30MOA integral Picatinny rail

CALIBER	TWIST
.22LR	1:16”

* *See page 46 for full specifications*



BXR Steel

WEIGHT	2.3 Kg (5.2 lbs)
LENGTHS	42.5 cm (16.5”) barrel 87.6 cm (34.5”) with spacers
BARREL	21.3 mm / No. 6 taper Chromoly Threaded 1/2-28” with thread protector
FINISH	Matte blued
STOCK	Bergara synthetic tactical with LOP spacers Integrated QD flush cup sling mounts and swivel mounts
TRIGGER	Bergara BXR trigger Trigger pull: 3.5 lbs (approximate)
MAGAZINE	Detachable 10 round rotary magazine included
SCOPE MOUNT	30MOA integral Picatinny rail

CALIBER	TWIST
.22LR	1:16”

* *See page 46 for full specifications*





BXR STEEL



BA13 TD SERIES

BA13 TD Series

For the hunter who wants a high-quality single shot rifle, the BA-13 TAKE DOWN is the ideal choice. Its sleek, lightweight, and easy-to operate design sets a new standard for affordable single shot hunting rifles. Every stock is lightweight and features Bergara's CrushZone® Recoil pad – a real plus for heavier calibers. Every BA-13 TD model is perfectly balanced in a 100% ambidextrous, composite stock making the gun incredibly quick to aim and shoot. Each rifle includes a DuraSight® scope rail, which will accept most any standard scope rings found on the market today.

The quick-take-down, tools-free disassembly, makes it easy to carry and also a great stowaway gun for the camp, boat, or truck.

Our BA13 TAKE DOWN range is a popular choice for mountain hunting. Its excellent maneuverability, its lightness and the precision of the BERGARA barrels make the BA13 TD single shoot rifle an optimal performance for a stalking rifle.

Features

BERGARA ACTION	• 100% Ambidextrous stock • CrushZone® recoil pad • Equipped with a DuraSight® weaver-style rail • Reversible cocking spur • Trigger guard actuated breech system
BERGARA BARREL	• Fluted Bergara barrel • 4140CrMo blued steel or 416 AISI stainless steel • All barrels are threaded in 5/8"- 24 UNEF
STOCK	• Compact Synthetic design or Thumbhole stock in black color Other colors are available. Check **www.Bergara.Online** for more details

THUMBHOLE



Thumbhole

WEIGHT	3 kg (6.6 lbs) – 3.2 kg (7.1 lbs)
LENGTHS	42 cm (16.5") – 51 cm (20") barrel 80 cm (31.5") – 89 cm (35") overall
BARREL	17.8 mm / No. 5.5 taper Threaded 5/8"-24 UNEF
FINISH	Matte blued or stainless steel
STOCK	Synthetic black
TRIGGER	Trigger guard actuated breech system 1.8 kg trigger weight
OPEN SIGHTS	Open sights are not available in this model
SCOPE MOUNT	DuraSight® weaver-style rail

CALIBER	TWIST
.222 Rem.	1:14"
.243 Win.	1:10"
6.5x57 R	1:8"
.300 BLACKOUT	1:8"
.308 Win.	1:12"
.30-06 Spring.	1:10"
.45-70 Govt.	1:20"
8x57 JRS	1:9.5"

* *See page 46 for full specifications*



SYNTHETIC

Synthetic

WEIGHT	3 kg (6.6 lbs) – 3.2 kg (7.1 lbs)
LENGTHS	42 cm (16.5") – 51 cm (20") barrel 80 cm (31.5") – 89 cm (35") overall
BARREL	17.8 mm / No. 5.5 taper Threaded 5/8"-24 UNEF
FINISH	Matte blued or stainless steel
STOCK	Synthetic black
TRIGGER	Trigger guard actuated breech system 1.8 kg trigger weight
OPEN SIGHTS	Open sights are an option
SCOPE MOUNT	DuraSight® weaver-style rail

CALIBER	TWIST
.222 Rem.	1:14"
.243 Win.	1:10"
6.5x57 R	1:8"
.300 BLACKOUT	1:8"
.308 Win.	1:12"
.30-06 Spring.	1:10"
.45-70 Govt.	1:20"
8x57 JRS	1:9.5"

* *See page 46 for full specifications*







RMB14SB



RMB14LB



RMB14MB



RE32843



RE32582



RE32986

MAGAZINES

REF.	ITEM	MODEL	CAPACITY	COMPATIBLE
RMB14SB	BERGARA B-14 MAGAZINE	SHORT ACTION	3	B-14 SPORTER B-14 HUNTER B-14 TIMBER B-14 RIDGE B-14 WOODSMAN
RMB14LB		LONG ACTION	3	
RMB14MB		MAGNUM ACTION	2	
RE32844	AICS COMPATIBLE MAGAZINE	SHORT ACTION	3	B-14 HMR B-14 BMP WILDERNESS TERRAIN
RE32582			5	B-14 HMR WILDERNESS TERRAIN
RE32843			10	B-14 HMR B-14 BMP WILDERNESS TERRAIN
RE33153		MAGNUM ACTION	5	B-14 HMR WILDERNESS TERRAIN
RE32986	B14-R MAGAZINE	SHORT ACTION	10	B-14 R EN .22LR



RE40303
RE40307

RE40312



A04941



RE32559K

RAILS

REF.	ITEM	MODEL	COMPATIBLE
RE40301	STEEL RAIL 0 MOA	LONG ACTION	B-14 / WILDERNESS EXTREME / PREMIER
RE40305		SHORT ACTION	B-14 / WILDERNESS EXTREME / PREMIER
RE40303	STEEL RAIL 0 MOA	LONG ACTION	B-14 / WILDERNESS EXTREME / PREMIER
RE40307		SHORT ACTION	B-14 / WILDERNESS EXTREME / PREMIER
RE40312	STEEL RAIL BA-13 0 MOA	BA-13 TAKE DOWN	BA-13
A04941	BMP MONOPOD RAIL	BMP MONORAIL	B-14 BMP
RE32559K	BMP ACCESSORIES RAIL	BMP NIGHT VISION	B-14 BMP



33172S



33167 / 33168
33169 / 33170



33171 / 33172



A04939 / A04940

MUZZLE BRAKES

REF.	ITEM	MODEL	FINISH
33171	OMNI MUZZLE BRAKE (METRIC)	M14x1 - .30 Caliber	Matte blued
33172S	OMNI MUZZLE BRAKE (IMPERIAL)	D19,1 5/8 24 UNEF .30 CAL SET INOX	Stainless steel
33172		D19,1 5/8 24 UNEF .30 CAL BLUED	Matte blued
33167	TP1 MUZZLE BRAKE (METRIC)	M15x1 - .30 Caliber	Matte blued
33168		M15x1 - 6.5 Caliber	Matte blued
33169		M18x1 - .30 Caliber	Matte blued
33170		M18x1 - 6.5 Caliber	Matte blued
A04939	SP1 MUZZLE BRAKE (IMPERIAL)	5/8 24 UNEF 6.5 Cal.	Matte blued
A04940		5/8 24 UNEF .30 Cal.	Matte blued

RIFLE CASES and BAGS

REF.	ITEM	DESCRIPTION
A04949	BERGARA DAYPACK	A pack designed for hunters with excellent quality materials that will withstand intensive use, multiple compartments and pockets provide ample storage capacity Expandable thanks to the numerous hooks and straps for the transport of additional equipment or gear. Capacity 35L. Includes raincover
A04923	SOFT RIFLE CASE TAKE DOWN	Rifle soft case for model BA13 TAKE DOWN (70 x 32 cm) The rifle is dismantled and fits into this little soft suitcase A discreet, easy and safe design to transport your rifle
A04935	SOFT RIFLE CASE	100% polyester rifle case with 15mm thick high-density foam providing full protection against shocks. With an additional reinforcement in the area for the muzzle to protect the weapon most sensitive part Inside the case, the MOLLE fastening system allows multiple positions of the straps, making it adaptable to different rifles and riflescopes. YKK zippers Dimensions: 49.21" x 6.14" x 11.81"
A04930	SHOOTING BAGS	Large / front bag. (no filler)
A04931		Medium/ triangular bag (no filler)
A04932		Small / rear squeeze (no filler)
A04933	AMMO POUCHES	The Stocker I. holds 6 cartridges. Velcro pads
A04936		The Stocker II. holds 14 cartridges. Velcro pads
A04500	ALL TERRAIN CHAIR	Made from composite resins, all ATS seats support up to 130 kg of weight, are weather resistant and swivel a complete 360° The Stag seat legs detach and stow in the seat for easier carrying. Just slip the ATS into your pack and you're ready to go



A04949



A04923



A04935





A04930



A04932



A04931



A04933



A04936



A04500

BERGARA APPAREL

REF.	ITEM	DESCRIPTION
A04416	BERGARA CAPS	Bergara Mountain Patch camo
A04942		Bergara Yukon black
A04943		Bergara Yukon green
A04944		Bergara Yukon khaki
A04945		Bergara Denali navy blue
A04946		Bergara Kodiak green and black
A04947		Bergara Kodiak black
A04948		Bergara Kodiak grey and black
A04411	BERGARA BEANIES	Bergara Basic Green
A04412		Bergara Basic Orange High Visibility
A04420	BERGARA PATCH	BMP patch
A04421	BERGARA FACEMASKS	Bergara Camo Wilderness
A04422		Bergara Ibex black
A04421S	BERGARA MONTAIN THOUGH	Bergara shirt - M size
		Bergara shirt - L size
		Bergara shirt - XL size
		Bergara shirt - 2XL size
		Bergara shirt - 3XL size



A04416



A04943



A04944

A04945



A04947



A04946

A04411



A04412



A04421S



A04420



A04421

A04422



*Visit your local dealer or **bergara.dikarcoop.com** for the full accessories catalog or scan the QR code besides and get a 10% free in your first order*

SPECIFICATIONS

PREMIER SERIES RIFLES

ITEM #	CALIBER	TWIST	BARREL LENGTH	MUZZLE DIAMETER	BARREL THREAD	MAGAZINE CAPACITY	FINISH	OVERALL LENGTH	OVERALL WEIGHT
PREMIER HIGHLANDER FLOORPLATE RIFLE									
BPR33-65	6.5 Creedmoor	1:8"	61 cm (24")	17.8 mm (No. 5)	5/8-24 UNEF	4+1	Cerakote™	108 cm (42.5")	3.4 kg (7.5 lbs)
BPR33-308	.308 Win.	1:10"	51 cm (20")	17.8 mm (No. 5)	5/8-24 UNEF	4+1	Cerakote™	98 cm (38.5")	3.3 kg (7.2 lbs)
BPR33-7MM	7 mm Rem. Mag.	1:9.5"	61 cm (24")	17.8 mm (No. 5)	5/8-24 UNEF	3+1	Cerakote™	109 cm (42.9")	3.4 kg (7.5 lbs)
BPR33-300	.300 Win. Mag.	1:10"	61 cm (24")	17.8 mm (No. 5)	5/8-24 UNEF	3+1	Cerakote™	109 cm (42.9")	3.5 kg (7.7 lbs)
PREMIER MOUNTAIN 2.0 FLOORPLATE RIFLE									
BPR28-65	6.5 Creedmoor	1:8"	56 cm (22")	15 mm (No. 3)	-	4+1	Cerakote™	105 cm (41.3")	2.8 kg (6.1 lbs)
BPR28-308F	.308 Win.	1:10"	56 cm (22")	15 mm (No. 3)	-	4+1	Cerakote™	105 cm (41.3")	2.8 kg (6.1 lbs)
BPR28-300WMF	.300 Win. Mag.	1:10"	61 cm (24")	15 mm (No. 3)	-	3+1	Cerakote™	112 cm (44.1")	2.9 kg (6.4 lbs)
BPR28-65PRC	6.5 PRC	1:8"	61 cm (24")	15 mm (No. 3)	-	2+1	Cerakote™	110 cm (43.3")	2.8 kg (6.1 lbs)
BPR28-300PRC	.300 PRC	1:9"	61 cm (24")	15 mm (No. 3)	-	2+1	Cerakote™	112 cm (44.1")	2.9 kg (6.4 lbs)
PREMIER HMR PRO DETACHABLE MAGAZINE RIFLE									
BPR20-65MC	6.5 Creedmoor	1:8"	61 cm (24")	19 mm (No. 5.5)	5/8-24 UNEF	5+1	Cerakote™	112 cm (44.1")	4.3 kg (9.5 lbs)
BPR20-65MCHB	6.5 Creedmoor	1:8"	61 cm (24")	21.2 mm (No. 6)	5/8-24 UNEF	5+1	Cerakote™	112 cm (44.1")	4.4 kg (9.7 lbs)
BPR20-308MC	.308 Win.	1:10"	51 cm (20")	19 mm (No. 5.5)	5/8-24 UNEF	5+1	Cerakote™	102 cm (40.1")	4.2 kg (9.2 lbs)
BPR20-300MC	.300 Win. Mag.	1:10"	66 cm (26")	19 mm (No. 5.5)	5/8-24 UNEF	5+1	Cerakote™	121 cm (47.6")	4.4 kg (9.7 lbs)
BPR20-7MMMC	7 mm Rem. Mag.	1:9.5"	61 cm (24")	19 mm (No. 5.5)	5/8-24 UNEF	5+1	Cerakote™	116 cm (45.7")	4.3 kg (9.5 lbs)
BPR20-250MC	.22-250 Rem.	1:9"	61 cm (24")	19 mm (No. 5.5)	5/8-24 UNEF	5+1	Cerakote™	112 cm (44.1")	4.3 kg (9.5 lbs)
BPR20-6MC	6mm Creedmoor	1:7.5"	66 cm (26")	19 mm (No. 5.5)	5/8-24 UNEF	5+1	Cerakote™	116 cm (45.7")	4.3 kg (9.5 lbs)
BPR20-65PRC	6.5 PRC	1:8"	66 cm (26")	19 mm (No. 5.5)	5/8-24 UNEF	5+1	Cerakote™	116 cm (45.7")	4.3 kg (9.5 lbs)
BPR20-300PRCMC	.300 PRC	1:9"	66 cm (26")	19 mm (No. 5.5)	5/8-24 UNEF	5+1	Cerakote™	121 cm (47.6")	4.4 kg (9.7 lbs)

WILDERNESS SERIES RIFLES

ITEM #	CALIBER	TWIST	BARREL LENGTH	MUZZLE DIAMETER	BARREL THREAD	MAGAZINE CAPACITY	FINISH	OVERALL LENGTH	OVERALL WEIGHT
WILDERNESS TERRAIN DETACHABLE MAGAZINE RIFLE									
AG049	6.5 Creedmoor	1:8"	61 cm (24")	19.1 mm (No. 5.5)	5/8-24 UNEF	5+1	Cerakote™	114 cm (44.8")	4.2 kg (9.2 lbs)
AG048	.308 Win.	1:10"	51 cm (20")	19.1 mm (No. 5.5)	5/8-24 UNEF	5+1	Cerakote™	104 cm (40,9")	4 kg (8.8 lbs)
AG043	.300 Win. Mag.	1:10"	66 cm (26")	19.1 mm (No. 5.5)	5/8-24 UNEF	5+1	Cerakote™	122 cm (48")	4.6 kg (10.1 lbs)
AG045	.300 PRC	1:9"	66 cm (26")	19.1 mm (No. 5.5)	5/8-24 UNEF	5+1	Cerakote™	122 cm (48")	4.6 kg (10.1 lbs)
AG050	6.5 PRC	1:8"	61 cm (24")	19.1 mm (No. 5.5)	5/8-24 UNEF	5+1	Cerakote™	114 cm (44.8")	4.2 kg (9.2 lbs)
WILDERNESS HMR DETACHABLE MAGAZINE RIFLE									
AG022	6.5 Creedmoor	1:8"	61 cm (24")	21.6 mm (No.6)	5/8-24 UNEF	5+1	Cerakote™	112 cm (44.1")	4.4 kg (9.7 lbs)
AG019	.308 Win.	1:10"	51 cm (20")	21.6 mm (No.6)	5/8-24 UNEF	5+1	Cerakote™	102 cm (40.1")	4.3 kg (9.5 lbs)
AG023	.300 Win. Mag.	1:10"	66 cm (26")	21.6 mm (No.6)	5/8-24 UNEF	5+1	Cerakote™	121 cm (47.6")	4.5 kg (9.9 lbs)
AG025	.300 PRC	1:9"	66 cm (26")	21.6 mm (No.6)	5/8-24 UNEF	5+1	Cerakote™	121 cm (47.6")	4.5 kg (9.9 lbs)
AG026	6.5 PRC	1:8"	61 cm (24")	21.6 mm (No.6)	5/8-24 UNEF	5+1	Cerakote™	112 cm (44.1")	4.4 kg (9.7 lbs)
WILDERNESS RIDGE DETACHABLE MAGAZINE RIFLE									
AG034	6.5 Creedmoor	1:8"	46 cm (18")	17.8 mm (No. 5)	5/8-24 UNEF	3+1	Cerakote™	95 cm (37.4")	3.2 kg (7 lbs)
AG036	6.5 Creedmoor	1:8"	56 cm (22")	17.8 mm (No. 5)	5/8-24 UNEF	3+1	Cerakote™	105 cm (41.3")	3.4 kg (7.5 lbs)
AG038	.308 Win.	1:10"	46 cm (18")	17.8 mm (No. 5)	5/8-24 UNEF	3+1	Cerakote™	95 cm (37.4")	3.2 kg (7 lbs)
AG040	.308 Win.	1:10"	51 cm (20")	17.8 mm (No. 5)	5/8-24 UNEF	3+1	Cerakote™	105 cm (41.3")	3.3 kg (7.2 lbs)
AG029	7mm Rem. Mag.	1:9.5"	61 cm (24")	17.8 mm (No. 5)	5/8-24 UNEF	2+1	Cerakote™	112 cm (44.1")	3.5 kg (7.7 lbs)
AG027	.300 Win. Mag.	1:10"	61 cm (24")	17.8 mm (No. 5)	5/8-24 UNEF	2+1	Cerakote™	112 cm (44.1")	3.5 kg (7.7 lbs)
WILDERNESS RIDGE FLOORPLATE RIFLE									
AG035	6.5 Creedmoor	1:8"	46 cm (18")	17.8 mm (No. 5)	5/8-24 UNEF	4+1	Cerakote™	95 cm (37.4")	3.2 kg (7 lbs)
AG037	6.5 Creedmoor	1:8"	56 cm (22")	17.8 mm (No. 5)	5/8-24 UNEF	4+1	Cerakote™	105 cm (41.3")	3.4 kg (7.5 lbs)
AG039	.308 Win.	1:10"	46 cm (18")	17.8 mm (No. 5)	5/8-24 UNEF	4+1	Cerakote™	95 cm (37.4")	3.2 kg (7 lbs)
AG041	.308 Win.	1:10"	51 cm (20")	17.8 mm (No. 5)	5/8-24 UNEF	4+1	Cerakote™	105 cm (41.3")	3.3 kg (7.2 lbs)
AG030	7mm Rem. Mag.	1:9.5"	61 cm (24")	17.8 mm (No. 5)	5/8-24 UNEF	3+1	Cerakote™	112 cm (44.1")	3.5 kg (7.7 lbs)
AG028	.300 Win. Mag.	1:10"	61 cm (24")	17.8 mm (No. 5)	5/8-24 UNEF	3+1	Cerakote™	112 cm (44.1")	3.5 kg (7.7 lbs)
AG042	6.5 PRC	1:8"	61 cm (24")	17.8 mm (No. 5)	5/8-24 UNEF	2+1	Cerakote™	110 cm (43.3")	3.4 kg (7.5 lbs)
AG033	300 PRC	1:9"	61 cm (24")	17.8 mm (No. 5)	5/8-24 UNEF	3+1	Cerakote™	116 cm (45.7")	3.6 kg (7.9 lbs)
WILDERNESS HUNTER DETACHABLE MAGAZINE RIFLE									
AG017	6.5 Creedmoor	1:8"	56 cm (22")	16.6 mm (No. 4)	-	3+1	Cerakote™	105 cm (41.3")	3.2 kg (7 lbs)
AG015	.308 Win.	1:10"	56 cm (22")	16.6 mm (No. 4)	-	3+1	Cerakote™	105 cm (41.3")	3.2 kg (7 lbs)
AG054	7mm Rem. Mag.	1:9.5"	61 cm (24")	16.6 mm (No. 4)	-	2+1	Cerakote™	112 cm (44.1")	3.3 kg (7.2 lbs)
AG051	.300 Win. Mag.	1:10"	61 cm (24")	16.6 mm (No. 4)	-	2+1	Cerakote™	112 cm (44.1")	3.3 kg (7.2 lbs)

SPECIFICATIONS

WILDERNESS SERIES RIFLES

ITEM #	CALIBER	TWIST	BARREL LENGTH	MUZZLE DIAMETER	BARREL THREAD	MAGAZINE CAPACITY	FINISH	OVERALL LENGTH	OVERALL WEIGHT
WILDERNESS HUNTER FLOORPLATE RIFLE									
AG018	6.5 Creedmoor	1:8"	56 cm (22")	16.6 mm (No. 4)	-	4+1	Cerakote™	105 cm (41.3")	3.2 kg (7 lbs)
AG016	.308 Win.	1:10"	56 cm (22")	16.6 mm (No. 4)	-	4+1	Cerakote™	105 cm (41.3")	3.2 kg (7 lbs)
AG055	7mm Rem. Mag.	1:9.5"	61 cm (24")	16.6 mm (No. 4)	-	3+1	Cerakote™	112 cm (44.1")	3.3 kg (7.2 lbs)
AG052	.300 Win. Mag.	1:10"	61 cm (24")	16.6 mm (No. 4)	-	3+1	Cerakote™	112 cm (44.1")	3.3 kg (7.2 lbs)

EXTREME SERIES RIFLES

ITEM #	CALIBER	TWIST	BARREL LENGTH	MUZZLE DIAMETER	METRICAL THREAD	MAGAZINE CAPACITY	FINISH	OVERALL LENGTH	OVERALL WEIGHT
EXTREME SPORTER RIFLE - DETACHABLE MAGAZINE									
AG060	6.5 Creedmoor	1:8"	46 cm (18")	16.6 mm (No. 4)	M14x1	3+1	Cerakote™	97 cm (38.1")	3.1 kg (6.8 lbs)
AG009	.308 Win.	1:10"	46 cm (18")	16.6 mm (No. 4)	M14x1	3+1	Cerakote™	97 cm (38.1")	3.1 kg (6.8 lbs)
EXTREME SPORTER RIFLE - DETACHABLE MAGAZINE AND OPEN SIGHTS									
AG061	6.5 Creedmoor	1:8"	46 cm (18")	16.6 mm (No. 4)	M14x1	3+1	Cerakote™	97 cm (38.1")	3.1 kg (6.8 lbs)
AG007	.308 Win.	1:10"	46 cm (18")	16.6 mm (No. 4)	M14x1	3+1	Cerakote™	97 cm (38.1")	3.1 kg (6.8 lbs)
EXTREME HUNTER RIFLE - DETACHABLE MAGAZINE									
AG062	6.5 Creedmoor	1:8"	46 cm (18")	16.6 mm (No. 4)	M14x1	3+1	Cerakote™	95 cm (37.4")	2.9 kg (6.4 lbs)
AG003	.308 Win.	1:10"	46 cm (18")	16.6 mm (No. 4)	M14x1	3+1	Cerakote™	95 cm (37.4")	2.9 kg (6.4 lbs)
EXTREME HUNTER RIFLE - DETACHABLE MAGAZINE AND OPEN SIGHTS									
AG063	6.5 Creedmoor	1:8"	46 cm (18")	16.6 mm (No. 4)	M14x1	3+1	Cerakote™	95 cm (37.4")	2.9 kg (6.4 lbs)
AG001	.308 Win.	1:10"	46 cm (18")	16.6 mm (No. 4)	M14x1	3+1	Cerakote™	95 cm (37.4")	2.9 kg (6.4 lbs)

B14 SERIES RIFLES

ITEM #	CALIBER	TWIST	BARREL LENGTH	MUZZLE DIAMETER	METRICAL THREAD	MAGAZINE CAPACITY	FINISH	OVERALL LENGTH	OVERALL WEIGHT
HMR RIFLE - DETACHABLE MAGAZINE									
AE013	.22-250 Rem.	1:14"	61 cm (24")	21.2 mm (No. 6)	M18x1	5+1	Matte blued	115 cm (45.3")	4.5 kg (9.9 lbs)
AE008	6.5 Creedmoor	1:08"	56 cm (22")	19 mm (No. 5.5)	M15X1	5+1	Matte blued	110 cm (43.3")	4.3 kg (9.5 lbs)
AE011	6.5 Creedmoor	1:08"	61 cm (24")	21.2 mm (No. 6)	M18x1	5+1	Matte blued	115 cm (45.3")	4.5 kg (9.9 lbs)
AE076	6.5 Creedmoor	1:08"	66 cm (26")	21.2 mm (No. 6)	M18x1	5+1	Matte blued	120 cm (47.2")	4.6 kg (10.1 lbs)
AE021	.308 Win.	1:10"	61 cm (24")	21.2 mm (No. 6)	M18x1	5+1	Matte blued	115 cm (45.3")	4.5 kg (9.9 lbs)
AE007	.308 Win.	1:10"	51 cm (20")	19 mm (No. 5.5)	M15x1	5+1	Matte blued	105 cm (41.3")	4.1 kg (9 lbs)
AE014	.300 Win. Mag.	1:10"	66 cm (26")	19 mm (No. 5.5)	M15x1	5+1	Matte blued	120 cm (47.2")	4.6 kg (10.1 lbs)
LEFT HANDED HMR RIFLE - DETACHABLE MAGAZINE									
AE063	.22-250 Rem.	1:14"	61 cm (24")	21.2 mm (No. 6)	M18x1	5+1	Matte blued	115 cm (45.3")	4.5 kg (9.9 lbs)
AE015	6.5 Creedmoor	1:08"	61 cm (24")	21.2 mm (No. 6)	M18x1	5+1	Matte blued	115 cm (45.3")	4.5 kg (9.9 lbs)
AE077	6.5 Creedmoor	1:08"	66 cm (26")	21.2 mm (No. 6)	M18x1	5+1	Matte blued	120 cm (47.2")	4.6 kg (10.1 lbs)
AE023	.308 Win.	1:10"	61 cm (24")	21.2 mm (No. 6)	M18x1	5+1	Matte blued	115 cm (45.3")	4.5 kg (9.9 lbs)
AE016	.308 Win.	1:10"	51 cm (20")	19 mm (No. 5.5)	M15x1	5+1	Matte blued	105 cm (41.3")	4.1 kg (9 lbs)
AE062	.300 Win Mag	1:10"	66 cm (26")	19 mm (No. 5.5)	M15x1	5+1	Matte blued	120 cm (47.2")	4.6 kg (10.1 lbs)
BMP RIFLE - DETACHABLE MAGAZINE									
AE006	6.5 Creedmoor	1:08"	61 cm (24")	21.2 mm (No. 6)	M18x1	5+1	Matte blued	110 cm (43.3")	5 kg (11 lbs)
AE070	6.5 Creedmoor	1:08"	66 cm (26")	21.2 mm (No. 6)	M18x1	5+1	Matte blued	115 cm (45.3")	5.2 kg (11.4 lbs)
AE005	.308 Win.	1:10"	51 cm (20")	21.2 mm (No. 6)	M18x1	5+1	Matte blued	100 cm (39.4")	4.9 kg (10.8 lbs)
AE022	.308 Win.	1:10"	61 cm (24")	21.2 mm (No. 6)	M18x1	5+1	Matte blued	110 cm (43.3")	5 kg (11 lbs)
AE012	.308 Win.	1:11"	71 cm (28")	25 mm (0.98")	NO	5+1	Matte blued	120 cm (47.2")	6 kg (13.2 lbs)
SPORTER RIFLE - DETACHABLE MAGAZINE									
AB081	.243 Win.	1:10"	56 cm (22")	16.6 mm (No. 4)	M14x1	3+1	Matte blued	110 cm (43.3")	3.3 kg (7.2 lbs)
AB361	6.5 Creedmoor	1:8"	56 cm (22")	16.6 mm (No. 4)	M14x1	3+1	Matte blued	107 cm (42.1")	3.3 kg (7.2 lbs)
AB402	7mm-08 Rem.	1:9.5"	56 cm (22")	16.6 mm (No. 4)	M14x1	3+1	Matte blued	107 cm (42.1")	3.3 kg (7.2 lbs)
AB089	.308 Win.	1:12"	56 cm (22")	16.6 mm (No. 4)	M14x1	3+1	Matte blued	107 cm (42.1")	3.3 kg (7.2 lbs)
AB073	6.5x55 SE	1:8.66"	61 cm (24")	16.6 mm (No. 4)	M14x1	3+1	Matte blued	115 cm (45.3")	3.4 kg (7.5 lbs)
AB189	.270 Win.	1:10"	61 cm (24")	16.6 mm (No. 4)	M14x1	3+1	Matte blued	115 cm (45.3")	3.4 kg (7.5 lbs)
AB201	.30-06 Spring.	1:10"	61 cm (24")	16.6 mm (No. 4)	M14x1	3+1	Matte blued	115 cm (45.3")	3.4 kg (7.5 lbs)
AB231	.30-06 Spring.	1:10"	56 cm (22")	16.6 mm (No. 4)	M14x1	3+1	Matte blued	110 cm (43.3")	3.4 kg (7.5 lbs)
AB177	8x57 JS	1:10"	61 cm (24")	16.6 mm (No. 4)	M14x1	3+1	Matte blued	115 cm (45.3")	3.4 kg (7.5 lbs)
AB303	7 mm Rem. Mag.	1:9.5"	61 cm (24")	16.6 mm (No. 4)	M14x1	2+1	Matte blued	115 cm (45.3")	3.4 kg (7.5 lbs)
AB149	.300 Win. Mag.	1:10"	61 cm (24")	16.6 mm (No. 4)	M14x1	2+1	Matte blued	115 cm (45.3")	3.4 kg (7.5 lbs)
AB388	.338 Win Mag.	1:10"	61 cm (24")	19.1 mm (No. 5.5)	M15x1	2+1	Matte blued	107 cm (42.1")	3.4 kg (7.5 lbs)

SPECIFICATIONS

B14 SERIES RIFLES

ITEM #	CALIBER	TWIST	BARREL LENGTH	MUZZLE DIAMETER	METRICAL THREAD	MAGAZINE CAPACITY	FINISH	OVERALL LENGTH	OVERALL WEIGHT
SPORTER RIFLE - FLOORPLATE MAGAZINE									
AB082	.243 Win.	1:10"	56 cm (22")	16.6 mm (No. 4)	M14x1	4+1	Matte blued	110 cm (43.3")	3.4 kg (7.5 lbs)
AB362	6.5 Creedmoor	1:8"	56 cm (22")	16.6 mm (No. 4)	M14x1	4+1	Matte blued	107 cm (42.1")	3.4 kg (7.5 lbs)
AB403	7mm-08 Rem.	1:9.5"	56 cm (22")	16.6 mm (No. 4)	M14x1	4+1	Matte blued	107 cm (42.1")	3.3 kg (7.2 lbs)
AB090	.308 Win.	1:12"	56 cm (22")	16.6 mm (No. 4)	M14x1	4+1	Matte blued	107 cm (42.1")	3.4 kg (7.5 lbs)
AB074	6.5x55 SE	1:8.66"	61 cm (24")	16.6 mm (No. 4)	M14x1	4+1	Matte blued	115 cm (45.3")	3.5 kg (7.7 lbs)
AB190	.270 Win.	1:10"	61 cm (24")	16.6 mm (No. 4)	M14x1	4+1	Matte blued	115 cm (45.3")	3.5 kg (7.7 lbs)
AB202	.30-06 Spring.	1:10"	61 cm (24")	16.6 mm (No. 4)	M14x1	4+1	Matte blued	115 cm (45.3")	3.5 kg (7.7 lbs)
AB232	.30-06 Spring.	1:10"	56 cm (22")	16.6 mm (No. 4)	M14x1	4+1	Matte blued	110 cm (43.3")	3.4 kg (7.5 lbs)
AB178	8x57 JS	1:10"	61 cm (24")	16.6 mm (No. 4)	M14x1	4+1	Matte blued	115 cm (45.3")	3.5 kg (7.7 lbs)
AB304	7 mm Rem. Mag.	1:9.5"	61 cm (24")	16.6 mm (No. 4)	M14x1	3+1	Matte blued	115 cm (45.3")	3.5 kg (7.7 lbs)
AB150	.300 Win. Mag.	1:10"	61 cm (24")	16.6 mm (No. 4)	M14x1	3+1	Matte blued	115 cm (45.3")	3.5 kg (7.7 lbs)
AB389	.338 Win. Mag.	1:10"	61 cm (24")	19.1 mm (No. 5.5)	M15x1	3+1	Matte blued	107 cm (42.1")	3.4 kg (7.5 lbs)
SPORTER VARMINT - DETACHABLE MAGAZINE									
AE042	.22-250 Rem.	1:9"	61 cm (24")	21.2 mm (No. 6)	M18x1	3+1	Matte blued	114 cm (44.8")	3.8 kg (8.3 lbs)
AE019	6.5 Creedmoor	1:08"	61 cm (24")	21.2 mm (No. 6)	M18x1	3+1	Matte blued	114 cm (44.8")	3.8 kg (8.3 lbs)
AE075	6.5 Creedmoor	1:08"	66 cm (26")	21.2 mm (No. 6)	M18x1	3+1	Matte blued	118 cm (46.4")	3.9 kg (8.6 lbs)
AE003	.308 Win.	1:10"	61 cm (24")	21.2 mm (No. 6)	M18x1	3+1	Matte blued	114 cm (44.8")	3.8 kg (8.3 lbs)
SPORTER VARMINT - FLOORPLATE MAGAZINE									
AE043	.22-250 Rem.	1:9"	61 cm (24")	21.2 mm (No. 6)	M18x1	4+1	Matte blued	114 cm (44.8")	3.8 kg (8.3 lbs)
AE020	6.5 Creedmoor	1:08"	61 cm (24")	21.2 mm (No. 6)	M18x1	4+1	Matte blued	114 cm (44.8")	3.8 kg (8.3 lbs)
AE074	6.5 Creedmoor	1:08"	66 cm (26")	21.2 mm (No. 6)	M18x1	4+1	Matte blued	118 cm (46.4")	3.9 kg (8.6 lbs)
AE004	.308 Win.	1:10"	61 cm (24")	21.2 mm (No. 6)	M18x1	4+1	Matte blued	114 cm (44.8")	3.8 kg (8.3 lbs)
TIMBER RIFLE - DETACHABLE MAGAZINE									
AB369	6.5 Creedmoor	1:8"	56 cm (22")	16.6 mm (No. 4)	M14x1	3+1	Matte blued	110 cm (43.3")	3.5 kg (7.7 lbs)
AB409	7 mm-8 Rem.	1:8"	56 cm (22")	16.6 mm (No. 4)	M14x1	3+1	Matte blued	107 cm (42.1")	3.4 kg (7.5 lbs)
AB093	.308 Win.	1:12"	56 cm (22")	16.6 mm (No. 4)	M14x1	3+1	Matte blued	110 cm (43.3")	3.4 kg (7.5 lbs)
AB077	6.5x55 SE	1:8.66"	61 cm (24")	16.6 mm (No. 4)	M14x1	3+1	Matte blued	115 cm (45.3")	3.5 kg (7.7 lbs)
AB209	.30-06 Spring.	1:10"	61 cm (24")	16.6 mm (No. 4)	M14x1	3+1	Matte blued	115 cm (45.3")	3.5 kg (7.7 lbs)
AB239	.30-06 Spring.	1:10"	56 cm (22")	16.6 mm (No. 4)	M14x1	3+1	Matte blued	110 cm (43.3")	3.5 kg (7.7 lbs)
AB185	8x57 JS	1:10"	61 cm (24")	16.6 mm (No. 4)	M14x1	3+1	Matte blued	115 cm (45.3")	3.5 kg (7.7 lbs)
AB311	7 mm Rem. Mag.	1:9.5"	61 cm (24")	16.6 mm (No. 4)	M14x1	2+1	Matte blued	115 cm (45.3")	3.5 kg (7.7 lbs)
AB141	.300 Win. Mag.	1:10"	61 cm (24")	16.6 mm (No. 4)	M14x1	2+1	Matte blued	115 cm (45.3")	3.5 kg (7.7 lbs)
AB380	.338 Win. Mag.	1:10"	61 cm (24")	19.1 mm (No. 5.5)	M15x1	2+1	Matte blued	110 cm (43.3")	3.5 kg (7.7 lbs)
AB343	.375 H&H Mag.	1:12"	61 cm (24")	21.2 mm (No. 6)	M18x1	2+1	Matte blued	115 cm (45.3")	3.7 kg (8.1 lbs)
LEFT HANDED TIMBER RIFLE - DETACHABLE MAGAZINE									
AB417	6.5 Creedmoor	1:08"	56 cm (22")	16.6 mm (No. 4)	M14x1	3+1	Matte blued	107 cm (42.1")	3.4 kg (7.5 lbs)
AB355	.308 Win.	1:12"	56 cm (22")	16.6 mm (No. 4)	M14x1	3+1	Matte blued	107 cm (42.1")	3.4 kg (7.5 lbs)
AB393	7 mm Rem. Mag.	1:9.5"	61 cm (24")	16.6 mm (No. 4)	M14x1	3+1	Matte blued	115 cm (45.3")	3.5 kg (7.7 lbs)
AB397	.300 Win. Mag.	1:10"	61 cm (24")	16.6 mm (No. 4)	M14x1	2+1	Matte blued	115 cm (45.3")	3.5 kg (7.7 lbs)
AB425	.338 Win. Mag.	1:10"	61 cm (24")	19.1 mm (No. 5.5)	M15x1	2+1	Matte blued	110 cm (43.3")	3.5 kg (7.7 lbs)
TIMBER RIFLE - FLOORPLATE MAGAZINE									
AB370	6.5 Creedmoor	1:8"	56 cm (22")	16.6 mm (No. 4)	M14x1	4+1	Matte blued	110 cm (43.3")	3.4 kg (7.5 lbs)
AB410	7 mm-8 Rem.	1:8"	56 cm (22")	16.6 mm (No. 4)	M14x1	4+1	Matte blued	107 cm (42.1")	3.4 kg (7.5 lbs)
AB094	.308 Win.	1:12"	56 cm (22")	16.6 mm (No. 4)	M14x1	4+1	Matte blued	110 cm (43.3")	3.5 kg (7.7 lbs)
AB078	6.5x55 SE	1:8.66"	61 cm (24")	16.6 mm (No. 4)	M14x1	4+1	Matte blued	115 cm (45.3")	3.6 kg (7.9 lbs)
AB240	.30-06 Spring.	1:10"	56 cm (22")	16.6 mm (No. 4)	M14x1	4+1	Matte blued	110 cm (43.3")	3.5 kg (7.7 lbs)
AB210	.30-06 Spring.	1:10"	61 cm (24")	16.6 mm (No. 4)	M14x1	4+1	Matte blued	115 cm (45.3")	3.6 kg (7.9 lbs)
AB186	8x57 JS	1:10"	61 cm (24")	16.6 mm (No. 4)	M14x1	4+1	Matte blued	115 cm (45.3")	3.6 kg (7.9 lbs)
AB312	7 mm Rem. Mag.	1:9.5"	61 cm (24")	16.6 mm (No. 4)	M14x1	3+1	Matte blued	115 cm (45.3")	3.6 kg (7.9 lbs)
AB142	.300 Win. Mag.	1:10"	61 cm (24")	16.6 mm (No. 4)	M14x1	3+1	Matte blued	115 cm (45.3")	3.6 kg (7.9 lbs)
AB381	.338 Win Mag.	1:10"	61 cm (24")	19.1 mm (No. 5.5)	M15x1	3+1	Matte blued	110 cm (43.3")	3.5 kg (7.7 lbs)
AB344	.375 H&H Mag.	1:12"	61 cm (24")	21.2 mm (No. 6)	M18x1	3+1	Matte blued	115 cm (45.3")	3.8 kg (8.3 lbs)
LEFT HANDED TIMBER - FLOORPLATE MAGAZINE									
AB418	6.5 Creedmoor	1:08"	56 cm (22")	16.6 mm (No. 4)	M14x1	4+1	Matte blued	107 cm (42.1")	3.4 kg (7.5 lbs)
AB356	.308 Win.	1:12"	56 cm (22")	16.6 mm (No. 4)	M14x1	4+1	Matte blued	107 cm (42.1")	3.4 kg (7.5 lbs)
AB394	7 mm Rem. Mag.	1:9.5"	61 cm (24")	16.6 mm (No. 4)	M14x1	4+1	Matte blued	115 cm (45.3")	3.5 kg (7.7 lbs)
AB398	.300 Win. Mag.	1:10"	61 cm (24")	16.6 mm (No. 4)	M14x1	3+1	Matte blued	115 cm (45.3")	3.5 kg (7.7 lbs)
AB426	.338 Win. Mag.	1:10"	61 cm (24")	19.1 mm (No. 5.5)	M15x1	3+1	Matte blued	115 cm (45.3")	3.5 kg (7.7 lbs)

SPECIFICATIONS

B14 SERIES RIFLES

ITEM #	CALIBER	TWIST	BARREL LENGTH	MUZZLE DIAMETER	METRICAL THREAD	MAGAZINE CAPACITY	FINISH	OVERALL LENGTH	OVERALL WEIGHT
RIDGE RIFLE - DETACHABLE MAGAZINE									
AF001	.270 Win.	1:10"	61 cm (24")	19 mm (No. 5.5)	M15x1	3+1	Matte blued	112 cm (44.1")	3.6 kg (7.9 lbs)
AF007	6.5 Creedmoor	1:08"	56 cm (22")	19 mm (No. 5.5)	M15x1	3+1	Matte blued	105 cm (41.3")	3.5 kg (7.7 lbs)
AF005	.308 Win.	1:11"	56 cm (22")	19 mm (No. 5.5)	M15x1	3+1	Matte blued	105 cm (41.3")	3.5 kg (7.7 lbs)
AF003	.300 Win. Mag.	1:10"	61 cm (24")	19 mm (No. 5.5)	M15x1	2+1	Matte blued	112 cm (44.1")	3.6 kg (7.9 lbs)
RIDGE RIFLE - FLOORPLATE MAGAZINE									
AF002	.270 Win.	1:10"	61 cm (24")	19 mm (No. 5.5)	M15x1	4+1	Matte blued	112 cm (44.1")	3.7 kg (8.1 lbs)
AF008	6.5 Creedmoor	1:08"	56 cm (22")	19 mm (No. 5.5)	M15x1	4+1	Matte blued	105 cm (41.3")	3.5 kg (7.7 lbs)
AF006	.308 Win.	1:11"	56 cm (22")	19 mm (No. 5.5)	M15x1	4+1	Matte blued	105 cm (41.3")	3.5 kg (7.7 lbs)
AF004	.300 Win. Mag.	1:10"	61 cm (24")	19 mm (No. 5.5)	M15x1	3+1	Matte blued	112 cm (44.1")	3.7 kg (8.1 lbs)
HUNTER RIFLE - DETACHABLE MAGAZINE									
AB117	.243 Win.	1:10"	56 cm (22")	16.6 mm (No. 4)	M14x1	3+1	Matte blued	107 cm (42.1")	3.2 kg (7 lbs)
AB365	6.5 Creedmoor	1:8"	56 cm (22")	16.6 mm (No. 4)	M14x1	3+1	Matte blued	105 cm (41.3")	3.1 kg (6.8 lbs)
AB406	7mm-08 Rem.	1:9.5"	56 cm (22")	16.6 mm (No. 4)	M14x1	3+1	Matte blued	107 cm (42.1")	3.4 kg (7.5 lbs)
AB121	.308 Win.	1:12"	56 cm (22")	16.6 mm (No. 4)	M14x1	3+1	Matte blued	107 cm (42.1")	3.2 kg (7 lbs)
AB193	.270 Win.	1:10"	61 cm (24")	16.6 mm (No. 4)	M14x1	3+1	Matte blued	112 cm (44.1")	3.3 kg (7.2 lbs)
AB205	.30-06 Spring.	1:10"	61 cm (24")	16.6 mm (No. 4)	M14x1	3+1	Matte blued	112 cm (44.1")	3.3 kg (7.2 lbs)
AB307	7 mm Rem. Mag.	1:9.5"	61 cm (24")	16.6 mm (No. 4)	M14x1	2+1	Matte blued	112 cm (44.1")	3.3 kg (7.2 lbs)
AB153	.300 Win. Mag.	1:10"	61 cm (24")	16.6 mm (No. 4)	M14x1	2+1	Matte blued	112 cm (44.1")	3.3 kg (7.2 lbs)
HUNTER RIFLE - FLOORPLATE MAGAZINE									
AB118	.243 Win.	1:10"	56 cm (22")	16.6 mm (No. 4)	M14x1	4+1	Matte blued	107 cm (42.1")	3.2 kg (7 lbs)
AB366	6.5 Creedmoor	1:8"	56 cm (22")	16.6 mm (No. 4)	M14x1	4+1	Matte blued	105 cm (41.3")	3.2 kg (7 lbs)
AB407	7mm-08 Rem.	1:9.5"	56 cm (22")	16.6 mm (No. 4)	M14x1	4+1	Matte blued	107 cm (42.1")	3.4 kg (7.5 lbs)
AB122	.308 Win.	1:12"	56 cm (22")	16.6 mm (No. 4)	M14x1	4+1	Matte blued	107 cm (42.1")	3.2 kg (7 lbs)
AB194	.270 Win.	1:10"	61 cm (24")	16.6 mm (No. 4)	M14x1	4+1	Matte blued	112 cm (44.1")	3.3 kg (7.2 lbs)
AB206	.30-06 Spring.	1:10"	61 cm (24")	16.6 mm (No. 4)	M14x1	4+1	Matte blued	112 cm (44.1")	3.3 kg (7.2 lbs)
AB308	7 mm Rem. Mag.	1:9.5"	61 cm (24")	16.6 mm (No. 4)	M14x1	3+1	Matte blued	112 cm (44.1")	3.3 kg (7.2 lbs)
AB154	.300 Win. Mag.	1:10"	61 cm (24")	16.6 mm (No. 4)	M14x1	3+1	Matte blued	112 cm (44.1")	3.3 kg (7.2 lbs)

RIMFIRE SERIES RIFLES

ITEM #	CALIBER	TWIST	BARREL LENGTH	MUZZLE DIAMETER	BARREL THREAD	MAGAZINE CAPACITY	FINISH	OVERALL LENGTH	OVERALL WEIGHT
B14-R TRAINER CARBON RIFLE									
AE065	.22LR	1:16"	46 cm (18")	21.2 mm (No. 6)	1/2-28	10	Carbon fiber	96 cm (37.8")	3.7 kg (8.1 lbs)
AE071	.17HMR	1:9"	51 cm (20")	21.2 mm (No. 6)	1/2-28	10	Carbon fiber	101 cm (39.7")	3.8 kg (8.4 lbs)
AE073	.22WMR	1:16"	51 cm (20")	21.2 mm (No. 6)	1/2-28	10	Carbon fiber	101 cm (39.7")	3.8 kg (8.4 lbs)
B14-R TRAINER CARBON - BARRELED ACTION									
AE068	.22LR	1:16"	46 cm (18")	21.2 mm (No. 6)	1/2-28	10	Carbon fiber	-	-
LEFT HANDED B14-R TRAINER CARBON RIFLE									
AE079	.22LR	1:16"	46 cm (18")	21.2 mm (No. 6)	1/2-28	10	Carbon fiber	96 cm (37.8")	3.7 kg (8.1 lbs)
LEFT HANDED B-14 R TRAINER CARBON - BARRELED ACTION									
AE089	.22LR	1:16"	46 cm (18")	21.2 mm (No. 6)	1/2-28	10	Carbon fiber	-	-
RIFLE B14R TRAINER STEEL									
AE064	.22LR	1:16"	46 cm (18")	21.2 mm (No. 6)	1/2-28	10	Matte blued	96 cm (37.8")	4.1 kg (9 lbs)
AE069	.17HMR	1:9"	51 cm (20")	21.2 mm (No. 6)	1/2-28	10	Matte blued	101 cm (39.7")	4.2 kg (9.2 lbs)
AE072	.22WMR	1:16"	51 cm (20")	21.2 mm (No. 6)	1/2-28	10	Matte blued	101 cm (39.7")	4.2 kg (9.2 lbs)
B14-R TRAINER STEEL - BARRELED ACTION									
AE066	.22LR	1:16"	46 cm (18")	21.2 mm (No. 6)	1/2-28	10	Matte blued	-	-
LEFT HANDED B14-R TRAINER STEEL									
AE078	.22LR	1:16"	46 cm (18")	21.2 mm (No. 6)	1/2-28	10	Matte blued	96 cm (37.8")	3.7 kg (8.1 lbs)
LEFT HANDED B14-R TRAINER STEEL - BARRELED ACTION									
AE088	.22LR	1:16"	46 cm (18")	21.2 mm (No. 6)	1/2-28	10	Matte blued	-	-
BMR CARBON RIFLE									
RWBMR002	.22LR	1:16"	46 cm (18")	21.3 mm (No. 6)	1/2-28	5 and 10	Carbon fiber	92 cm (36.2")	2.3 kg (5 lbs)
RWBMR006	.22WMR	1:16"	51 cm (20")	21.3 mm (No. 6)	1/2-28	5 and 10	Carbon fiber	97 cm (38.1")	2.4 kg (5.4 lbs)
RWBMR004	.17HMR	1:9"	51 cm (20")	21.3 mm (No. 6)	1/2-28	5 and 10	Carbon fiber	97 cm (38.1")	2.4 kg (5.4 lbs)
BMR STEEL RIFLE									
RWBMR001	.22LR	1:16"	46 cm (18")	21.3 mm (No. 6)	1/2-28	5 and 10	Matte blued	92 cm (36.2")	2.5 kg (5.5 lbs)
RWBMR005	.22WMR	1:16"	51 cm (20")	21.3 mm (No. 6)	1/2-28	5 and 10	Matte blued	97 cm (38.1")	2.6 kg (5.7 lbs)
RWBMR003	.17HMR	1:9"	51 cm (20")	21.3 mm (No. 6)	1/2-28	5 and 10	Matte blued	97 cm (38.1")	2.5 kg (5.5 lbs)

SPECIFICATIONS

B-14R RIMFIRE SERIES RIFLES

ITEM #	CALIBER	TWIST	BARREL LENGTH	MUZZLE DIAMETER	BARREL THREAD	MAGAZINE CAPACITY	FINISH	OVERALL LENGTH	OVERALL WEIGHT
BXR CARBON RIFLE									
BXR002	.22LR	1:16"	42 cm (16.5")	21.2 mm (No. 6)	1/2-28	10	Carbon fiber	88 cm (34.6")	2.1 kg (4.6 lbs)
BXR STEEL RIFLE									
BXR001	.22LR	1:16"	42 cm (16.5")	21.2 mm (No. 6)	1/2-28	10	Matte blued	88 cm (34.6")	2.3 kg (5 lbs)

BA13 TAKE DOWN SERIES RIFLES

ITEM #	CALIBER	TWIST	BARREL LENGTH	MUZZLE DIAMETER	BARREL THREAD	OVERALL LENGTH	OVERALL WEIGHT
BA13 THUMBHOLE - BLUED							
AD010	.222 Rem.	1:14"	51 cm (20")	17.8 mm (No. 5)	5/8-24 UNEF	89 cm (35")	3.2 kg (7 lbs)
AD006	.243 Win.	1:10"	51 cm (20")	17.8 mm (No. 5)	5/8-24 UNEF	89 cm (35")	3.2 kg (7 lbs)
AD092	6.5x57 R	1:8"	51 cm (20")	17.8 mm (No. 5)	5/8-24 UNEF	89 cm (35")	3.2 kg (7 lbs)
AD004	.300 BLACKOUT	1:8"	42 cm (16.5")	17.8 mm (No. 5)	5/8-24 UNEF	80 cm (31.5")	3 kg (6.6 lbs)
AD165	.300 BLACKOUT	1:8"	46 cm (18")	17.8 mm (No. 5)	5/8-24 UNEF	84 cm (33")	3.1 kg (6.8 lbs)
AD002	.308 Win.	1:8"	42 cm (16.5")	17.8 mm (No. 5)	5/8-24 UNEF	80 cm (31.5")	3 kg (6.6 lbs)
AD008	.308 Win.	1:12"	51 cm (20")	17.8 mm (No. 5)	5/8-24 UNEF	89 cm (35")	3.2 kg (7 lbs)
AD189	.308 Win.	1:8"	46 cm (18")	17.8 mm (No. 5)	5/8-24 UNEF	84 cm (33")	3.1 kg (6.8 lbs)
AD054	.30-06 Spring.	1:10"	51 cm (20")	17.8 mm (No. 5)	5/8-24 UNEF	89 cm (35")	3.2 kg (7 lbs)
AD047	.45-70 Govt.	1:20"	51 cm (20")	19 mm (No. 5.5)	5/8-24 UNEF	89 cm (35")	3.2 kg (7 lbs)
AD182	8X57 JRS	1:9.5"	51 cm (20")	17.8 mm (No. 5)	5/8-24 UNEF	89 cm (35")	3.2 kg (7 lbs)
BA13 THUMBHOLE - INOX							
AD031	.308 Win.	1:12"	51 cm (20")	17.8 mm (No. 5)	5/8-24 UNEF	89 cm (35")	3.2 kg (7 lbs)
BA13 SYNTHETIC - BLUED - OPEN SIGHTS							
AD009	.222 Rem.	1:14"	51 cm (20")	17.8 mm (No. 5)	5/8-24 UNEF	89 cm (35")	3.1 kg (6.8 lbs)
AD005	.243 Win.	1:10"	51 cm (20")	17.8 mm (No. 5)	5/8-24 UNEF	89 cm (35")	3.1 kg (6.8 lbs)
AD088	6.5x57 R	1:8"	51 cm (20")	17.8 mm (No. 5)	5/8-24 UNEF	89 cm (35")	3.1 kg (6.8 lbs)
AD007	.308 Win.	1:12"	51 cm (20")	17.8 mm (No. 5)	5/8-24 UNEF	89 cm (35")	3.1 kg (6.8 lbs)
AD050	.30-06 Spring.	1:10"	51 cm (20")	17.8 mm (No. 5)	5/8-24 UNEF	89 cm (35")	3.1 kg (6.8 lbs)
AD043	.45-70 Govt.	1:20"	51 cm (20")	19 mm (No. 5.5)	5/8-24 UNEF	89 cm (35")	3.1 kg (6.8 lbs)
AD178	8x57 JRS	1:9.5"	51 cm (20")	17.8 mm (No. 5)	5/8-24 UNEF	89 cm (35")	3.2 kg (7 lbs)
BA13 SYNTHETIC - BLUED							
AD012	.300 BLACKOUT	1:8"	42 cm (16.5")	17.8 mm (No. 5)	5/8-24 UNEF	80 cm (31.5")	2.9 kg (6.4 lbs)
AD160	.300 BLACKOUT	1:8"	46 cm (18")	17.8 mm (No. 5)	5/8-24 UNEF	84 cm (33")	3.1 kg (6.8 lbs)
AD011	.308 Win.	1:8"	42 cm (16.5")	17.8 mm (No. 5)	5/8-24 UNEF	80 cm (31.5")	2.9 kg (6.4 lbs)
AD195	.308 Win.	1:8"	46 cm (18")	17.8 mm (No. 5)	5/8-24 UNEF	84 cm (33")	3.1 kg (6.8 lbs)
BA13 SYNTHETIC - INOX - OPEN SIGHTS							
AD027	.308 Win.	1:12"	51 cm (20")	17.8 mm (No. 5)	5/8-24 UNEF	89 cm (35")	3.1 kg (6.8 lbs)



BERGARA®
OUR BARRELS MAKE THE DIFFERENCE

Traditional gunsmith manufacturing taken to the next level

Bergara makes every effort to ensure that the information in this catalog is correct and accurate. However, continuous product refinements and design changes may result in revisions to models that may not be shown in this brochure. We reserve the right to make changes in specifications, models, features, materials, and colors at any time. Any and all errors in descriptions, and photos are subject to correction. Local laws and regulations may affect items in this catalog

No part of this catalog may be reproduced without the express authorization of BERGARA.
All rights reserved. 2021