

**B BERGARA®**

*2023 INTERNATIONAL PRODUCT LINEUP*





AT BERGARA, WE BELIEVE THAT A PRECISION FIREARM REQUIRES THE BEST COMPONENTS AND AN ASSEMBLY PROCESS CARRIED OUT BY INDIVIDUALS WHO ARE THE BEST OF THE BEST AT THEIR CRAFT. WE'VE BUILT A TEAM OF THE WORLD'S MOST TALENTED AND EXPERIENCED FIREARM BUILDERS – FIRST IN THE USA FOR OUR PREMIER SERIES, AND NOW IN SPAIN FOR OUR B-14 SERIES. THE RESULTS ARE EXTREME PRIDE IN BUILDING, AND EXTREME PRIDE IN OWNERSHIP.



## A HISTORY OF PRECISION

IT ALL BEGAN SEVERAL YEARS AGO WITH A SMALL LINE OF CUSTOM RIFLES AND ONE TOP-NOTCH CRAFTSMAN, THE FORMER PRODUCTION CHIEF AND CHIEF INSTRUCTOR FOR THE UNITED STATES MARINE CORPS PRECISION WEAPONS SECTION.

As Bergara rapidly grew, we then assembled a hand-picked group.

With the most technically-advanced barrel manufacturing techniques, state-of-the-art machinery, and an unwavering commitment to quality, Bergara Barrels has become the barrel source of numerous top-tier gun manufacturers in both Europe and the United States. Bergara is producing a full line of precision firearms engineered and built to showcase the performance capabilities of our world-class barrels.


Today, these individuals form the core of our production team. They pass on their knowledge and expertise to every new employee, thereby bringing their own real world experience and expertise to every Bergara firearm.



<b>PREMIER SERIES</b>	<b>8</b>
HMR Pro	12
Mountain 2.0	13
<b>B-14 WILDERNESS SERIES</b>	<b>14</b>
Wilderness Thumbhole Carbon	18
Wilderness Thumbhole	19
Wilderness HMR Carbon	20
Wilderness HMR	20
Wilderness Ridge Carbon	22
Wilderness Ridge	23
Wilderness Terrain	24
Wilderness Hunter	25
<b>B-14 EXTREME SERIES</b>	<b>26</b>
Extreme Hunter	30
Extreme Sporter	31
Extreme Hunter Urban	32
Extreme Sporter Western	33
<b>B-14<sup>2</sup> RIFLE</b>	<b>34</b>
<b>B-14 SERIES</b>	<b>40</b>
HMR	44
Sporter	45
Timber	46
Hunter	47
<b>BA13 SERIES</b>	<b>48</b>
TD Black	52
TD Strata	54
TD Green	56
<b>RIMFIRE SERIES</b>	<b>57</b>
B-14R Trainer	62
BMR	64
<b>SHOOTING BARRELED ACTION</b>	<b>66</b>
<b>ACCESSORIES</b>	<b>68</b>
<b>SPECIFICATIONS</b>	<b>69</b>

**MADE IN OUR FACILITIES**

**TO PERFORM IN THE FIELD**



**EVERY RIFLE STARTS  
WITH A PRECISION BARREL**

**STEP 1 BARREL STRAIGHTENING**

Each Bergara barrel must begin with a straight bar of cylindrical steel. We inspect every bar to ensure it meets our deviation standards.

**STEP 2 DEEP HOLE DRILLING**

The bar then moves on to a four spindle deep hole drilling machine where a perfect hole is drilled through the entire length of the bar.

**STEP 3 BARREL HONING**

Three separate honing spindles utilize diamond tipped bits that polish the interior surface of the barrel to a mirror-like finish.

**STEP 4 BUTTON RIFLING**

A carbide rifling button is drawn through the barrel to produce the rifling grooves at the appropriate twist rate for each caliber. It's the same result that many gunsmiths accomplish by hand lapping.

**STEP 5 STRESS RELIEVING**

A high temperature heating process realigns the steel molecules ensuring the barrel is free from any stress.



# PREMIER SERIES

BUILT BY HAND AND PAIRED WITH OUR WORLD-RENOWNED BARRELS, THE PREMIER SERIES PROVIDES NEAR CUSTOM PERFORMANCE AT PRICES THAT ARE AFFORDABLE TO SERIOUS SHOOTERS. ONLY THE BEST COMPONENTS AND FINEST CRAFTSMEN CAN BE USED TO CREATE A RIFLE LINE THIS RELIABLE AND ACCURATE.

## FEATURES

- |                               |  |
|-------------------------------|--|
| <b>BERGARA PREMIER ACTION</b> | <ul style="list-style-type: none"> <li>• Premium stainless steel with Cerakote® finish</li> <li>• 2 locking lugs located on the front of the bolt head</li> <li>• Separate "floating" bolt head assures contact with lug abutments</li> <li>• Cone-shaped bolt nose assures smooth feeding</li> <li>• Sliding plate extractor</li> <li>• All new models feature a dual ejector</li> <li>• 1-piece stainless steel bolt body with threaded-in bolt handle</li> <li>• 90° bolt throw angle</li> <li>• Bolt shroud is bayonet style allowing access to the firing pin assembly. Simply twist the bolt shroud and the entire firing assembly can be removed without tools</li> </ul> |
| <b>BERGARA BARREL</b>         | <ul style="list-style-type: none"> <li>• Made from premium carbon fiber or stainless steel</li> <li>• Carbon fiber or Cerakote® finish</li> <li>• Guaranteed to produce sub-MOA groups at 100 yards using quality factory ammunition</li> </ul>  |
| <b>TRIGGER</b>                | <ul style="list-style-type: none"> <li>• Externally adjustable TriggerTech® triggers and Frictionless Release Technology™ as standard equipment</li> </ul>   |
| <b>SAFETY MECHANISMS</b>      | <ul style="list-style-type: none"> <li>• The 2-position safety is part of the trigger assembly. It allows the rifle to be unloaded while in the safe position</li> <li>• Non-rotating gas shield behind the bolt head protects the shooter from gas and debris in the event of a case or primer rupture</li> </ul>   |



## SPOTLIGHT

“ JOE EDLINGTON // MOUNTAIN 2.0

NEW ZEALAND, TAHR

In New Zealand we have wilderness that is true to its name, it's wild, it's tough, and it's unforgiving on your physical wellbeing and the gear you decide to bring with you.

I spend over 6 months of the year hunting in the most wild and remote areas. I search for a wide variety of 'bucket list' game species that are high on the list for many hunters worldwide.

I bring my Bergara Mountain 2.0 on these expeditions. It's ultra-light-weight design and attention to detail for its build quality and components are what make this rifle 'my choice' for the big wilderness hunts I do.

Correct gear choice is paramount for these types of hunts. I have complete faith in the Mountain 2.0 performing for me when I need it most.



# HMR PRO // HUNTING & MATCH

**WEIGHT**  
starting at  
4.2 kg [9.3 lbs]

**ACCURACY**  
sub-MOA  
Guaranteed

**BARREL**

410 stainless steel  
51 cm [20"] - 66 cm [26"] barrel lengths

**FINISH**


Tactical Gray Cerakote®

**STOCK**

Bergara HMR molded with mini-chassis

**MAGAZINE**

AICS Style Detachable



CALIBERS

.22-250 | 6 CREEDMOOR | 6.5 CREEDMOOR | 6.5 PRC | .308 WIN | .300 WIN MAG | .300 PRC

# MOUNTAIN 2.0

**WEIGHT**  
starting at  
2.8 kg [6.2 lbs]

**ACCURACY**  
sub-MOA  
Guaranteed

**BARREL**

410 stainless steel  
56 cm [22"] - 61 cm [24"] barrel lengths

**FINISH**


Tactical Gray Cerakote®

**STOCK**

AG Composite 100% carbon fiber

**MAGAZINE**

Hinged Floor Plate



CALIBERS

.243 WIN. | 6.5 CREEDMOOR | 6.5 PRC | .308 WIN | .270 WIN | .300 WIN MAG





## B-14 WILDERNESS SERIES

THE B-14 WILDERNESS SERIES® EMBODY PURE PERFORMANCE. REAL-WORLD FEATURE SETS LIKE FLUTED BOLTS, SPECIALIZED COATINGS, AND STOCK OPTIONS THAT CAN WITHSTAND THE RUGGED AND UNFORGIVING WILDERNESS, WHILE BLENDING IN TO THOSE VERY SAME ELEMENTS. THIS SERIES IS FOR THE BACK COUNTRY, TO MATCH EVERY STRIDE YOU TAKE OFF THE BEATEN TRAIL.

### FEATURES

- BERGARA B-14 ACTION**
- Spring-loaded ejector
  - Side-mounted bolt stop
  - Fluted, 4140 CrMo steel, one piece bolt body
  - 90° bolt throw angle
  - Cone-shaped bolt nose ejector - assures smooth feeding
  - Sliding plate extractor
  - Hinged floor plate or detachable magazine
  - Sniper Grey Cerakote®

- BERGARA BARREL**
- Made from 4140 CrMo steel
  - Sniper Grey Cerakote®
  - Sub MOA accuracy guarantee

- TRIGGER**
- Adjustable Bergara Performance Trigger

- SAFETY MECHANISMS**
- The two position safety is part of the trigger assembly. It allows the rifle to be unloaded while in the safe position.

- STOCK**
- Bergara's hand-painted camouflage







# SPOTLIGHT

“ **BRIAN STEPHENS // WILDERNESS HMR CF**  
**TEXAS AUODAD**

Just a few miles from the Mexico border I was introduced to a terrain so challenging, yet beautiful. I had not yet hunted Aoudad, and found myself walking for miles, climbing cliffs, slipping and falling at times trying to get to this shooter Aoudad we had seen.

Through this rugged environment I noticed just how tough this rifle is, along with how well it carried on my shoulder.

When we finally got to within 200 yards of this big ram, I squeezed the trigger. I knew that bullet was going to hit its target. ”



NEW

# THUMBHOLE CARBON

**WEIGHT**  
starting at  
3 kg (6 lbs)

**ACCURACY**  
sub-MOA  
Guaranteed

**BARREL**

Carbon Barrel  
51 cm (20") - 61 cm (24") barrel lengths

**FINISH**

Sniper Gray Cerakote®

**STOCK**

Hand-painted Thumbhole Synthetic Stock  
with a rubberized grip

**MAGAZINE**

AICS Style Detachable



CALIBERS

6.5 CREEDMOOR | 6.5 PRC | .308 WIN | .300 WIN MAG

NEW

# THUMBHOLE

**WEIGHT**  
starting at  
3.3 kg (7.2 lbs)

**ACCURACY**  
sub-MOA  
Guaranteed

**BARREL**

4140 CrMo Steel  
51 cm (20") - 61 cm (24") barrel lengths

**FINISH**

Sniper Gray Cerakote®

**STOCK**

Hand-painted Thumbhole Synthetic Stock  
with a rubberized grip

**MAGAZINE**

AICS Style Detachable



CALIBERS

.243 WIN | 6.5 CREEDMOOR | 6.5 PRC | .308 WIN | 7MM REM MAG | .300 WIN MAG

**NEW**

## HMR CARBON

### WEIGHT

starting at  
3.4 kg (7.5 lbs)

### ACCURACY

sub-MOA  
Guaranteed

### BARREL

Carbon Barrel  
51 cm (20") - 61 cm (24") barrel lengths

### FINISH

Sniper Gray Cerakote®

### STOCK

Bergara HMR molded with mini-chassis

### MAGAZINE

AICS Style Detachable



### CALIBERS

6.5 CREEDMOOR | 6.5 PRC | .308 WIN | .300 WIN MAG

## HMR

### WEIGHT

starting at  
4.3 kg (9.5 lbs)

### ACCURACY

sub-MOA  
Guaranteed

### BARREL

4140 CrMo Steel  
51 cm (20") - 66 cm (26") barrel lengths

### FINISH

Sniper Gray Cerakote®

### STOCK

Bergara HMR molded with mini-chassis

### MAGAZINE

AICS Style Detachable



### CALIBERS

6.5 CREEDMOOR | 6.5 PRC | .308 WIN | .300 WIN MAG | .300 PRC



**NEW**

## RIDGE CARBON

### WEIGHT

starting at  
2.9 kg [6.5 lbs]

### ACCURACY

sub-MOA  
Guaranteed

### BARREL

Carbon Barrel  
51 cm [20"] - 61 cm [24"] barrel lengths

### FINISH

Sniper Gray Cerakote®

### STOCK

American style synthetic with SoftTouch finish

### MAGAZINE

Hinged floor plate and detachable



## RIDGE

### WEIGHT

starting at  
3.3 Kg [7.4 lbs]

### ACCURACY

sub-MOA  
Guaranteed

### BARREL

4140 CrMo Steel  
51 cm [20"] - 61 cm [24"] barrel lengths

### FINISH

Sniper Gray Cerakote®

### STOCK

American style synthetic with SoftTouch finish

### MAGAZINE

Hinged floor plate and detachable



### CALIBERS

6.5 CREEDMOOR | 6.5 PRC | .308 WIN | .300 WIN MAG

### CALIBERS

6.5 CREEDMOOR | 6.5 PRC | .308 WIN | 7MM REM MAG | .300 WIN MAG | .300 PRC

## TERRAIN

### WEIGHT

starting at  
4 kg (8.9 lbs)

### ACCURACY

sub-MOA  
Guaranteed

### BARREL

4140 CrMo Steel  
51 cm (20") - 66 cm (26") barrel lengths

### FINISH

Sniper Gray Cerakote®

### STOCK

Bergara Terrain molded with mini chassis and SoftTouch finish

### MAGAZINE

AICS style



## HUNTER

### WEIGHT

starting at  
3.2 kg (7.2 lbs)

### ACCURACY

sub-MOA  
Guaranteed

### BARREL

4140 CrMo Steel  
56 cm (22") - 61 cm (24") barrel lengths

### FINISH


Sniper Gray Cerakote®

### STOCK

American style synthetic with SoftTouch finish

### MAGAZINE

Hinged floor plate and detachable



### CALIBERS

6.5 CREEDMOOR | 6.5 PRC | .308 WIN | .300 WIN MAG | .300 PRC

### CALIBERS

6.5 CREEDMOOR | .308 WIN | 7MM REM MAG | .300 WIN MAG





## B-14 EXTREME SERIES

CONCEIVED FOR GUARDS IN REMOTE PARTS OF THE WORLD WHO NEED AN AFFORDABLE RIFLE FOR PROTECTION IN EXTREMEST CONDITIONS OF RAIN, SNOW AND SALTY WINDS. THE B14 EXTREME SERIES HAS BECOME A POPULAR CHOICE AMONG HUNTERS AROUND THE WORLD FOR BEING A LIGHT-WEIGHT, SHORT, EASY-TO-MAINTAIN AND EXTREMELY RELIABLE. A TRUE CONFIGURATION THAT SHOULD BE PRESENT IN EVERY GUN SAFE.



### FEATURES

- BERGARA B-14 ACTION**
- Spring-loaded ejector
  - Side-mounted bolt stop
  - One-piece body with two locking lugs
  - 90° bolt throw angle
  - Cone-shaped bolt nose ejector - assures smooth feeding
  - Sliding plate extractor
  - Detachable magazine

- BERGARA BARREL**
- Made from 410 ISI stainless steel
  - Graphite Black Cerakote® / Stainless Grey Cerakote® / Coyote Tan Cerakote®
  - Sub MDA accuracy guarantee

- TRIGGER**
- Adjustable Bergara Performance Trigger

- SAFETY MECHANISMS**
- The two position safety is part of the trigger assembly. It allows the rifle to be unloaded while in the safe position.





# SPOTLIGHT

“ MARTIN BIE-ERICHSEN // EXTREME HUNTER  
NORWAY GOOSE

We arrived at the fields as the sun was rising and spotted the first geese of the day, grassing at the edge of a large field. My son knew the drill as he tagged along for this hunt.

We positioned ourselves under some pines. The goose is only 95 meters, a comfortable distance for such a small target. Especially when we are used to taking these shots at 180 meters or further. I rig my B14 Extreme up and warn my 2-year-old that a shot is coming. Everything felt right.

It might just be a goose, but the conversation with my son as we walked towards our kill, made it feel like we just shot the stag of our lifetime.

”

# HUNTER

**WEIGHT**  
starting at  
2.9 kg (6.4 lbs)

**ACCURACY**  
sub-MDA  
Guaranteed

**BARREL**

410 stainless steel  
46 cm (18") barrel

**FINISH**


Stainless Grey Cerakote®

**STOCK**

American style synthetic with SoftTouch finish

**MAGAZINE**

Detachable



**CALIBERS**

6.5 CREEDMOOR | .308 WIN

# SPORTER

**WEIGHT**  
starting at  
3.1 kg (6.8 lbs)

**ACCURACY**  
sub-MDA  
Guaranteed

**BARREL**

410 stainless steel  
46 cm (18") barrel

**FINISH**

Graphite Black Cerakote®

**STOCK**

Monte Carlo style synthetic with SoftTouch finish

**MAGAZINE**

Detachable



**CALIBERS**

6.5 CREEDMOOR | .308 WIN



## HUNTER VIPER URBAN

**WEIGHT**  
starting at  
2.9 kg (6.4 lbs)

**ACCURACY**  
sub-MOA  
Guaranteed

### BARREL

410 stainless steel  
46 cm (18") barrel

### FINISH

Graphite Black Cerakote®

### STOCK

American-style synthetic with SoftTouch finish

### MAGAZINE

Detachable



### CALIBERS

6.5 CREEDMOOR | .308 WIN

## SPORTER VIPER WESTERN

**WEIGHT**  
starting at  
3.1 kg (6.8 lbs)

**ACCURACY**  
sub-MOA  
Guaranteed

### BARREL

410 stainless steel  
46 cm (18") barrel

### FINISH

Coyote Tan Cerakote®

### STOCK

Montecarlo synthetic with SoftTouch finish

### MAGAZINE

Detachable



### CALIBERS

6.5 CREEDMOOR | .308 WIN

# B-14<sup>2</sup> RIFLE

THE NEW B-14<sup>2</sup> CONCEPT STANDS FOR ADDING A PROPRIETARY DEVELOPMENT OF A CARBON FIBER MONOCOQUE STOCK. CREATED 100% IN CARBON FIBER, THIS STOCK HAS AN INTERNAL STRUCTURE THAT PROVIDES GREATER RIGIDITY AND STRENGTH, MAKING IT NEARLY INDESTRUCTABLE.

FEATURING THIS NEW STOCK, OUR B-14 ACTION AND OUR WELL-KNOWN BARRELS, WE'VE BLENDED ALL THE ADVANTAGES OF THE B-14 MODEL SERIES CONVERGING INTO SOMETHING UNIQUE, WHICH WE HAVE CALLED B-14 SQUARED.



## FEATURES

- BERGARA B-14 ACTION**
- Spring-loaded ejector
  - Side-mounted bolt stop
  - Fluted, 4140 chromoly steel, one piece bolt body
  - 90° bolt throw angle
  - Cone-shaped bolt nose ejector - assures smooth feeding
  - Sliding plate extractor
  - Hinged floor plate or detachable magazine
  - Cerakoted® Sniper Grey

- BERGARA BARREL**
- Made from 4140 CrMo steel
  - Sniper Grey Cerakote®
  - Sub MOA accuracy guaranteed

- TRIGGER**
- Adjustable Bergara Performance Trigger

- SAFETY MECHANISMS**
- The two position safety is part of the trigger assembly. It allows the rifle to be unloaded while in the safe position.

- STOCK**
- 100% Carbon Fiber Monocoque stock with carbon spine



# SPOTLIGHT

PEDRO AMPUERO // CREST

GREDOOS, SPAIN IBEX

Some of us feel a huge attraction to traveling around the world and discovering new countries, new species, and new cultures. Spain is one of the most amazing destinations for hunting. The hunting tradition and passion of my home country is what brings hunters all around the world every year.

We have to go through a lot to get the opportunity we have been searching for, and after investing a lot of time and effort there is nothing worse than questioning your shot, or doubting if the rifle was able to handle all that beating.

I have always looked at my rifle as another piece of equipment, it can not fail. The rifle is there to help me, not to give me more problems than the ones I have. When you find out about the rifle manufacturing tradition of Spain, and the background building precise and reliable rifles of Bergara, that doubt goes away, and you trust it like it was your own rifle.





## CREST

### WEIGHT

starting at  
3.1 kg (6.8 lbs)

### ACCURACY

sub-MOA  
Guaranteed

### BARREL

4140 CrMo Steel  
51 cm (20") - 61 cm (24") barrel lengths

### FINISH



Sniper Gray Cerakote®

### STOCK

100% Carbon Fiber Monocoque stock with Carbon Spine

### MAGAZINE

AICS Style Detachable



### CALIBERS

.243 WIN | 6.5 CREEDMOOR | 6.5 PRC | .308 WIN | 7MM REM MAG | .300 WIN MAG



# B-14 SERIES



THE B-14 SERIES RIFLES ARE BUILT AT OUR STATE-OF-THE-ART FACILITY IN SPAIN. THANKS TO OUR HIGHLY EFFICIENT MANUFACTURING TECHNIQUES WE CAN BRING A LINE OF EXTREMELY ACCURATE AND RELIABLE RIFLES TO SERIOUS SHOOTERS AT EXTREMELY AFFORDABLE PRICES. VALUE PACKED, AND TOUGH ENOUGH TO WEAR THE BERGARA NAME.

## FEATURES

- BERGARA B-14 ACTION**
- Spring-loaded ejector
  - Side-mounted bolt stop
  - One-piece body with two locking lugs
  - 90° bolt throw angle
  - Cone-shaped bolt nose ejector - assures smooth feeding
  - Sliding plate extractor
  - Hinged floor plate or detachable magazine

- BERGARA BARREL**
- Made from 4140 CrMo steel
  - Graphite Black Cerakote®
  - Sub MOA accuracy guarantee

- TRIGGER**
- Bergara Performance Trigger

- SAFETY MECHANISMS**
- The two position safety is part of the trigger assembly. It allows the rifle to be unloaded while in the safe position.



# SPOTLIGHT

“ NICK TREHEARNE // B-14 HMR  
ALBERTA COYOTE

When winter hits in Canada, it's time to help the deer out and we switch to predator control. The harsh winter climates are hard enough on the deer as it is. This is a task that we don't take lightly and that's why we rely on the Bergara B-14 in a 22-250. It was -20 to -30°C during the day and when the dogs came into the call, we didn't want to mess up an opportunity. It was hard enough on us being out there as it is. That's why we trust Bergara - any dog that came into the call didn't have a chance.





## HMR // HUNTING & MATCH RIFLE

**WEIGHT**  
starting at  
4.3 kg [9.7 lbs]

**ACCURACY**  
sub-MOA  
Guaranteed

### BARREL

4140 CrMo Steel  
61 cm [24"] - 66 cm [26"] barrel lengths

### FINISH

Graphite Black Cerakote®

### STOCK

Bergara HMR molded with mini-chassis

### MAGAZINE

AICS Style Detachable

LEFT HANDED MODELS AVAILABLE



### CALIBERS

.22-250 | 6.5 CREEDMOOR | .308 WIN | .300 WIN MAG



## SPORTER

**WEIGHT**  
starting at  
3.3 kg [7.3 lbs]

**ACCURACY**  
sub-MOA  
Guaranteed

### BARREL

4140 CrMo Steel  
56 cm [22"] - 61 cm [24"] barrel lengths

### FINISH

Graphite Black Cerakote®

### STOCK

Monte Carlo style synthetic with SoftTouch finish

### MAGAZINE

Hinged floor plate and detachable



### CALIBERS

.243 WIN | 6.5 CREEDMOOR | .308 WIN | 6.5X55 SE | .270 WIN | .30-06 SPRG | 7MM REM MAG | .300 WIN MAG | .338 WIN MAG



# TIMBER

**WEIGHT**  
starting at  
3.4 kg (7.5 lbs)

**ACCURACY**  
sub-MOA  
Guaranteed

**BARREL**

4140 CrMo Steel  
56 cm (22") - 61 cm (24") barrel lengths

**FINISH**

Graphite Black Cerakote®


**STOCK**

Monte Carlo style walnut

**MAGAZINE**

Hinged floor plate and detachable

LEFT HANDED MODELS AVAILABLE



CALIBERS

.243 WIN | 6.5 CREEDMOOR | .308 WIN | 6.5X55 SE | .270 WIN | .30-06 SPRG | 7MM REM MAG

.300 WIN MAG | .338 WIN MAG | .375 H&H

# HUNTER

**WEIGHT**  
starting at  
3.1 kg (7.1 lbs)

**ACCURACY**  
sub-MOA  
Guaranteed

**BARREL**

4140 CrMo Steel  
56 cm (22") - 61 cm (24") barrel lengths

**FINISH**

Graphite Black Cerakote®

**STOCK**

American style synthetic with SoftTouch finish

**MAGAZINE**

Hinged floor plate and detachable



CALIBERS

.243 WIN | 6.5 CREEDMOOR | .308 WIN | .270 WIN | .30-06 SPRG | 7MM REM MAG | .300 WIN MAG





# BA13 SERIES

FOR THE HUNTER WHO WANTS A HIGH-QUALITY SINGLE SHOT RIFLE, THE BA13 TAKE DOWN IS THE IDEAL CHOICE. OUR BA13 TAKE DOWN RANGE IS A POPULAR CHOICE FOR MOUNTAIN HUNTING. ITS EXCELLENT MANEUVERABILITY AND PRECISION MAKE THE BA13 TD SINGLE SHOOT RIFLE AN OPTIMAL PERFORMANCE FOR A STALKING RIFLE.

## FEATURES

### BERGARA ACTION

- 100% Ambidextrous stock
- CrushZone® recoil pad
- Equipped with a weaver-style rail
- Reversible cocking spur
- Trigger guard actuated breech system

### BERGARA BARREL

- Fluted Bergara Barrel
- Matte Blued / Elite Moss Cerakote®
- 4140 CrMo blued steel or 410 AISI stainless steel

### SAFETY MECHANISMS

- Compact Synthetic design or Thumbhole stock in black color, Strata camo or green colour





# SPOTLIGHT

“ AL LOUANGKETH // BA13 THUMBHOLE  
**BLACK FOREST, GERMANY BOAR**

The morning sun was slowly evaporating the moisture from the ground, creating a foggy mist that was getting thick around me, suddenly I heard some twigs snapping in the thick pine groves.

The cautious snapping of the twigs tells me it was moving to a small clearing. I gently picked up my BA13 and eased to a comfortable shooting position. Suddenly, I noticed a dark shadow appearing out of the thick pine. There he is! One of the biggest boars I've ever seen in my forest coming out into the clearing thirty meters away!

I pulled the hammer back on my BA13. Just as he stopped, he dropped when the hammer fell. The Black Forest beast laid still at my feet. ”



## TD THUMBHOLE

**WEIGHT**  
starting at  
2.9 kg (6.4 lbs)

### BARREL

4140 CrMo Steel  
42 cm (16.5") - 51 cm (20") barrel lengths

### FINISH

Matte blued

### STOCK

Thumbhole Synthetic black

### SCOPE MOUNT

Weaver style aluminium rail



### CALIBERS

.243 WIN | .308 WIN | .30-06 SPRG | .45-70 GOVT | .8X57 JRS | .300 BLACKOUT

## TD STANDARD

**WEIGHT**  
starting at  
3.1 kg (6.8 lbs)

### BARREL

4140 CrMo Steel  
42 cm (16.5") - 51 cm (20") barrel lengths

### FINISH

Matte blued

### STOCK

Synthetic black

### SCOPE MOUNT

Weaver style aluminium rail



### CALIBERS

.243 WIN | .308 WIN | .30-06 SPRG | .45-70 GOVT | .8X57 JRS | .300 BLACKOUT

## TD THUMBHOLE STRATA

**WEIGHT**  
starting at  
3.1 kg (6.8 lbs)

### BARREL

4140 CrMo Steel  
51 cm (20") barrel length

### FINISH

Elite Moss Cerakote®

### STOCK

Thumbhole Synthetic camo strata

### SCOPE MOUNT

Weaver style steel rail



### CALIBERS

.223 REM | 6.5 CREEDMOOR | .308 WIN

## TD STANDARD STRATA

**WEIGHT**  
starting at  
3.1 kg (6.8 lbs)

### BARREL

4140 CrMo Steel  
51 cm (20") barrel length

### FINISH

Elite Moss Cerakote®

### STOCK

Synthetic camo strata

### SCOPE MOUNT

Weaver style steel rail



### CALIBERS

.223 REM | 6.5 CREEDMOOR | .308 WIN


# TD THUMBHOLE GREEN

**WEIGHT**  
starting at  
3.1 kg (6.8 lbs)

**BARREL**  
410 stainless steel  
51 cm (20") barrel length

**STOCK**  
Thumbhole Synthetic green

**SCOPE MOUNT**  
Weaver style aluminium rail



# TD STANDARD GREEN

**WEIGHT**  
starting at  
3.1 kg (6.8 lbs)

**BARREL**  
410 stainless steel  
51 cm (20") barrel length

**STOCK**  
Synthetic green

**SCOPE MOUNT**  
Weaver style aluminium rail



CALIBERS  
.223 REM | 6.5 CREEDMOOR | .308 WIN

CALIBERS  
.223 REM | 6.5 CREEDMOOR | .308 WIN



## RIMFIRE SERIES

MANUFACTURING HIGHLY ACCURATE RIMFIRE BARRELS IS NOT NEW TO US. WE'VE BEEN DOING IT ON AN OEM BASIS FOR WELL OVER A DECADE. WE'VE COMBINED THREE DISTINCT PLATFORMS, EACH DESIGNED FOR VERY DIFFERENT NEEDS, TO FORM OUR RIMFIRE SERIES. PLINKERS, HUNTERS, AND EVEN LONG RANGE RIMFIRE COMPETITORS REAP THE BENEFITS, UPGRADES, AND CROSS COMPATIBILITY FOUND IN THESE RIFLES. THE ONE THING THEY ALL HAVE IN COMMON - NOTHING LESS THAN PERFECTION.

### FEATURES

#### PROPRIETARY RIMFIRE ACTIONS

- Specialty rimfire actions
- Match Grade chambers
- Detachable magazines
- Left-Handed Available on B-14R

#### BERGARA BARREL

- Made from 4140 CrMo Steel
- Matte blued finish
- Carbon barrel options available

#### TRIGGER

- Bergara Performance Trigger

#### STOCK

- Bergara HMR stock, Adjustable cheek, Free-floated (B-14R)
- QD Cups and Swivels (BMR Swivel only)





# SPOTLIGHT

LEWIS MACFARLANE // BMR CARBON  
UNITED KINGDOM SQUIRREL

With the colder winter days here, the squirrels are foraging for winter stores. This is one of the best times of year to garner their interest in the squirrel feeders.

I generally top them off with a variety of nuts and maize mix, overlooked by a popup blind some 50 yards away. These are a great bit of kit to stay comfortable and hidden from the squirrels.

Once they get used to the food source and the blind, which is set up a day or two before, all I need do is slip into the blind before first light, load up the BMR, sip some coffee and wait patiently for the squirrels to arrive.



### B-14R // CARBON

**WEIGHT**  
starting at  
3.6 kg (8.1 lbs)

**CAPACITY**  
magazine fed  
10 Rounds

**BARREL**

Carbon Barrel  
46 cm (18") - 51 cm (20") barrel lengths

**FINISH**

Matte blued

**STOCK**

Bergara HMR stock

**MAGAZINE**

AICS Style Detachable



### B-14R // STEEL

**WEIGHT**  
starting at  
4.1 kg (9.2 lbs)

**CAPACITY**  
magazine fed  
10 Rounds

**BARREL**

4140 CrMo Steel  
46 cm (18") - 51 cm (20") barrel lengths

**FINISH**

Matte blued

**STOCK**

Bergara HMR stock

**MAGAZINE**

AICS Style Detachable



LEFT HANDED MODELS AVAILABLE

LEFT HANDED MODELS AVAILABLE

CALIBERS  
.22 LR | .22 WMR | .17 HMR

CALIBERS  
.22 LR | .22 WMR | .17 HMR



## BMR // CARBON

**WEIGHT**  
starting at  
2.3 kg [5 lbs]

**CAPACITY**  
magazine fed  
5 & 10 Rounds

### BARREL

Carbon Barrel  
46 cm (18") - 51 cm (20") barrel lengths

### FINISH

Matte blued

### STOCK

BMR stock

### MAGAZINE

AICS Style Detachable



## BMR // STEEL

**WEIGHT**  
starting at  
2.5 kg [5.5 lbs]

**CAPACITY**  
magazine fed  
5 & 10 Rounds

### BARREL

4140 CrMo Steel  
46 cm (18") - 51 cm (20") barrel length

### FINISH

Matte blued

### STOCK

BMR stock

### MAGAZINE

AICS Style Detachable



### CALIBERS

.22 LR | .22 WMR | .17 HMR

### CALIBERS

.22 LR | .22 WMR | .17 HMR

NEW

## BARRELED ACTION // SHOOTING

### WEIGHT

starting at  
3.6 kg (7.9 lbs)

### CAPACITY

magazine fed  
10 Rounds

### BARREL

410 stainless steel  
66 cm (26") barrel length

### MAGAZINE

AICS Style Detachable included



NEW

## BARRELED ACTION // RIMFIRE SHOOTING

### WEIGHT

starting at  
3.4 kg (7.5 lbs)

### CAPACITY

magazine fed  
10 Rounds

### BARREL

410 stainless steel  
51 cm (20") barrel length

### MAGAZINE

AICS Style Detachable included



LEFT HANDED MODELS AVAILABLE



### CALIBERS

6 MM CREEDMOOR | 6.5 CREEDMOOR | .308 WIN

### CALIBER

.22 LR

# BERGARA ACCESSORIES



**OMNI MUZZLE BRAKE**



**BERGARA AICS MAGAZINES**



**BERGARA RAIL**

Fits Rem 700® with 6-48 and 8-40 screws




**B-14R MAGAZINE**



**BERGARA EDC BACKPACK**



**BERGARA SOFT RIFLE GUNCASE**



**QUAKE SLINGS**



**QUAKE SHOOTING BAGS**

VISIT YOUR LOCAL DEALER OR

[BERGARA.DIKARCOOP.COM](http://BERGARA.DIKARCOOP.COM)

FOR YOUR BERGARA ACCESSORIES

## PREMIER SERIES RIFLES

\*All Premier Series Rifles come with TriggerTech Frictionless Release Technology™ and barrel & action in Tactical Grey Cerakote®

Reference	Caliber	Twist	Barrel Length	Overall Length	Muzzle Diameter	Barrel Thread	Overall Weight	Magazine	Capacity
<b>HMR PRO</b> *Feature a Bergara HMR molded stock with mini-chassis									
BP235-22250	.22-250 Rem.	1:9"	61 cm (24")	112 cm (44")	19.1 mm (No. 5.5)	5/8-24 UNEF	4,3 Kg (9.5 lbs)	DETACHABLE	5+1
BP236-6C	6 Creedmoor	1:7,5"	66 cm (26")	112 cm (44")	19.1 mm (No. 5.5)	5/8-24 UNEF	4,3 Kg (9.5 lbs)	DETACHABLE	5+1
BP235-65	6,5 Creedmoor	1:8"	61 cm (24")	112 cm (44")	19.1 mm (No. 5.5)	5/8-24 UNEF	4,3 Kg (9.5 lbs)	DETACHABLE	5+1
BP235-65HB	6,5 Creedmoor	1:8"	61 cm (24")	112 cm (44")	21.5 mm (No. 6)	5/8-24 UNEF	4,44 Kg (9.8 lbs)	DETACHABLE	5+1
BP236-65PRC	6,5 PRC	1:8"	66 cm (26")	117 cm (46")	19.1 mm (No. 5.5)	5/8-24 UNEF	4,39 Kg (9.7 lbs)	DETACHABLE	3+1
BP233-308	.308 Win	1:10"	51 cm (20")	103 cm (40")	19.1 mm (No. 5.5)	5/8-24 UNEF	4,21 Kg (9.3 lbs)	DETACHABLE	5+1
BP236-300	.300 Win Mag	1:10"	66 cm (26")	121 cm (47.5")	19.1 mm (No. 5.5)	5/8-24 UNEF	4,44 Kg (9.8 lbs)	DETACHABLE	5+1
BP236-300PRC	.300 PRC	1:9"	66 cm (26")	121 cm (47.5")	19.1 mm (No. 5.5)	5/8-24 UNEF	4,44 Kg (9.8 lbs)	DETACHABLE	5+1
<b>MOUNTAIN 2.0</b> *Feature a 100% carbon-fiber stock									
BP224F-243	.243 Win	1:10"	56 cm (22")	105 cm (41.5")	15 mm (No. 3)	-	2,81 Kg (6.2 lbs)	FLOORPLATE	4+1
BP224F-65	6,5 Creedmoor	1:8"	56 cm (22")	105 cm (41.5")	15 mm (No. 3)	-	2,81 Kg (6.2 lbs)	FLOORPLATE	4+1
BP225F-65PRC	6,5 PRC	1:8"	61 cm (24")	110 cm (43.5")	15 mm (No. 3)	-	2,85 Kg (6.3 lbs)	FLOORPLATE	2+1
BP224F-308	.308 Win	1:10"	56 cm (22")	105 cm (41.5")	15 mm (No. 3)	-	2,81 Kg (6.2 lbs)	FLOORPLATE	4+1
BP224F-270	.270 Win	1:10"	56 cm (22")	105 cm (41.5")	15 mm (No. 3)	-	2,81 Kg (6.2 lbs)	FLOORPLATE	4+1
BP225F-300	.300 Win Mag	1:10"	61 cm (24")	112 cm (44")	15 mm (No. 3)	-	2,9 Kg (6.4 lbs)	FLOORPLATE	3+1

## B-14<sup>2</sup> SERIES RIFLES

\*B-14<sup>2</sup> Series Rifle come with the Bergara Performance Trigger and barrel & action in Sniper Grey Cerakote®

Reference	Caliber	Twist	Barrel Length	Overall Length	Muzzle Diameter	Barrel Thread	Overall Weight	Magazine	Capacity
<b>CREST</b> *Feature a 100% carbon fiber monocoque stock and installed Omni Brake									
BE163-243	.243 Win	1:10"	51 cm (20")	103 cm (40")	17.5 mm (No. 5)	5/8-24 UNEF	3,1 Kg (6.8 lbs)	AICS COMPATIBLE	5+1
BE163-65	6,5 Creedmoor	1:8"	51 cm (20")	103 cm (40")	17.5 mm (No. 5)	5/8-24 UNEF	3,1 Kg (6.8 lbs)	AICS COMPATIBLE	5+1
BE163-65PRC	6,5 PRC	1:8"	51 cm (20")	103 cm (40")	17.5 mm (No. 5)	5/8-24 UNEF	3,1 Kg (6.8 lbs)	AICS COMPATIBLE	3+1
BE163-308	.308 Win	1:10"	51 cm (20")	103 cm (40")	17.5 mm (No. 5)	5/8-24 UNEF	3,1 Kg (6.8 lbs)	AICS COMPATIBLE	5+1
BE165-7RM	7mm Rem Mag	1:9,5"	61 cm (24")	113 cm (44.5")	17.5 mm (No. 5)	5/8-24 UNEF	3,26 Kg (7.2 lbs)	AICS COMPATIBLE	5+1
BE165-300	.300 Win Mag	1:10"	61 cm (24")	113 cm (44.5")	17.5 mm (No. 5)	5/8-24 UNEF	3,26 Kg (7.2 lbs)	AICS COMPATIBLE	5+1



**B-14 WILDERNESS SERIES® RIFLES**

\*All B-14 Wilderness Series Rifles feature Bergara barreled actions in Sniper Grey Cerakote® and have stocks with Bergara custom camouflage.

Reference	Caliber	Twist	Barrel Length	Overall Length	Muzzle Diameter	Barrel Thread	Overall Weight	Magazine	Capacity
<b>THUMBHOLE CARBON</b> *Feature a Thumbhole Synthetic stock, carbon barrel and installed Omni Brake									
BW154C-65	6,5 Creedmoor	1:8"	56 cm (22")	108 cm (42.5")	21.5 mm (No. 6)	5/8-24 UNEF	3,2 Kg (7 lbs)	DETACHABLE	5+1
BW155C-65PRC	6,5 PRC	1:8"	61 cm (24")	112 cm (44")	21.5 mm (No. 6)	5/8-24 UNEF	3,3 Kg (7,2 lbs)	DETACHABLE	3+1
BW153C-308	.308 Win	1:10"	51 cm (20")	103 cm (40.5")	21.5 mm (No. 6)	5/8-24 UNEF	3 Kg (6,6 lbs)	DETACHABLE	5+1
BW155C-300	.300 Win Mag	1:10"	61 cm (24")	114 cm (44.5")	21.5 mm (No. 6)	5/8-24 UNEF	3,3 Kg (7,4 lbs)	DETACHABLE	5+1
<b>THUMBHOLE</b> *Feature a Thumbhole Synthetic stock and installed Omni Brake									
BW153-243	.243 Win	1:10"	51 cm (20")	103 cm (40.5")	17.5 mm (No. 5)	5/8-24 UNEF	3,3 Kg (7,2 lbs)	DETACHABLE	5+1
BW153-65	6,5 Creedmoor	1:8"	51 cm (20")	103 cm (40.5")	17.5 mm (No. 5)	5/8-24 UNEF	3,3 Kg (7,2 lbs)	DETACHABLE	5+1
BW153-65PRC	6,5 PRC	1:8"	51 cm (20")	103 cm (40.5")	17.5 mm (No. 5)	5/8-24 UNEF	3,3 Kg (7,2 lbs)	DETACHABLE	3+1
BW153-308	.308 Win	1:10"	51 cm (20")	103 cm (40.5")	17.5 mm (No. 5)	5/8-24 UNEF	3,3 Kg (7,2 lbs)	DETACHABLE	5+1
BW155-7RM	7mm Rem Mag	1:9,5"	61 cm (24")	114 cm (44.5")	17.5 mm (No. 5)	5/8-24 UNEF	3,5 Kg (7,7 lbs)	DETACHABLE	5+1
BW155-300	.300 Win Mag	1:10"	61 cm (24")	114 cm (44.5")	17.5 mm (No. 5)	5/8-24 UNEF	3,5 Kg (7,7 lbs)	DETACHABLE	5+1
<b>HMR CARBON</b> *Feature a Bergara HMR molded stock with mini-chassis, carbon barrel and installed Omni Brake									
BW134C-65	6,5 Creedmoor	1:8"	56 cm (22")	107 cm (42")	21.5 mm (No. 6)	5/8-24 UNEF	3,6 Kg (7.9 lbs)	DETACHABLE	5+1
BW135C-65PRC	6,5 PRC	1:8"	61 cm (24")	112 cm (44")	21.5 mm (No. 6)	5/8-24 UNEF	3,7 Kg (8.2 lbs)	DETACHABLE	3+1
BW133C-308	.308 Win	1:10"	51 cm (20")	102 cm (40")	21.5 mm (No. 6)	5/8-24 UNEF	3,4 Kg (7.5 lbs)	DETACHABLE	5+1
BW135C-300	.300 Win Mag	1:10"	61 cm (24")	112 cm (44.5")	21.5 mm (No. 6)	5/8-24 UNEF	3,8 Kg (8.3 lbs)	DETACHABLE	5+1
<b>HMR</b> *Feature a Bergara HMR molded stock with mini-chassis and installed Omni Brake									
BW135-65	6,5 Creedmoor	1:8"	61 cm (24")	107 cm (42")	21.5 mm (No. 6)	5/8-24 UNEF	4,4 Kg (9.7 lbs)	DETACHABLE	5+1
BW135-65PRC	6,5 PRC	1:8"	61 cm (24")	112 cm (44")	21.5 mm (No. 6)	5/8-24 UNEF	4,4 Kg (9.7 lbs)	DETACHABLE	3+1
BW133-308	.308 Win	1:10"	51 cm (20")	102 cm (40")	21.5 mm (No. 6)	5/8-24 UNEF	4,3 Kg (9.5 lbs)	DETACHABLE	5+1
BW136-300	.300 Win Mag	1:10"	66 cm (26")	114 cm (44.5")	21.5 mm (No. 6)	5/8-24 UNEF	4,5 Kg (9.9 lbs)	DETACHABLE	5+1
BW136-300PRC	.300 PRC	1:9"	66 cm (26")	114 cm (44.5")	21.5 mm (No. 6)	5/8-24 UNEF	4,5 Kg (9.9 lbs)	DETACHABLE	5+1
<b>RIDGE CARBON</b> *Feature an American style synthetic stock, carbon barrel and installed Omni Brake									
BW124C-65	6,5 Creedmoor	1:8"	56 cm (22")	105 cm (41.5")	21.5 mm (No. 6)	5/8-24 UNEF	2,9 Kg (6.5 lbs)	DETACHABLE	3+1
BW123C-308	.308 Win	1:10"	51 cm (20")	100 cm (39.5")	21.5 mm (No. 6)	5/8-24 UNEF	2,9 Kg (6.4 lbs)	DETACHABLE	3+1
BW125C-300	.300 Win Mag	1:10"	61 cm (24")	112 cm (44")	21.5 mm (No. 6)	5/8-24 UNEF	3 Kg (6.7 lbs)	DETACHABLE	2+1
BW124CF-65	6,5 Creedmoor	1:8"	56 cm (22")	105 cm (41.5")	21.5 mm (No. 6)	5/8-24 UNEF	2,9 Kg (6.5 lbs)	FLOORPLATE	4+1
BW125CF-65PRC	6,5 PRC	1:8"	61 cm (24")	110 cm (43,5")	21.5 mm (No. 6)	5/8-24 UNEF	3 Kg (6.7 lbs)	FLOORPLATE	3+1
BW123CF-308	.308 Win	1:10"	51 cm (20")	100 cm (39.5")	21.5 mm (No. 6)	5/8-24 UNEF	2,9 Kg (6.4 lbs)	FLOORPLATE	4+1
BW125CF-300	.300 Win Mag	1:10"	61 cm (24")	112 cm (44")	21.5 mm (No. 6)	5/8-24 UNEF	3 Kg (6.7 lbs)	FLOORPLATE	3+1
<b>RIDGE</b> *Feature an American style synthetic stock and installed Omni Brake									
BW124-65	6,5 Creedmoor	1:8"	56 cm (22")	105 cm (41.5")	17.5 mm (No. 5)	5/8-24 UNEF	3,4 Kg (7.5 lbs)	DETACHABLE	3+1
BW123-308	.308 Win	1:10"	51 cm (20")	100 cm (39.5")	17.5 mm (No. 5)	5/8-24 UNEF	3,3 Kg (7.4 lbs)	DETACHABLE	3+1
BW125-7RM	7mm Rem Mag	1:9,5"	61 cm (24")	112 cm (44")	17.5 mm (No. 5)	5/8-24 UNEF	3,5 Kg (7.7 lbs)	DETACHABLE	2+1
BW125-300	.300 Win Mag	1:10"	61 cm (24")	112 cm (44")	17.5 mm (No. 5)	5/8-24 UNEF	3,5 Kg (7.7 lbs)	DETACHABLE	2+1
BW124F-65	6,5 Creedmoor	1:8"	56 cm (22")	105 cm (41.5")	17.5 mm (No. 5)	5/8-24 UNEF	3,4 Kg (7.5 lbs)	FLOORPLATE	4+1
BW123F-308	.308 Win	1:10"	51 cm (20")	100 cm (39.5")	17.5 mm (No. 5)	5/8-24 UNEF	3,3 Kg (7.4 lbs)	FLOORPLATE	4+1
BW125F-7RM	7mm Rem Mag	1:9,5"	61 cm (24")	112 cm (44")	17.5 mm (No. 5)	5/8-24 UNEF	3,5 Kg (7.7 lbs)	FLOORPLATE	3+1
BW125F-300	.300 Win Mag	1:10"	61 cm (24")	112 cm (44")	17.5 mm (No. 5)	5/8-24 UNEF	3,5 Kg (7.7 lbs)	FLOORPLATE	3+1
BW125F-65PRC	6,5 PRC	1:8"	61 cm (24")	110 cm (43,5")	17.5 mm (No. 5)	5/8-24 UNEF	3,4 Kg (7.6 lbs)	FLOORPLATE	3+1
BW125F-300PRC	.300 PRC	1:9"	61 cm (24")	112 cm (44")	17.5 mm (No. 5)	5/8-24 UNEF	3,5 Kg (7.7 lbs)	FLOORPLATE	5+1
<b>TERRAIN</b> *Feature a Bergara Terrain molded stock mini-chassis and installed Omni Brake									
BW145-65	6,5 Creedmoor	1:8"	61 cm (24")	114 cm (45")	19.1 mm (No. 5.5)	5/8-24 UNEF	4,2 Kg (9.3 lbs)	DETACHABLE	5+1
BW145-65PRC	6,5 PRC	1:8"	61 cm (24")	114 cm (45")	19.1 mm (No. 5.5)	5/8-24 UNEF	4,2 Kg (9.3 lbs)	DETACHABLE	5+1
BW143-308	.308 Win	1:10"	51 cm (20")	104 cm (41")	19.1 mm (No. 5.5)	5/8-24 UNEF	4 Kg (8.9 lbs)	DETACHABLE	5+1
BW146-300	.300 Win Mag	1:10"	66 cm (26")	122 cm (48")	19.1 mm (No. 5.5)	5/8-24 UNEF	4,6 Kg (10.1 lbs)	DETACHABLE	5+1
BW146-300PRC	.300 PRC	1:9"	66 cm (26")	122 cm (48")	19.1 mm (No. 5.5)	5/8-24 UNEF	4,6 Kg (10.1 lbs)	DETACHABLE	5+1
<b>HUNTER</b> *Feature an American style synthetic stock									
BW114-65	6,5 Creedmoor	1:8"	56 cm (22")	105 cm (41.5")	16.6 mm (No. 4)	-	3,19 Kg (7.1 lbs)	DETACHABLE	3+1
BW114-308	.308 Win	1:10"	56 cm (22")	105 cm (41.5")	16.6 mm (No. 4)	-	3,19 Kg (7.1 lbs)	DETACHABLE	3+1
BW115-7RM	7mm Rem Mag	1:9,5"	61 cm (24")	112 cm (44")	16.6 mm (No. 4)	-	3,3 Kg (7.3 lbs)	DETACHABLE	2+1
BW115-300	.300 Win Mag	1:10"	61 cm (24")	112 cm (44")	16.6 mm (No. 4)	-	3,3 Kg (7.3 lbs)	DETACHABLE	2+1
BW114F-65	6,5 Creedmoor	1:8"	56 cm (22")	105 cm (41.5")	16.6 mm (No. 4)	-	3,2 Kg (7.2 lbs)	FLOORPLATE	4+1
BW114F-308	.308 Win	1:10"	56 cm (22")	105 cm (41.5")	16.6 mm (No. 4)	-	3,2 Kg (7.2 lbs)	FLOORPLATE	4+1
BW115F-7RM	7mm Rem Mag	1:9,5"	61 cm (24")	112 cm (44")	16.6 mm (No. 4)	-	3,3 Kg (7.3 lbs)	FLOORPLATE	3+1
BW115F-300	.300 Win Mag	1:10"	61 cm (24")	112 cm (44")	16.6 mm (No. 4)	-	3,3 Kg (7.3 lbs)	FLOORPLATE	3+1

**B-14 EXTREME SERIES RIFLES**

\*All B-14 Extreme Series Rifles come with the Bergara Performance Trigger

Reference	Caliber	Twist	Barrel Length	Overall Length	Muzzle Diameter	Barrel Thread	Overall Weight	Magazine	Capacity
<b>EXTREME HUNTER</b> *Feature an American style synthetic stock									
BX112-65	6,5 Creedmoor	1:8"	46 cm (18")	95 cm (37.5")	16.6 mm (No. 4)	M14x1	2,9 Kg (6.4 lbs)	DETACHABLE	3+1
BX112-308	.308 Win	1:10"	46 cm (18")	95 cm (37.5")	16.6 mm (No. 4)	M14x1	2,9 Kg (6.4 lbs)	DETACHABLE	3+1
<b>EXTREME HUNTER</b> *Feature an American style synthetic stock and Open Sights									
BX112A-65	6,5 Creedmoor	1:8"	46 cm (18")	95 cm (37.5")	16.6 mm (No. 4)	M14x1	2,9 Kg (6.4 lbs)	DETACHABLE	3+1
BX112A-308	.308 Win	1:10"	46 cm (18")	95 cm (37.5")	16.6 mm (No. 4)	M14x1	2,9 Kg (6.4 lbs)	DETACHABLE	3+1
<b>EXTREME SPORTER</b> *Feature a Montecarlo style synthetic stock									
BX122-65	6,5 Creedmoor	1:8"	46 cm (18")	97 cm (38")	16.6 mm (No. 4)	M14x1	3,1 Kg (6.8 lbs)	DETACHABLE	3+1
BX122-308	.308 Win	1:10"	46 cm (18")	97 cm (38")	16.6 mm (No. 4)	M14x1	3,1 Kg (6.8 lbs)	DETACHABLE	3+1
<b>EXTREME SPORTER</b> *Feature a Montecarlo style synthetic stock and Open Sights									
BX122A-65	6,5 Creedmoor	1:8"	46 cm (18")	97 cm (38")	16.6 mm (No. 4)	M14x1	3,1 Kg (6.8 lbs)	DETACHABLE	3+1
BX122A-308	.308 Win	1:10"	46 cm (18")	97 cm (38")	16.6 mm (No. 4)	M14x1	3,1 Kg (6.8 lbs)	DETACHABLE	3+1
<b>EXTREME HUNTER VIPER URBAN</b> *Feature an American style synthetic stock									
BX112-65V	6,5 Creedmoor	1:8"	46 cm (18")	95 cm (37.5")	16.6 mm (No. 4)	M14x1	2,9 Kg (6.4 lbs)	DETACHABLE	3+1
BX112-308V	.308 Win	1:10"	46 cm (18")	95 cm (37.5")	16.6 mm (No. 4)	M14x1	2,9 Kg (6.4 lbs)	DETACHABLE	3+1
<b>EXTREME SPORTER VIPER WESTERN</b> *Feature a Montecarlo style synthetic stock									
BX122-65V	6,5 Creedmoor	1:8"	46 cm (18")	97 cm (38")	16.6 mm (No. 4)	M14x1	3,1 Kg (6.8 lbs)	DETACHABLE	3+1
BX122-308V	.308 Win	1:10"	46 cm (18")	97 cm (38")	16.6 mm (No. 4)	M14x1	3,1 Kg (6.8 lbs)	DETACHABLE	3+1

**B-14 SERIES RIFLES**

\*All B-14 Series Rifles come with the Bergara Performance Trigger

Reference	Caliber	Twist	Barrel Length	Overall Length	Muzzle Diameter	Barrel Thread	Overall Weight	Magazine	Capacity
<b>HMR</b> *Feature a Bergara HMR molded stock with mini-chassis									
BE145-22250	.22-250 Rem.	1:9"	61 cm (24")	112 cm (44")	21.5 mm (No. 6)	M18x1	4,39 Kg (9.7 lbs)	AICS COMPATIBLE	5+1
BE145-65	6,5 Creedmoor	1:8"	61 cm (24")	112 cm (44")	21.5 mm (No. 6)	M18x1	4,39 Kg (9.7 lbs)	AICS COMPATIBLE	5+1
BE146-65	6,5 Creedmoor	1:8"	66 cm (26")	116 cm (45.5")	21.5 mm (No. 6)	M18x1	4,45 Kg (9.8 lbs)	AICS COMPATIBLE	5+1
BE145-308	.308 Win	1:10"	61 cm (24")	112 cm (44")	21.5 mm (No. 6)	M15x1	4,39 Kg (9.7 lbs)	AICS COMPATIBLE	5+1
BE146-300	.300 Win Mag	1:10"	66 cm (26")	120 cm (47.5")	19.1 mm (No. 5.5)	M15x1	4,5 Kg (9.9 lbs)	AICS COMPATIBLE	5+1
<b>HMR LEFT HANDED</b> *Feature a Bergara HMR molded stock with mini-chassis									
BE145-22250Z	.22-250 Rem.	1:9"	61 cm (24")	112 cm (44")	21.5 mm (No. 6)	M18x1	4,39 Kg (9.7 lbs)	AICS COMPATIBLE	5+1
BE145-65Z	6,5 Creedmoor	1:8"	61 cm (24")	112 cm (44")	21.5 mm (No. 6)	M18x1	4,39 Kg (9.7 lbs)	AICS COMPATIBLE	5+1
BE146-65Z	6,5 Creedmoor	1:8"	66 cm (26")	116 cm (45.5")	21.5 mm (No. 6)	M18x1	4,45 Kg (9.8 lbs)	AICS COMPATIBLE	5+1
BE145-308Z	.308 Win	1:10"	61 cm (24")	112 cm (44")	21.5 mm (No. 6)	M18x1	4,39 Kg (9.7 lbs)	AICS COMPATIBLE	5+1
BE146-300Z	.300 Win Mag	1:10"	66 cm (26")	120 cm (47.5")	19.1 mm (No. 5.5)	M15x1	4,5 Kg (9.9 lbs)	AICS COMPATIBLE	5+1
<b>SPORTER</b> *Feature a Montecarlo style synthetic stock									
BE124-243	.243 Win	1:10"	56 cm (22")	107 cm (42")	16.6 mm (No. 4)	M14x1	3,33 Kg (7.3 lbs)	DETACHABLE	3+1
BE124-65	6,5 Creedmoor	1:8"	56 cm (22")	107 cm (42")	16.6 mm (No. 4)	M14x1	3,33 Kg (7.3 lbs)	DETACHABLE	3+1
BE124-308	.308 Win	1:12"	56 cm (22")	107 cm (42")	16.6 mm (No. 4)	M14x1	3,33 Kg (7.3 lbs)	DETACHABLE	3+1
BE125-65X	6,5x55 SE	1:8,66"	61 cm (24")	115 cm (45")	16.6 mm (No. 4)	M14x1	3,42 Kg (7.5 lbs)	DETACHABLE	3+1
BE125-270	.270 Win	1:10"	61 cm (24")	115 cm (45")	16.6 mm (No. 4)	M14x1	3,42 Kg (7.5 lbs)	DETACHABLE	3+1
BE125-3006	.30-06 Spring	1:10"	61 cm (24")	115 cm (45")	16.6 mm (No. 4)	M14x1	3,42 Kg (7.5 lbs)	DETACHABLE	3+1
BE125-7RM	7mm Rem Mag	1:9,5"	61 cm (24")	115 cm (45")	16.6 mm (No. 4)	M14x1	3,42 Kg (7.5 lbs)	DETACHABLE	2+1
BE125-300	.300 Win Mag	1:10"	61 cm (24")	115 cm (45")	16.6 mm (No. 4)	M14x1	3,42 Kg (7.5 lbs)	DETACHABLE	2+1
BE125-338	.338 Win Mag	1:10"	61 cm (24")	115 cm (45")	19.1 mm (No. 5.5)	M15x1	3,4 Kg (7.5 lbs)	DETACHABLE	2+1
BE124F-243	.243 Win	1:10"	56 cm (22")	107 cm (42")	16.6 mm (No. 4)	M14x1	3,37 Kg (7.4 lbs)	FLOORPLATE	4+1
BE124F-65	6,5 Creedmoor	1:8"	56 cm (22")	107 cm (42")	16.6 mm (No. 4)	M14x1	3,37 Kg (7.4 lbs)	FLOORPLATE	4+1
BE124F-308	.308 Win	1:12"	56 cm (22")	107 cm (42")	16.6 mm (No. 4)	M14x1	3,37 Kg (7.4 lbs)	FLOORPLATE	4+1
BE125F-65X	6,5x55 SE	1:8,66"	61 cm (24")	115 cm (45")	16.6 mm (No. 4)	M14x1	3		

## B-14 SERIES RIFLES

\*All B-14 Series Rifles come with the Bergara Performance Trigger

Reference	Caliber	Twist	Barrel Length	Overall Length	Muzzle Diameter	Barrel Thread	Overall Weight	Magazine	Capacity
<b>TIMBER *Feature a walnut Monte Carlo style stock</b>									
BE114-243	.243 Win	1:10"	56 cm (22")	107 cm (42")	16.6 mm (No. 4)	M14x1	3,4 Kg (7.5 lbs)	DETACHABLE	3+1
BE114-65	6,5 Creedmoor	1:8"	56 cm (22")	107 cm (42")	16.6 mm (No. 4)	M14x1	3,47 Kg (7.5 lbs)	DETACHABLE	3+1
BE114-308	.308 Win	1:12"	56 cm (22")	107 cm (42")	16.6 mm (No. 4)	M14x1	3,43 Kg (7.5 lbs)	DETACHABLE	3+1
BE115-65X	6,5x55 SE	1:8,66"	61 cm (24")	115 cm (45")	16.6 mm (No. 4)	M14x1	3,52 Kg (7.7 lbs)	DETACHABLE	3+1
BE115-270	.270 Win	1:10"	61 cm (24")	115 cm (45")	16.6 mm (No. 4)	M14x1	3,5 Kg (7.7 lbs)	DETACHABLE	3+1
BE115-3006	.30-06 Spring	1:10"	61 cm (24")	115 cm (45")	16.6 mm (No. 4)	M14x1	3,52 Kg (7.7 lbs)	DETACHABLE	3+1
BE114-3006	.30-06 Spring	1:10"	56 cm (22")	110 cm (43")	16.6 mm (No. 4)	M14x1	3,49 Kg (7.6 lbs)	DETACHABLE	3+1
BE115-7RM	7mm Rem Mag	1:9,5"	61 cm (24")	115 cm (45")	16.6 mm (No. 4)	M14x1	3,52 Kg (7.7 lbs)	DETACHABLE	2+1
BE115-300	.300 Win Mag	1:10"	61 cm (24")	115 cm (45")	16.6 mm (No. 4)	M14x1	3,52 Kg (7.7 lbs)	DETACHABLE	2+1
BE115-338	.338 Win Mag	1:10"	61 cm (24")	115 cm (45")	19.1 mm (No. 5.5)	M15x1	3,5 Kg (7.6 lbs)	DETACHABLE	2+1
BE115-375	.375 H&H Mag	1:12"	61 cm (24")	115 cm (45")	21.5 mm (No. 6)	M18x1	3,72 Kg (8.2 lbs)	DETACHABLE	2+1
BE114F-243	.243 Win	1:10"	56 cm (22")	107 cm (42")	16.6 mm (No. 4)	M14x1	3,4 Kg (7.5 lbs)	FLOORPLATE	4+1
BE114F-65	6,5 Creedmoor	1:8"	56 cm (22")	107 cm (42")	16.6 mm (No. 4)	M14x1	3,42 Kg (7.5 lbs)	FLOORPLATE	4+1
BE114F-308	.308 Win	1:12"	56 cm (22")	107 cm (42")	16.6 mm (No. 4)	M14x1	3,47 Kg (7.5 lbs)	FLOORPLATE	4+1
BE115F-65X	6,5x55 SE	1:8,66"	61 cm (24")	115 cm (45")	16.6 mm (No. 4)	M14x1	3,56 Kg (7.7 lbs)	FLOORPLATE	4+1
BE115F-270	.270 Win	1:10"	61 cm (24")	115 cm (45")	16.6 mm (No. 4)	M14x1	3,5 Kg (7.7 lbs)	FLOORPLATE	4+1
BE115F-3006	.30-06 Spring	1:10"	61 cm (24")	115 cm (45")	16.6 mm (No. 4)	M14x1	3,56 Kg (7.7 lbs)	FLOORPLATE	4+1
BE114F-3006	.30-06 Spring	1:10"	56 cm (22")	110 cm (43")	16.6 mm (No. 4)	M14x1	3,53 Kg (7.6 lbs)	FLOORPLATE	4+1
BE115F-7RM	7mm Rem Mag	1:9,5"	61 cm (24")	115 cm (45")	16.6 mm (No. 4)	M14x1	3,56 Kg (7.7 lbs)	FLOORPLATE	3+1
BE115F-300	.300 Win Mag	1:10"	61 cm (24")	115 cm (45")	16.6 mm (No. 4)	M14x1	3,56 Kg (7.7 lbs)	FLOORPLATE	3+1
BE115F-338	.338 Win Mag	1:10"	61 cm (24")	115 cm (45")	19.1 mm (No. 5.5)	M15x1	3,5 Kg (7.6 lbs)	FLOORPLATE	3+1
BE115F-375	.375 H&H Mag	1:12"	61 cm (24")	115 cm (45")	21.5 mm (No. 6)	M18x1	3,76 Kg (7.7 lbs)	FLOORPLATE	3+1
<b>TIMBER LEFT HANDED *Feature a walnut Monte Carlo style stock</b>									
BE114-65Z	6,5 Creedmoor	1:8"	56 cm (22")	107 cm (42")	16.6 mm (No. 4)	M14x1	3,4 Kg (7.5 lbs)	DETACHABLE	3+1
BE114-308Z	.308 Win	1:12"	56 cm (22")	107 cm (42")	16.6 mm (No. 4)	M14x1	3,43 Kg (7.5 lbs)	DETACHABLE	3+1
BE115-7RMZ	7mm Rem Mag	1:9,5"	61 cm (24")	115 cm (45")	16.6 mm (No. 4)	M14x1	3,5 Kg (7.7 lbs)	DETACHABLE	2+1
BE115-300Z	.300 Win Mag	1:10"	61 cm (24")	115 cm (45")	16.6 mm (No. 4)	M14x1	3,5 Kg (7.7 lbs)	DETACHABLE	2+1
BE115-338Z	.338 Win Mag	1:10"	61 cm (24")	115 cm (45")	19.1 mm (No. 5.5)	M15x1	3,5 Kg (7.6 lbs)	DETACHABLE	2+1
BE114F-65Z	6,5 Creedmoor	1:8"	56 cm (22")	107 cm (42")	16.6 mm (No. 4)	M14x1	3,4 Kg (7.5 lbs)	FLOORPLATE	4+1
BE114F-308Z	.308 Win	1:12"	56 cm (22")	107 cm (42")	16.6 mm (No. 4)	M14x1	3,47 Kg (7.5 lbs)	FLOORPLATE	4+1
BE115F-7RMZ	7mm Rem Mag	1:9,5"	61 cm (24")	115 cm (45")	16.6 mm (No. 4)	M14x1	3,5 Kg (7.7 lbs)	FLOORPLATE	3+1
BE115F-300Z	.300 Win Mag	1:10"	61 cm (24")	115 cm (45")	16.6 mm (No. 4)	M14x1	3,5 Kg (7.7 lbs)	FLOORPLATE	3+1
BE115F-338Z	.338 Win Mag	1:10"	61 cm (24")	115 cm (45")	19.1 mm (No. 5.5)	M15x1	3,5 Kg (7.6 lbs)	FLOORPLATE	3+1
<b>HUNTER *Feature an American Style synthetic stock</b>									
BE134-243	.243 Win	1:10"	56 cm (22")	105 cm (41.5")	16.6 mm (No. 4)	M14x1	3,19 Kg (7.1 lbs)	DETACHABLE	3+1
BE134-65	6,5 Creedmoor	1:8"	56 cm (22")	105 cm (41.5")	16.6 mm (No. 4)	M14x1	3,19 Kg (7.1 lbs)	DETACHABLE	3+1
BE134-308	.308 Win	1:12"	56 cm (22")	105 cm (41.5")	16.6 mm (No. 4)	M14x1	3,19 Kg (7.1 lbs)	DETACHABLE	3+1
BE135-270	.270 Win	1:10"	61 cm (24")	112 cm (44")	16.6 mm (No. 4)	M14x1	3,31 Kg (7.3 lbs)	DETACHABLE	3+1
BE135-3006	.30-06 Spring	1:10"	61 cm (24")	112 cm (44")	16.6 mm (No. 4)	M14x1	3,31 Kg (7.3 lbs)	DETACHABLE	3+1
BE135-7RM	7mm Rem Mag	1:9,5"	61 cm (24")	112 cm (44")	16.6 mm (No. 4)	M14x1	3,28 Kg (7.2 lbs)	DETACHABLE	2+1
BE135-300	.300 Win Mag	1:10"	61 cm (24")	112 cm (44")	16.6 mm (No. 4)	M14x1	3,31 Kg (7.3 lbs)	DETACHABLE	2+1
BE134F-243	.243 Win	1:10"	56 cm (22")	105 cm (41.5")	16.6 mm (No. 4)	M14x1	3,26 Kg (7.2 lbs)	FLOORPLATE	4+1
BE134F-65	6,5 Creedmoor	1:8"	56 cm (22")	105 cm (41.5")	16.6 mm (No. 4)	M14x1	3,26 Kg (7.2 lbs)	FLOORPLATE	4+1
BE134F-308	.308 Win	1:12"	56 cm (22")	105 cm (41.5")	16.6 mm (No. 4)	M14x1	3,26 Kg (7.2 lbs)	FLOORPLATE	4+1
BE135F-270	.270 Win	1:10"	61 cm (24")	112 cm (44")	16.6 mm (No. 4)	M14x1	3,32 Kg (7.3 lbs)	FLOORPLATE	4+1
BE135F-3006	.30-06 Spring	1:10"	61 cm (24")	112 cm (44")	16.6 mm (No. 4)	M14x1	3,32 Kg (7.3 lbs)	FLOORPLATE	4+1
BE135F-7RM	7mm Rem Mag	1:9,5"	61 cm (24")	112 cm (44")	16.6 mm (No. 4)	M14x1	3,32 Kg (7.3 lbs)	FLOORPLATE	3+1
BE135F-300	.300 Win Mag	1:10"	61 cm (24")	112 cm (44")	16.6 mm (No. 4)	M14x1	3,32 Kg (7.3 lbs)	FLOORPLATE	3+1

## BA13 TD SERIES RIFLES

\*All BA13 TD Series Rifles have 100% ambidextrous stocks in black, strata camo and green color

Reference	Caliber	Twist	Barrel Length	Overall Length	Muzzle Diameter	Barrel Thread	Overall Weight
<b>BA13 TD STANDARD *Feature a Compact Synthetic design stock and Open Sights</b>							
BA113A-243	.243 Win	1:10"	51 cm (20")	89 cm (35")	17.5 mm (No. 5)	5/8-24 UNEF	3,14 Kg (6.9 lbs)
BA113A-308	.308 Win	1:12"	51 cm (20")	89 cm (35")	17.5 mm (No. 5)	5/8-24 UNEF	3,14 Kg (6.9 lbs)
BA113A-3006	.30-06 Spring	1:10"	51 cm (20")	89 cm (35")	17.5 mm (No. 5)	5/8-24 UNEF	3,14 Kg (6.9 lbs)
BA113A-4570	.45-70 Govt.	1:20"	51 cm (20")	89 cm (35")	19.1 mm (No. 5.5)	5/8-24 UNEF	3,2 Kg (7 lbs)
BA113A-8X5	8x57 JRS	1:9,5"	51 cm (20")	89 cm (35")	17.5 mm (No. 5)	5/8-24 UNEF	3,14 Kg (6.9 lbs)
<b>BA13 TD STANDARD *Feature a Compact Synthetic design stock</b>							
BA111-300B	.300 AAC BLACKOUT	1:8"	42 cm (16,5")	80 cm (31,5")	17.5 mm (No. 5)	5/8-24 UNEF	2,9 Kg (6.4 lbs)
BA112-300B	.300 AAC BLACKOUT	1:8"	46 cm (18")	84 cm (33")	17.5 mm (No. 5)	5/8-24 UNEF	3,1 Kg (6.8 lbs)
BA111-308	.308 Win	1:8"	42 cm (16,5")	80 cm (31,5")	17.5 mm (No. 5)	5/8-24 UNEF	2,9 Kg (6.4 lbs)
BA112-308	.308 Win	1:8"	46 cm (18")	84 cm (33")	17.5 mm (No. 5)	5/8-24 UNEF	3,1 Kg (6.8 lbs)
<b>BA13 TD THUMBHOLE *Feature a Take Down Thumbhole stock</b>							
BA123-243	.243 Win	1:10"	51 cm (20")	89 cm (35")	17.5 mm (No. 5)	5/8-24 UNEF	3,14 Kg (6.9 lbs)
BA121-300B	.300 AAC BLACKOUT	1:8"	42 cm (16,5")	80 cm (31,5")	17.5 mm (No. 5)	5/8-24 UNEF	2,9 Kg (6.4 lbs)
BA122-300B	.300 AAC BLACKOUT	1:8"	46 cm (18")	84 cm (33")	17.5 mm (No. 5)	5/8-24 UNEF	3,1 Kg (6.8 lbs)
BA121-308	.308 Win	1:8"	42 cm (16,5")	80 cm (31,5")	17.5 mm (No. 5)	5/8-24 UNEF	2,9 Kg (6.4 lbs)
BA123-308	.308 Win	1:12"	51 cm (20")	89 cm (35")	17.5 mm (No. 5)	5/8-24 UNEF	3,14 Kg (6.9 lbs)
BA122-308	.308 Win	1:8"	46 cm (18")	84 cm (33")	17.5 mm (No. 5)	5/8-24 UNEF	3,1 Kg (6.8 lbs)
BA123-3006	.30-06 Spring	1:10"	51 cm (20")	89 cm (35")	17.5 mm (No. 5)	5/8-24 UNEF	3,14 Kg (6.9 lbs)
BA123-4570	.45-70 Govt.	1:20"	51 cm (20")	89 cm (35")	19.1 mm (No. 5.5)	5/8-24 UNEF	3,2 Kg (7 lbs)
BA123-8X5	8x57 JRS	1:9,5"	51 cm (20")	89 cm (35")	17.5 mm (No. 5)	5/8-24 UNEF	3,14 Kg (6.9 lbs)
<b>BA13 TD STANDARD STRATA *Feature a Compact Synthetic design stock</b>							
BA113-223ST	.223	1:8"	51 cm (20")	89 cm (35")	17.5 mm (No. 5)	5/8-24 UNEF	3,14 Kg (6.9 lbs)
BA113-65ST	6,5 Creedmoor	1:8"	51 cm (20")	89 cm (35")	17.5 mm (No. 5)	5/8-24 UNEF	3,14 Kg (6.9 lbs)
BA113-308ST	.308 Win	1:12"	51 cm (20")	89 cm (35")	17.5 mm (No. 5)	5/8-24 UNEF	3,14 Kg (6.9 lbs)
<b>BA13 TD THUMBHOLE STRATA *Feature a Take Down Thumbhole stock</b>							
BA123-223ST	.223	1:8"	51 cm (20")	89 cm (35")	17.5 mm (No. 5)	5/8-24 UNEF	3,14 Kg (6.9 lbs)
BA123-65ST	6,5 Creedmoor	1:8"	51 cm (20")	89 cm (35")	17.5 mm (No. 5)	5/8-24 UNEF	3,14 Kg (6.9 lbs)
BA123-308ST	.308 Win	1:12"	51 cm (20")	89 cm (35")	17.5 mm (No. 5)	5/8-24 UNEF	3,14 Kg (6.9 lbs)
<b>BA13 TD STANDARD GREEN *Feature a Compact Synthetic design stock</b>							
BA213-223G	.223	1:8"	51 cm (20")	89 cm (35")	17.5 mm (No. 5)	5/8-24 UNEF	3,14 Kg (6.9 lbs)
BA213-65G	6,5 Creedmoor	1:8"	51 cm (20")	89 cm (35")	17.5 mm (No. 5)	5/8-24 UNEF	3,14 Kg (6.9 lbs)
BA213-308G	.308 Win	1:12"	51 cm (20")	89 cm (35")	17.5 mm (No. 5)	5/8-24 UNEF	3,14 Kg (6.9 lbs)
<b>BA13 TD THUMBHOLE GREEN *Feature a Take Down Thumbhole stock</b>							
BA223-223G	.223	1:8"	51 cm (20")	89 cm (35")	17.5 mm (No. 5)	5/8-24 UNEF	3,14 Kg (6.9 lbs)
BA223-65G	6,5 Creedmoor	1:8"	51 cm (20")	89 cm (35")	17.5 mm (No. 5)	5/8-24 UNEF	3,14 Kg (6.9 lbs)
BA223-308G	.308 Win	1:12"	51 cm (20")	89 cm (35")	17.5 mm (No. 5)	5/8-24 UNEF	3,14 Kg (6.9 lbs)



## RIMFIRE SERIES RIFLES

Reference	Caliber	Twist	Barrel Length	Overall Length	Muzzle Diameter	Barrel Thread	Overall Weight	Magazine	Capacity
<b>B14-R CARBON</b> *Feature an HMR stock and carbon fiber barrel									
BR142-22LR	.22 LR	1:16"	46 cm (18")	96 cm (38")	23.6 mm (No. 7)	1/2-28 UNEF	3,6 Kg (8.1 lbs)	DETACHABLE	10
BR143-22W	.22 WMR	1:16"	51 cm (20")	101 cm (40")	23.6 mm (No. 7)	1/2-28 UNEF	3,7 Kg (8.3 lbs)	DETACHABLE	10
BR143-17HMR	.17 HMR	1:9"	51 cm (20")	101 cm (40")	23.6 mm (No. 7)	1/2-28 UNEF	3,7 Kg (8.3 lbs)	DETACHABLE	10
BR142-22LRZ	.22 LR (Left Handed)	1:16"	46 cm (18")	96 cm (38")	23.6 mm (No. 7)	1/2-28 UNEF	3,6 Kg (8.1 lbs)	DETACHABLE	10
BR143-22WZ	.22 WMR (Left Handed)	1:16"	51 cm (20")	101 cm (40")	23.6 mm (No. 7)	1/2-28 UNEF	3,7 Kg (8.3 lbs)	DETACHABLE	10
BR143-17HMRZ	.17 HMR (Left Handed)	1:9"	51 cm (20")	101 cm (40")	23.6 mm (No. 7)	1/2-28 UNEF	3,7 Kg (8.3 lbs)	DETACHABLE	10
<b>B14-R STEEL</b> *Feature an HMR stock									
BR132-22LR	.22 LR	1:16"	46 cm (18")	96 cm (38")	21.5 mm (No. 6)	1/2-28 UNEF	4,1 Kg (9.2 lbs)	DETACHABLE	10
BR133-22W	.22 WMR	1:16"	51 cm (20")	101 cm (40")	21.5 mm (No. 6)	1/2-28 UNEF	4,2 Kg (9.4 lbs)	DETACHABLE	10
BR133-17HMR	.17 HMR	1:9"	51 cm (20")	101 cm (40")	21.5 mm (No. 6)	1/2-28 UNEF	4,1 Kg (9.4 lbs)	DETACHABLE	10
BR132-22LRZ	.22 LR (Left Handed)	1:16"	46 cm (18")	96 cm (38")	21.5 mm (No. 6)	1/2-28 UNEF	4,1 Kg (9.2 lbs)	DETACHABLE	10
BR133-22WZ	.22 WMR (Left Handed)	1:16"	51 cm (20")	101 cm (40")	21.5 mm (No. 6)	1/2-28 UNEF	4,2 Kg (9.4 lbs)	DETACHABLE	10
BR133-17HMRZ	.17 HMR (Left Handed)	1:9"	51 cm (20")	101 cm (40")	21.5 mm (No. 6)	1/2-28 UNEF	4,2 Kg (9.4 lbs)	DETACHABLE	10
<b>BMR CARBON</b> *Feature a BMR stock and carbon fiber barrel									
BR162-22LR	.22 LR	1:16"	46 cm (18")	92 cm (36")	21.5 mm (No. 6)	1/2-28 UNEF	2,3 Kg (5 lbs)	DETACHABLE	5 AND 10
BR163-22W	.22 WMR	1:16"	51 cm (20")	97 cm (38")	21.5 mm (No. 6)	1/2-28 UNEF	2,4 Kg (5.4 lbs)	DETACHABLE	5 AND 10
BR163-17HMR	.17 HMR	1:9"	51 cm (20")	97 cm (38")	21.5 mm (No. 6)	1/2-28 UNEF	2,4 Kg (5.4 lbs)	DETACHABLE	5 AND 10
<b>BMR STEEL</b> *Feature a BMR stock									
BR152-22LR	.22 LR	1:16"	46 cm (18")	92 cm (36")	16.6 mm (No. 4)	1/2-28 UNEF	2,5 Kg (5.5 lbs)	DETACHABLE	5 AND 10
BR153-22W	.22 WMR	1:16"	51 cm (20")	97 cm (38")	16.6 mm (No. 4)	1/2-28 UNEF	2,6 Kg (5.8 lbs)	DETACHABLE	5 AND 10
BR153-17HMR	.17 HMR	1:9"	51 cm (20")	97 cm (38")	16.6 mm (No. 4)	1/2-28 UNEF	2,6 Kg (5.8 lbs)	DETACHABLE	5 AND 10

## SHOOTING BARRELED ACTION

\*Come with AICS style magazine

Reference	Caliber	Twist	Barrel Length	Overall Length	Muzzle Diameter	Barrel Thread	Overall Weight	Magazine	Capacity
<b>BARRELED ACTION</b> Shooting									
BRA176S-6C	6 Creedmoor	1:7,5"	66 cm (26")	84,5 cm (33.3")	23.6 mm (No. 7)	5/8-24 UNEF	3,6 Kg (7.9 lbs)	DETACHABLE	10
BRA176S-65	6,5 Creedmoor	1:8"	66 cm (26")	84,5 cm (33.3")	23.6 mm (No. 7)	5/8-24 UNEF	3,6 Kg (7.9 lbs)	DETACHABLE	10
BRA176S-308	.308 Win	1:11"	66 cm (26")	84,5 cm (33.3")	23.6 mm (No. 7)	5/8-24 UNEF	3,6 Kg (7.9 lbs)	DETACHABLE	10
<b>BARRELED ACTION</b> Rimfire Shooting									
BRA172S-22LR	.22 LR	1:16"	51 cm (20")	74,5 cm (29.3")	23.6 mm (No. 7)	1/2-28 UNEF	3,4 Kg (7.5 lbs)	DETACHABLE	10
BRA172S-22LRZ	.22 LR (Left Handed)	1:16"	51 cm (20")	74,5 cm (29.3")	23.6 mm (No. 7)	1/2-28 UNEF	3,4 Kg (7.5 lbs)	DETACHABLE	10

## WARRANTY

Bergara rifles are warranted to be free from manufacturers defects for the life of the gun. With our complete inventory of replacement parts, our experts can repair all Bergara rifles, bringing them back to life.

## CUSTOMER SERVICE

If you need a spotter, feel free to call us for backup. We'll get you dialed in. Bergara has a highly trained team of gunsmiths and Customer Service Reps to serve your needs.

DIKAR S. COOP.  
Ugarte 26  
20570 Bergara, Gipuzkoa, Spain  
info@bergararifles.com

www.bergara.online



