



EN



BERGARA®

AT BERGARA, WE BELIEVE THAT A PRECISION FIREARM REQUIRES THE BEST COMPONENTS AND AN ASSEMBLY PROCESS CARRIED OUT BY INDIVIDUALS WHO ARE THE BEST-OF-THE-BEST AT THEIR CRAFT. WE'VE BUILT A TEAM OF THE WORLD'S MOST TALENTED AND EXPERIENCED FIREARM BUILDERS – FIRST IN THE USA FOR OUR PREMIER SERIES, AND NOW IN SPAIN FOR OUR B-14 SERIES. THE RESULTS ARE EXTREME PRIDE IN BUILDING AND EXTREME PRIDE IN OWNERSHIP.





## A HISTORY OF PRECISION

IT ALL BEGAN MORE THAN A DECADE AGO WITH A SMALL LINE OF CUSTOM RIFLES AND ONE TOP-NOTCH CRAFTSMAN, A FORMER PRODUCTION CHIEF AND CHIEF INSTRUCTOR FOR THE UNITED STATES MARINE CORPS PRECISION WEAPONS SECTION.

As Bergara rapidly grew, we assembled a hand-picked group.

Today, these individuals form the core of our production team. They pass on their knowledge and expertise to every new employee, thereby bringing their own real-world experience and expertise to every Bergara firearm.

With the most technically-advanced barrel manufacturing techniques, state-of-the-art machinery, and an unwavering commitment to quality, Bergara Barrels has become the barrel source of numerous top-tier gun manufacturers in both Europe and the United States. Bergara is producing a full line of precision firearms engineered and built to showcase the performance capabilities of our world-class barrels.


| | |
|---|---|
| *PREMIER SERIES* | *10* |
| Cima Pro | 15 |
| Elevate | 16 |
| Elite | 17 |
| *B-14² SERIES* | *18* |
| Cima CF | 22 |
| Crest Carbon | 24 |
| Crest Steel | 25 |
| *B-14 WILDERNESS SERIES* | *28* |
| Sierra Carbon | 30 |
| Sierra | 31 |
| Thumbhole Carbon | 32 |
| Thumbhole | 33 |
| HMR Carbon | 34 |
| HMR | 35 |
| *B-14 SERIES* | *36* |
| Sierra | 40 |
| Sierra Stainless Steel | 41 |
| Thumbhole | 42 |
| Timber | 43 |
| Stoke | 44 |
| HMR | 45 |
| *RIMFIRE SERIES* | *46* |
| BMR-X | 50 |
| BMR | 52 |
| B-14R Trainer | 54 |
| *BARRELED ACTIONS* | *56* |
| *BERGARA ACADEMY* | *62* |
| *BERGARA FOUNDATION* | *63* |
| *SPECIFICATIONS* | *64* |

CURE
CARBON BARRELS

THERE'S NO LONGER A NEED TO COMPROMISE PERFORMANCE FOR WEIGHT.

WE'VE CURED THE DILEMMA OF IMPACT MIGRATION BETWEEN COLD BORE AND SUBSEQUENT SHOTS AS BARRELS HEAT UP. WHILE CONTROLLING HEAT AND MATING PROPRIETARY CARBON AND STEEL, OUR FOCUS IS ON THE ESSENTIALS OF STRAIGHTNESS AND STIFFNESS FOR CONSISTENT PERFORMANCE, ROUND AFTER ROUND.



CURE® Carbon Barrels contain a center wrap carbon weave that is designed to align directionally true to the center of the barrel's bore.

Utilizing Bergara's patented ColdBore Technology, CURE Barrels weave continuous stainless-steel strands into the carbon fiber to conduct heat away from the chamber and down the barrel efficiently and consistently.

CURE Barrels bring new levels of accuracy and performance to ultralight precision rifles.



## EVERY RIFLE STARTS WITH A PRECISION BARREL

**STEP 1** ***BARREL STRAIGHTENING***

Each Bergara barrel must begin with a straight bar of cylindrical steel. We inspect every bar to ensure it meets our deviation standards.

**STEP 2** ***DEEP HOLE DRILLING***

The bar then moves on to a four-spindle, deep hole drilling machine where a perfect hole is drilled through the entire length of the bar.

**STEP 3** ***BARREL HONING***

Three separate honing spindles utilize diamond tipped bits that polish the interior surface of the barrel to a mirror-like finish.

**STEP 4** ***BUTTON RIFLING***

A carbide rifling button is drawn through the barrel to produce the rifling grooves at the appropriate twist rate for each caliber.

**STEP 5** ***STRESS RELIEVING***

A high temperature heating process realigns the steel molecules ensuring the barrel is free from any stress.

NEW FOR 2026

# **PREMIER** CIMA PRO

*Lightness Perfected. Technology Redefined. Bergara's Finest*

The PREMIER CIMA PRO represents Bergara's peak of precision and craftsmanship, combining a carbon-fiber stock and stainless Premier action for strength, light weight, and reliability. Its modern design, refined ergonomics, and meticulous details deliver uncompromising performance, creating a rifle crafted not only to excel but to inspire.




*See more details on page 15*

# **B-14²** CIMA CF

*Tradition refined by innovation*

The B-14 CIMA CF perfectly encapsulates the idea of taking a proven, classic rifle platform and integrating advanced, modern technologies to enhance its performance, durability, and weight. This rifle conveys a blend of timeless design with contemporary performance and features. Classic form, modern function.



*See more details on page 22*



NEW FOR 2026

# **B-14** SIERRA

*Rugged by design, precise by nature*

The B-14 Sierra redefines what an entry-level rifle should be, delivering precision, reliability, and value without compromise. It offers everything a hunter needs and sets a strong, accessible standard. Ideal for beginners and seasoned hunters alike, it delivers high performance without a prohibitive price.



*See more details on page 40*

# **B-14** SIERRA STAINLESS

*The new standard for all-weather performance*

The B-14 Sierra Stainless is a lightweight, all-weather rifle built on the trusted B14 platform to deliver uncompromising reliability. Designed for demanding hunters, it focuses on the essentials—precision, durability, and consistent sub-MOA performance. Rugged, accurate, and ready for any environment, it sets a new standard in its class.



*See more details on page 41*



# PREMIER SERIES

BUILT BY HAND AND PAIRED WITH OUR WORLD-RENOWNED BARRELS, THE PREMIER SERIES PROVIDES NEAR-CUSTOM PERFORMANCE AT PRICES THAT ARE AFFORDABLE TO SERIOUS SHOOTERS. ONLY THE BEST COMPONENTS AND FINEST CRAFTSMEN CAN BE USED TO CREATE A RIFLE LINE THIS RELIABLE AND ACCURATE.

## FEATURES

| | |
|---|---|
| **BERGARA PREMIER ACTION** | • Premium stainless steel with Cerakote® finish<br>• 2 locking lugs located on the front of the bolt head<br>• Separate “floating” bolt head assures contact with lug abutments<br>• Cone-shaped bolt nose assures smooth feeding<br>• Sliding plate extractor<br>• All models feature a dual ejector<br>• 1-piece stainless steel bolt body with threaded-in bolt handle<br>• 90º bolt throw angle<br>• Bolt shroud is bayonet style allowing access to the firing pin assembly. Simply twist the bolt shroud and the entire firing assembly can be removed without tools. |
| **BERGARA BARREL** | • Made with CURE® Carbon Barrel or 410 stainless steel<br>• Carbon fiber or Cerakote® finish<br>• Sub MOA accuracy guarantee |
| **TRIGGER** | • Externally adjustable TriggerTech® triggers and Frictionless Release Technology™ as standard equipment |
| **SAFETY MECHANISMS** | • The 2-position safety is part of the trigger assembly. It allows the rifle to be unloaded while in the safe position.<br>• Non-rotating gas shield behind the bolt head protects the shooter from gas and debris in the event of a case or primer rupture |



# SPOTLIGHT

## DAKOTA RUSSELL // CIMA PRO

@DAKOTARUSSELLHUNTS


**MOLOKAI, HAWAII - AXIS DEER CONSERVATION HUNT**

This past summer, the Bergara team embarked on a journey unlike any other, traveling to the remote island of Molokai, Hawaii, to learn firsthand about the challenges posed by the island's population of invasive Axis deer. Local guides and hunters educated our team on how these animals, though beautiful and prized by hunters, have placed immense strain on the island's fragile ecosystem.

Amidst the rugged volcanic ridges and sweeping ocean views, the Bergara team took part in conservation efforts, harvesting several Axis deer as part of responsible population management practices. Using the all-new Cima Pro, the team tested the rifle's balance of lightweight precision and field-ready durability across demanding island terrain.

This experience was more than a hunt, it was a lesson in stewardship, tradition, and respect for the land. The full story is featured on the Bergara USA YouTube channel, where the team documents how hunters and locals are working together to restore balance to this island paradise.
























NEW

# CIMA PRO

| WEIGHT | RRP | ACCURACY |
|---|---|---|
| starting at | starting at | sub-MOA |
| 2.6 kg | 2.710 € | Guarantee |

**BARREL**

CURE® Carbon Barrel
20”-24” Barrel Lengths

**FINISH**

Stainless Grey Cerakote®

**STOCK**

Autoclave-cured carbon fiber stock with internal carbon beeding

**MAGAZINE**

Floorplate

CURE CARBON BARRELS


**CALIBERS**

- .223 Rem.
- 6.5 Creedmoor
- 6.5 PRC
- .270 Win
- 7 PRC
- 7 Rem Mag
- .308 Win
- .300 Win Mag
- .300 PRC













## ELEVATE

| WEIGHT | RRP | ACCURACY |
|---|---|---|
| starting at 2.6 kg (5.7 lbs) | starting at 3.630 € | sub-MOA Guarantee |

| BARREL | FINISH |
|---|---|
| CURE® Carbon Barrel<br>20"-24" Barrel Lengths | Sniper Grey Cerakote® |
| **STOCK** | **MAGAZINE** |
| MDT HNT26 Carbon Chasis | AICS Style Detachable |

CURE CARBON BARRELS

**CALIBERS**

- 6.5 Creedmoor
- 6.5 PRC
- 7 PRC
- 7 Rem Mag
- .308 Win
- .300 Win Mag

## ELITE

| WEIGHT | RRP | ACCURACY |
|---|---|---|
| starting at 6.4 kg (14.1 lbs) | starting at 4.017 € | sub-MOA Guarantee |

| BARREL | FINISH |
|---|---|
| 410 stainless steel<br>66 cm (26") barrel lengths | Stainless Steel |
| **STOCK** | **MAGAZINE** |
| MDT ELITE Chasis | AICS Style Detachable |

**CALIBERS**

- 6 mm Creedmoor
- 6.5 Creedmoor
- .308 Win.

# B-14² SERIES

THIS SERIES SEAMLESSLY COMBINES THE RENOWNED FEATURES OF THE B-14 SERIES, GIVING RISE TO AN UNPARALLELED FUSION WE PROUDLY CALL THE B-14 SQUARED. AT THE HEART OF THIS SERIES LIES A GROUNDBREAKING ADVANCEMENT IN CARBON TECHNOLOGY, MARKING IT AS OUR MOST AMBITIOUS IN-HOUSE DEVELOPED SERIES TO DATE.

THE UNIQUE PAIRING OF CUTTING-EDGE TECHNOLOGY AND DESIGN SETS THE B-14 SQUARED APART AS AN EMBLEM OF EXCELLENCE. BOASTING LIGHTWEIGHT STOCKS WITHOUT COMPROMISING STRENGTH, THIS SERIES STANDS AS A TESTAMENT TO OUR COMMITMENT TO TOP-TIER DEVELOPMENT. THE B-14 SQUARED IS THE EMBODIMENT OF PRECISION, DURABILITY, AND THE RELENTLESS PURSUIT OF PERFECTION.



## FEATURES

| | |
|---|---|
| **BERGARA B-14 ACTION** | • Spring-loaded ejector<br>• Side-mounted bolt stop<br>• Fluted, 4140 CrMo steel, one piece bolt body<br>• 90° bolt throw angle<br>• Cone-shaped bolt nose ejector - assures smooth feeding<br>• Sliding plate extractor<br>• Hinged floor plate or detachable magazine<br>• Sniper Grey Cerakote® |
| **BERGARA BARREL** | • Made with Cure™ Carbon barrel or 4140 CrMo steel<br>• Sniper Grey Cerakote®<br>• Sub MOA accuracy guarantee |
| **TRIGGER** | • Adjustable Bergara Performance Trigger |
| **SAFETY MECHANISMS** | • The two position safety is part of the trigger assembly. It allows the rifle to be unloaded while in the safe position. |
| **STOCK** | • 100% carbon fiber with carbon spine |



# SPOTLIGHT

RAFA CARRILLO // CIMA CF

@RAFACARILLOHUNTER

**MALLORCA, SPAIN - BALEARIC BOC**

The day began at dawn, in the imposing Serra de Tramuntana, with the sea in the distance and the cold wind on my face. The Bergara B14 CIMA rifle rested on my shoulder, ready for the challenge. The goal: the legendary Balearic Boc, a symbol of hunting in Mallorca.

After a tough climb through rocks and brush, each step heightened the excitement. Finally, the boc appeared, majestic among the pine trees. The shot was precise, the result of effort, patience, and the accuracy of the Bergara. In that moment, the adrenaline gave way to a profound sense of respect and gratitude. More than a hunt, it was an experience of connection with the mountain, nature, and the hunter's own spirit. The full story is featured on the Bergara International YouTube channel.






















# CIMA CF

| WEIGHT | RRP | ACCURACY |
|---|---|---|
| starting at | starting at | sub-MOA |
| 2.6 kg (5.7 lbs) | 1.815 € | Guarantee |

**BARREL**

CURE® Carbon Barrel
20”-22” Barrel Lengths

**FINISH**

Sniper Grey Cerakote®

**STOCK**

Autoclave-cured carbon fiber stock with internal carbon beeding

**MAGAZINE**

AICS Style Detachable

CURE CARBON BARRELS

**CALIBERS**

- .223 Rem.
- 6.5 Creedmoor
- 6.5 PRC
- .270 Win
- 7 PRC
- 7 Rem Mag
- .308 Win
- .300 Win Mag
- .300 PRC















## CREST // CARBON

| WEIGHT | RRP | ACCURACY |
|---|---|---|
| starting at | starting at | sub-MOA |
| 2.9 kg (6.3 lbs) | 1.984 € | Guarantee |

**BARREL**
CURE® Carbon Barrel
20”-24” Barrel Lengths

**FINISH**
Sniper Grey Cerakote®

**STOCK**
100% Carbon Fiber with Carbon Spine

**MAGAZINE**
AICS Style Detachable

CURE CARBON BARRELS

**CALIBERS**

- .223 Rem.
- 6.5 Creedmoor
- 6.5 PRC
- .270 Win
- 7 PRC
- 7 Rem Mag
- .308 Win
- .300 Win Mag
- .300 PRC

## CREST // STEEL

| WEIGHT | RRP | ACCURACY |
|---|---|---|
| starting at | starting at | sub-MOA |
| 3.1 kg (6.8 lbs) | 1.718 € | Guarantee |

**BARREL**
4140 CrMo Steel
20”-24” Barrel Lengths

**FINISH**
Sniper Grey Cerakote®

**STOCK**
100% Carbon Fiber with Carbon Spine

**MAGAZINE**
AICS Style Detachable

**CALIBERS**

- .223 Rem.
- 6.5 Creedmoor
- 6.5 PRC
- .270 Win
- 7 PRC
- 7 Rem Mag
- .308 Win
- .300 Win Mag
- .300 PRC



# B-14 WILDERNESS SERIES

THE B-14 WILDERNESS SERIES® EMBODIES PURE PERFORMANCE WITH REAL-WORLD FEATURE SETS LIKE FLUTED BOLTS, SPECIALIZED COATINGS, AND STOCK OPTIONS THAT CAN WITHSTAND THE RUGGED AND UNFORGIVING WILDERNESS, WHILE BLENDING INTO THOSE VERY SAME ELEMENTS. THIS SERIES IS FOR THE BACKCOUNTRY, BUILT TO MATCH EVERY STRIDE YOU TAKE OFF THE BEATEN TRAIL.



## FEATURES

| | |
|---|---|
| **BERGARA B-14 ACTION** | • Spring-loaded ejector<br>• Side-mounted bolt stop<br>• Fluted, 4140 CrMo steel, one piece bolt body<br>• 90° bolt throw angle<br>• Cone-shaped bolt nose ejector - assures smooth feeding<br>• Sliding plate extractor<br>• AICS style detachable magazine<br>• Sniper Grey Cerakote® |
| **BERGARA BARREL** | • Made with Cure™ Carbon barrel or 4140 CrMo steel<br>• Sniper Grey Cerakote®<br>• Sub MOA accuracy guarantee |
| **TRIGGER** | • Adjustable Bergara Performance Trigger |
| **SAFETY MECHANISMS** | • The two position safety is part of the trigger assembly. It allows the rifle to be unloaded while in the safe position. |
| **STOCK** | • Bergara's hand-painted camouflage |



*Wilderness Series info*



# SPOTLIGHT

**ROBIN DEMOZ // THUMBHOLE**

@LE_REFUGE_DES_CHASSEURS

**FRENCH ALPS - CHAMOIS**


While climbing the steep slopes of our alpine territory, covered in snow and rocks, we spotted some movement above a rocky ledge. A small group of six chamois was moving along the ridge, and among them was the young animal we had been searching for that day. After several minutes of observation, we decided to approach cautiously, using the terrain and wooded areas to remain unseen.

After a careful approach lasting several dozen minutes, we needed to find a stable shooting position despite the steep incline. That's when my Bergara Wilderness Thumbhole Carbon rifle truly proved its worth: lightweight, perfectly balanced, and exceptionally accurate. At 217 meters, the shot was clean and swift, honoring both the animal and the effort involved.

Lying there in the snow, this young chamois represented far more than just a harvest. In this type of hunt, the goal isn't the trophy — a young animal deserves just as much respect as an adult, because the conditions required to take it are extreme, and the mountain's demands remain the same.

















## SIERRA // CARBON

| WEIGHT | RRP | ACCURACY |
|---|---|---|
| starting at<br>2,9 kg (6.3 lbs) | starting at<br>1.549 € | sub-MOA<br>Guarantee |

**BARREL**
CURE® Carbon Barrel
20”-24” Barrel Lengths

**FINISH**
Sniper Grey Cerakote®

**STOCK**
Bergara Sporter with
Adjustable Comb

**MAGAZINE**
AICS style detachable

CURE CARBON BARRELS

**CALIBERS**

- .223 Rem.
- 6.5 Creedmoor
- 6.5 PRC
- 7 PRC
- .270 Win
- 7mm Rem Mag
- .308 Win.
- .300 Win Mag
- .300 PRC

## SIERRA // STEEL

| WEIGHT | RRP | ACCURACY |
|---|---|---|
| starting at<br>3,2 kg (7 lbs) | starting at<br>1.234 € | sub-MOA<br>Guarantee |

**BARREL**
4140 CrMo Steel
20”-24” Barrel Lengths

**FINISH**
Sniper Grey Cerakote®

**STOCK**
Bergara Sporter with
Adjustable Comb

**MAGAZINE**
Hinged Floor Plate

LEFT-HANDED MODELS AVAILABLE

**CALIBERS**

- .223 Rem.
- 6.5 Creedmoor
- 6.5 PRC
- 7 PRC
- .270 Win
- 7mm Rem Mag
- .308 Win.
- .30-06 Spring.
- .300 Win Mag
- .300 PRC













## THUMBHOLE // CARBON

| WEIGHT | RRP | ACCURACY |
|---|---|---|
| starting at<br>3 kg (6.6 lbs) | starting at<br>1.549 € | sub-MOA<br>Guarantee |

**BARREL**
CURE® Carbon Barrel
20"-24" Barrel Lengths

**FINISH**
Sniper Grey Cerakote®

**STOCK**
Thumbhole Synthetic Stock with a rubberized grip

**MAGAZINE**
AICS Style Detachable

CURE CARBON BARRELS

**CALIBERS**

- .223 Rem
- 6.5 Creedmoor
- 6.5 PRC
- .270 Win
- 7 PRC
- 7 Rem Mag
- .308 Win
- .300 Win Mag
- .300 PRC

## THUMBHOLE // STEEL

| WEIGHT | RRP | ACCURACY |
|---|---|---|
| starting at<br>3.3 kg (7.2 lbs) | starting at<br>1.283 € | sub-MOA<br>Guarantee |

**BARREL**
4140 CrMo Steel
20"-24" Barrel Lengths

**FINISH**
Sniper Grey Cerakote®

**STOCK**
Thumbhole Synthetic Stock with a rubberized grip

**MAGAZINE**
AICS Style Detachable

**CALIBERS**

- .223 Rem
- .243 Win.
- 6.5 Creedmoor
- 6.5 PRC
- .270 Win
- 7 PRC
- 7 Rem Mag
- .308 Win
- .30-06 Spring.
- .300 Win Mag
- .300 PRC









## HMR // CARBON

| WEIGHT | RRP | ACCURACY |
|---|---|---|
| starting at | starting at | sub-MOA |
| 3.4 kg (7.5 lbs) | 1.621 € | Guarantee |

**BARREL**
CURE® Carbon Barrel
20”-24” Barrel Lengths

**FINISH**
Sniper Grey Cerakote®

**STOCK**
Bergara HMR Molded with Mini-Chassis

**MAGAZINE**
AICS Style Detachable

CURE CARBON BARRELS

**CALIBERS**

- 6.5 Creedmoor
- 6.5 PRC
- 7 PRC
- .308 Win
- .300 Win Mag

## HMR // STEEL

| WEIGHT | RRP | ACCURACY |
|---|---|---|
| starting at | starting at | sub-MOA |
| 4.3 kg (9.5 lbs) | 1.307 € | Guarantee |

**BARREL**
4140 CrMo Steel
20”-26” Barrel Lengths

**FINISH**
Sniper Grey Cerakote®

**STOCK**
Bergara HMR Molded with Mini-Chassis

**MAGAZINE**
AICS Style Detachable

**CALIBERS**

- 6.5 Creedmoor
- 6.5 PRC
- 7 PRC
- .308 Win
- .300 Win Mag
- .300 PRC



# B-14 SERIES

B-14 SERIES RIFLES ARE BUILT AT OUR STATE-OF-THE-ART FACILITY IN SPAIN. THANKS TO OUR HIGHLY EFFICIENT MANUFACTURING TECHNIQUES WE CAN BRING A LINE OF EXTREMELY ACCURATE AND RELIABLE RIFLES TO SERIOUS SHOOTERS AT AFFORDABLE PRICES. VALUE PACKED, AND TOUGH ENOUGH TO WEAR THE BERGARA NAME.

## FEATURES

| | |
|---|---|
| **BERGARA B-14 ACTION** | • Spring-loaded ejector<br>• Side-mounted bolt stop<br>• One-piece body with two locking lugs<br>• 90° bolt throw angle<br>• Cone-shaped bolt nose ejector - assures smooth feeding<br>• Sliding plate extractor<br>• Hinged floor plate or detachable magazine |
| **BERGARA BARREL** | • Made from 4140 CrMo steel and 410 Stainless Steel<br>• Graphite Black and Stainless Grey Cerakote®<br>• Sub MOA accuracy guarantee |
| **TRIGGER** | • Adjustable Bergara Performance Trigger |
| **SAFETY MECHANISMS** | • The two position safety is part of the trigger assembly. It allows the rifle to be unloaded while in the safe position. |





B-14 Series info

# SPOTLIGHT

## VIC ALBIZURI // STOKE

@VICALBIZURI

**NEW ZEALAND - TAHR**

My first international hunt took me all the way to the Southern Alps of New Zealand, a place of raw beauty and enormous scale that left me speechless. While Pedro, my husband, focused on red stag, I set my sights on Himalayan tahr, just as he had done eight years earlier. Incredibly, I ended up taking my bull only 200 meters from where he shot his.


Hunting here was demanding: steep terrain, harsh weather, and the constant challenge of selecting the right animal. We were aiming for an eight-year-old, but mine turned out to be six—still a solid, mature bull, taken cleanly and with pride.

What made this adventure even more special was sharing it as a family, and having a female guide, Bree, by my side for the first time. After several days in the mountains, I came away with a deep sense of accomplishment—having done things right in such a difficult environment.






















NEW

## SIERRA

| WEIGHT | RRP | ACCURACY |
|---|---|---|
| starting at | starting at | sub-MOA |
| 3 kg (6.6 lbs) | 992 € | Guarantee |

**BARREL**
4140 CrMo Steel
18”-24” Barrel Lengths

**FINISH**
Graphite Black Cerakote®

**STOCK**
Bergara Sporter with Adjustable Comb

**MAGAZINE**
AICS style detachable

OPEN SIGHTS INCLUDED

**CALIBERS**

- .223 Rem
- .243 Win
- 6.5 Creedmoor
- 6.5 PRC
- .270 Win
- 7 PRC
- 7mm Rem Mag
- .308 Win
- .30-06 Sprg.
- .300 Win Mag
- .300 PRC
- .338 Win Mag

NEW

## SIERRA // STAINLESS STEEL

| WEIGHT | RRP | ACCURACY |
|---|---|---|
| starting at | starting at | sub-MOA |
| 3 kg (6.6 lbs) | 1.162 € | Guarantee |

**BARREL**
410 Stainless Steel
18”-24” Barrel Lengths

**FINISH**
Stainless Grey Cerakote®


**STOCK**
Bergara Sporter with Adjustable Comb Bergara

**MAGAZINE**
AICS Style Detachable

**CALIBERS**

- .223 Rem
- .243 Win
- 6.5 Creedmoor
- 6.5 PRC
- .270 Win
- 7 PRC
- 7mm Rem Mag
- .308 Win
- .30-06 Sprg.
- .300 Win Mag
- .300 PRC
- .338 Win Mag









## THUMBHOLE

| WEIGHT | RRP | ACCURACY |
|---|---|---|
| starting at 3.2 kg (7.2 lbs) | starting at 1.041 € | sub-MOA Guarantee |

**BARREL**
4140 CrMo Steel
22”-24” Barrel Lengths

**FINISH**
Graphite Black Cerakote®

**STOCK**
Thumbhole Synthetic Stock with a rubberized grip

**MAGAZINE**
AICS Style Detachable

OPEN SIGHTS INCLUDED

**CALIBERS**

- .243 Win
- 6.5 Creedmoor
- 6.5 PRC NEW
- .270 Win
- 7 PRC NEW
- 7mm Rem Mag
- .308 Win.
- .30-06 Spring
- .300 Win Mag
- .300 PRC NEW
- .338 Win Mag

## TIMBER

| WEIGHT | RRP | ACCURACY |
|---|---|---|
| starting at 3.4 kg (7.5 lbs) | starting at 1.162 € | sub-MOA Guarantee |

**BARREL**
4140 CrMo Steel
22”-24” Barrel Lengths

**FINISH**
Graphite Black Cerakote®

**STOCK**
Monte Carlo Style Walnut


**MAGAZINE**
Bergara detachable
.375 H&H; hinged floorplate

LEFT-HANDED MODELS AVAILABLE

OPEN SIGHTS INCLUDED

**CALIBERS**

- .243 Win
- 6.5 Creedmoor
- .270 Win
- 7 Rem Mag
- .308 Win
- .30-06 Spring
- .300 Win Mag
- .338 Win Mag
- .375 H&H













## STOKE

| WEIGHT | RRP | ACCURACY |
|---|---|---|
| starting at<br>2.5 kg (5.5 lbs) | starting at<br>920 € | sub-MOA<br>Guarantee |

**BARREL**
4140 CrMo Steel
16.5”-20” Barrel Lengths

**FINISH**
Graphite Black Cerakote®

**STOCK**
Compact stock with 311 cm LOP
Adjustable with LOP spacers

**MAGAZINE**
AICS Style Detachable

**CALIBERS**

- .22-250 Rem
- .223 Rem
- .243 Win.
- 6.5 Creedmoor
- 6.5 PRC
- .300 Blackout
- .308 Win

## HMR // HUNTING & MATCH RIFLE

| WEIGHT | RRP | ACCURACY |
|---|---|---|
| starting at<br>4.4 kg (9.7 lbs) | starting at<br>1.210 € | sub-MOA<br>Guarantee |

**BARREL**
4140 CrMo Steel
24”-26” Barrel Lengths

**FINISH**
Graphite Black Cerakote®

**STOCK**
Bergara HMR Molded with Mini-Chassis

**MAGAZINE**
AICS Style Detachable

**LEFT-HANDED MODELS AVAILABLE**

**CALIBERS**

- .22-250 Rem
- 6.5 Creedmoor
- .308 Win
- .300 Win Mag



# RIMFIRE SERIES

MANUFACTURING HIGHLY ACCURATE RIMFIRE BARRELS IS NOT NEW TO US. WE'VE BEEN DOING IT ON AN OEM BASIS FOR WELL OVER A DECADE. WE'VE COMBINED THREE DISTINCT PLATFORMS, EACH DESIGNED FOR VERY DIFFERENT NEEDS, TO FORM OUR RIMFIRE SERIES. PLINKERS, HUNTERS, AND EVEN LONG RANGE RIMFIRE COMPETITORS REAP THE BENEFITS, UPGRADES, AND CROSS COMPATIBILITY FOUND IN THESE RIFLES. THE ONE THING THEY ALL HAVE IN COMMON - NOTHING LESS THAN PERFECTION.



## FEATURES

| | |
|---|---|
| PROPRIETARY RIMFIRE ACTIONS | • Specialty rimfire actions<br>• Match grade chambers<br>• Detachable magazines |
| BERGARA BARREL | • Made from 4140 CrMo Steel<br>• Matte blued finish<br>• Carbon barrel options available |
| TRIGGER | • Bergara Performance Trigger (B-14R and BMR) |
| STOCK | • Bergara HMR stock, adjustable cheek, free-floated (B-14R)<br>• QD cups and swivels (BMR swivel only) |



# SPOTLIGHT

## JED CONKLIN

@FIELD_TO_FEAST

**BMR-X**

More and more of us care about where our food comes from and how it's produced, but fewer and fewer of us get out and harvest our own.

I've been hunting and fishing since I was a kid. I lead a life dedicated to wildlife, the wild places animals live, and the wild food they provide my family.

Beginning in early childhood I learned the importance of habitat and wildlife conservation. By studying the ways of an animal and walking in its footsteps, I developed an appreciation and respect for all wildlife. I also became motivated to protect its home, help ensure its waters are clean and work to keep the species robust, knowing that ultimately that animal's body will nourish mine.

In our new show Field to Feast, I give chefs the opportunity to close the food loop. To go into the wilderness and harvest something with their own hands. To cook and learn about an animal from birth to death. And ultimately to gain a greater appreciation and respect for what they are cooking.
























## BMR-X // CARBON

| WEIGHT | RRP | CAPACITY |
|---|---|---|
| starting at<br>2,4 kg (5.3 lbs) | starting at<br>774 € | magazine fed<br>10 Rounds |

| BARREL | FINISH |
|---|---|
| Carbon Barrel<br>20” Barrel Length | Matte Blued |
| **STOCK** | **MAGAZINE** |
| Bergara Tactical with Length of Pull Spacers | 5 and 10 Round Magazines Included |

**CALIBERS**

- .22 LR
- .22 WMR
- .17 HMR

## BMR-X // STEEL

| WEIGHT | RRP | CAPACITY |
|---|---|---|
| starting at<br>2.9 kg (6.3 lbs) | starting at<br>726 € | magazine fed<br>10 Rounds |

| BARREL | FINISH |
|---|---|
| 4140 CrMo Steel<br>20” Barrel Length | Matte Blued |
| **STOCK** | **MAGAZINE** |
| Bergara Tactical with Length of Pull Spacers | 5 and 10 Round Magazines Included |

**CALIBERS**

- .22 LR
- .22 WMR
- .17 HMR







## BMR // CARBON

| WEIGHT | RRP | CAPACITY |
|---|---|---|
| starting at<br>2.3 kg (5.4 lbs) | starting at<br>678 € | magazine fed<br>10 Rounds |

***BARREL***
Carbon Barrel
18"-20" Barrel Lengths

***FINISH***
Matte Blued

***STOCK***
BMR Stock

***MAGAZINE***
5 and 10 Round Magazines Included

***CALIBERS***
- .22 LR
- .22 WMR
- .17 HMR

## BMR // STEEL

| WEIGHT | RRP | CAPACITY |
|---|---|---|
| starting at<br>2.5 kg (5.8 lbs) | starting at<br>629 € | magazine fed<br>10 Rounds |

***BARREL***
4140 CrMo Steel
18"-20" Barrel Lengths


***FINISH***
Matte Blued

***STOCK***
BMR Stock

***MAGAZINE***
5 and 10 Round Magazines Included

***CALIBERS***
- .22 LR
- .22 WMR
- .17 HMR













## B-14R // CARBON

| WEIGHT | RRP | CAPACITY |
|---|---|---|
| starting at 3.6 kg (8.1 lbs) | starting at 1.065 € | magazine fed 10 Rounds |

| BARREL | FINISH |
|---|---|
| Carbon Barrel<br>18” Barrel Length | Graphite Black Cerakote® |

| STOCK | MAGAZINE |
|---|---|
| Bergara HMR Stock w/Mini Chassis | 10 Round Magazine Included |

**CALIBERS**

.22 LR

## B-14R // STEEL


| WEIGHT | RRP | CAPACITY |
|---|---|---|
| starting at 4.1 kg (9.2 lbs) | starting at 1.016 € | magazine fed 10 Rounds |

| BARREL | FINISH |
|---|---|
| 4140 CrMo Steel<br>18” Barrel Length | Matte Blued |

| STOCK | MAGAZINE |
|---|---|
| Bergara HMR Stock w/ Mini Chassis | 10 Round Magazine Included |

**CALIBERS**

.22 LR



# BARRELED ACTIONS

WE UNDERSTAND THAT FOR COMPETITIVE SHOOTERS, CUSTOMIZATION IS KEY TO ACHIEVING PEAK PERFORMANCE. THAT'S WHY BERGARA HAS DEVELOPED A COMPLETE LINE OF BARRELED ACTIONS DESIGNED TO ALLOW YOU TO TAILOR YOUR RIFLE TO YOUR SHOOTING STYLE AND THE DEMANDS OF EACH COMPETITION. WITH OUR NEW PREMIER BARRELED ACTION, WE'RE TAKING PRECISION AND CUSTOMIZATION TO A NEW LEVEL, PUTTING THE MOST ADVANCED TECHNOLOGY AT YOUR FINGERTIPS. JOIN THE BERGARA COMMUNITY AND DISCOVER WHY WE'RE THE CHOICE OF CHAMPIONS.

## FEATURES

**ACTIONS**

- REM 700 Footprint
- Bergara Action by platform
- Includes detachable magazine
- TriggerTech Diamond trigger on the Premier barreled action
- 410 Stainless Steel barrel








BA Series info



# SPOTLIGHT

## MICHAEL BLACKBURN

**INTERNATIONAL PRS WORLDCHAMPIONSHIP CHAMPION // AUSTRALIA**

One of the most important things in precision rifle competitions is having trust and reliability in your equipment. Matches can be lost with a single malfunction. That's why I chose the Bergara B-14 R barrelled action in my quest to win the IPRF Rimfire world championship.

Twenty stages, ninety seconds with twelve rounds each demanded faultless execution. My Bergara B-14 R did and always has cycled perfectly allowing me to focus on the match and not worry about my equipment.

Bergara barrelled actions are easily customised and fit in any Rem700 footprint chassis. Paired with my MDT ACC elite and Triggertech diamond trigger my 22LR is tuned for comfort, balance and proved accurate enough to win the Australian NRL22 finale/championship and the 2025 IPRF Rimfire World Cup.

To back that up my B-14 centrefire won the 2025 Australian Precision Rifle Series golden bullet (series championship), proving Bergara's barrelled actions should be the heart of your rifle system.






# BARRELED ACTIONS



## RIMFIRE ACTION
### #7 CONTOUR

**WEIGHT**
starting at
3.4 kg (7.5 lbs)

**RRP**
starting at
895 €

410 Stainless Steel
Threaded Barrel
20” Barrel Length

AICS Style Detachable - 10 rounds

B14 Bergara trigger

***CALIBERS***

- .22 LR

***LEFT-HANDED MODELS AVAILABLE***



## B-14 ACTION
### #7 CONTOUR

**WEIGHT**
starting at
3.6 kg (7.9 lbs)

**RRP**
starting at
1.016 €

410 Stainless Steel
Threaded Barrel
26” Barrel Length

AICS Style Detachable - 10 rounds

B14 performance trigger

***CALIBERS***

- 6.5 Creedmoor
- 6mm Creedmoor
- .308 Win



## PREMIER ACTION
### #7 CONTOUR

**WEIGHT**
starting at
3.7 kg (8.2 lbs)

**RRP**
starting at
1.549 €

410 Stainless Steel
Threaded Barrel
26” Barrel Lengths

AICS Style Detachable - 10 rounds

TriggerTech Diamond trigger

***CALIBERS***

- 6mm Creedmoor
- 6.5 Creedmoor
- .308 Win







# BERGARA ACADEMY & EXPERIENCE

SCAN TO LEARN MORE



## EDUCATE. TRAIN. PROMOTE.

Our commitment is to assist, educate, and train you on the use of rifles for hunting. We'll help you understand how your rifle and scope work together, fine-tuning, maintenance, and most importantly, how to get the most out of both your equipment and yourself.

Through a combination of theory and practical exercises at the Bergara Academy, we'll help you succeed in various hunting situations, from different positions and weather conditions to distances and ballistics.

With both basic and advanced options, this training caters to different levels of knowledge and experience, helping you develop your hunting and mental skills.

Check our website for upcoming courses and take advantage of this opportunity to hone your skills as a hunter.

Please note that the US and Canada have separate schedules, which can be found on our US website.







Experience the thrill of shooting with Bergara at our exclusive events. Join us for a day of target practice, guided by our expert team. You'll have the chance to try out our latest rifles and learn from the best.

Whether you're a seasoned hunter or a casual shooter, our events offer a fun and welcoming atmosphere. Follow us on social media to stay tuned for our next event!



# BERGARA FOUNDATION

## COMMITTED TO CONSERVATION, INDUSTRY AND THE ENVIRONMENT

By choosing Bergara, you're not just buying a rifle; you're investing in a better future. We've committed 10% of our profits to the Bergara Foundation, dedicated to conservation, environmental protection, and sustainable hunting practices.

Your purchase directly supports our efforts to preserve our natural world and ensure the future of hunting. Join us in making a difference. Visit www.Bergara.online to learn more about our initiatives and how you can contribute.



*Water for Wild Sheep - Wild Sheep Foundation (USA)*



*Scientific study of the Iberian ibex - Artemisan Foundation (Spain)*



*Panyame Cheetah Conservation Project - Blood Origins Foundation (Mocambique)*

## PREMIER SERIES RIFLES

*All Premier Series Rifles come with TriggerTech Frictionless Release Technology™ and barrel & action in Sniper Grey or Stainless Grey Cerakote®

| Reference | Caliber | Twist | Barrel Length | Overall Length | Muzzle Diameter | Barrel Thread | Overall Weight | Magazine | Capacity |
|---|---|---|---|---|---|---|---|---|---|
| **CIMA PRO** *Feature a RTM carbon fiber sporter stock with SMC carbon mini chassis, TriggerTech™ trigger and CURE Carbon barrel with installed bidirectional muzzle brake | | | | | | | | | |
| BP163FC-223 | .223 Rem. | 1:9" | 51 cm (20") | 101 cm (40") | 21.5 mm (No. 6) | 5/8-24 UNEF | 2.6 kg (5.6 lbs.) | FLOORPLATE | 4+1 |
| BP163FC-65 | 6.5 Creedmoor | 1:8" | 51 cm (20") | 101 cm (40") | 21.5 mm (No. 6) | 5/8-24 UNEF | 2.6 kg (5.6 lbs.) | FLOORPLATE | 4+1 |
| BP163FC-65P | 6.5 PRC | 1:8" | 51 cm (20") | 101 cm (40") | 21.5 mm (No. 6) | 5/8-24 UNEF | 2.6 kg (5.6 lbs.) | FLOORPLATE | 3+1 |
| BP163FC-270 | .270 Win. | 1:10" | 51 cm (20") | 106 cm (41,7") | 21.5 mm (No. 6) | 5/8-24 UNEF | 2.6 kg (5.6 lbs.) | FLOORPLATE | 4+1 |
| BP164FC-7P | 7 PRC | 1:8" | 56 cm (22") | 108 cm (42,5") | 21.5 mm (No. 6) | 5/8-24 UNEF | 2.7 kg (6 lbs.) | FLOORPLATE | 3+1 |
| BP164FC-7RM | 7 Rem. Mag. | 1:9,5" | 56 cm (22") | 108 cm (42,5") | 21.5 mm (No. 6) | 5/8-24 UNEF | 2.7 kg (6 lbs.) | FLOORPLATE | 3+1 |
| BP163FC-308 | .308 Win. | 1:10" | 51 cm (20") | 101 cm (40") | 21.5 mm (No. 6) | 5/8-24 UNEF | 2.6 kg (5.6 lbs.) | FLOORPLATE | 4+1 |
| BP164FC-300 | .300 Win. Mag. | 1:10" | 56 cm (22") | 108 cm (42,5") | 21.5 mm (No. 6) | 5/8-24 UNEF | 2.7 kg (6 lbs.) | FLOORPLATE | 3+1 |
| BP164FC-300P | .300 PRC | 1:9" | 56 cm (22") | 108 cm (42,5") | 21.5 mm (No. 6) | 5/8-24 UNEF | 2.7 kg (6 lbs.) | FLOORPLATE | 3+1 |
| **ELEVATE** *Feature a MDT HNT26 Carbon Chasis Stock, TriggerTech™ trigger and CURE carbon barrel with installed Omni Brake | | | | | | | | | |
| BP144C-65 | 6.5 Creedmoor | 1:8" | 56 cm (22") | 107 cm (42") | 21.5 mm (No. 6) | 5/8-24 UNEF | 2,7 kg (5.9 lbs) | AICS COMPATIBLE | 5+1 |
| BP145C-65PRC | 6.5 PRC | 1:8" | 61 cm (24") | 112 cm (44") | 21.5 mm (No. 6) | 5/8-24 UNEF | 2,8 kg (6.1 lbs) | AICS COMPATIBLE | 3+1 |
| BP145C-7PRC | 7 PRC | 1:8" | 61 cm (24") | 114 cm (45") | 21.5 mm (No. 6) | 5/8-24 UNEF | 2,9 kg (6.3 lbs) | AICS COMPATIBLE | 5+1 |
| BP145C-7RM | 7 Rem. Mag. | 1:9.5" | 61 cm (24") | 114 cm (45") | 21.5 mm (No. 6) | 5/8-24 UNEF | 2,9 kg (6.3 lbs) | AICS COMPATIBLE | 5+1 |
| BP143C-308 | .308 Win. | 1:10" | 51 cm (20") | 102 cm (40") | 21.5 mm (No. 6) | 5/8-24 UNEF | 2,6 kg (5.7 lbs) | AICS COMPATIBLE | 5+1 |
| BP145C-300 | .300 Win. Mag. | 1:10" | 61 cm (24") | 114 cm (45") | 21.5 mm (No. 6) | 5/8-24 UNEF | 2.9 kg (6.3 lbs) | AICS COMPATIBLE | 5+1 |
| **ELITE** *Feature a MDT Elite Stock, TriggerTech™ Diamond trigger and stainless steel barrel | | | | | | | | | |
| BP156-6C | 6mm Creedmoor | 1:7,5" | 66 cm (26") | 115 cm (45") | 23.6 mm (No. 7) | 5/8-24 UNEF | 6,4 kg (14.1 lbs) | AICS COMPATIBLE | 10+1 |
| BP156-65 | 6.5 Creedmoor | 1:8" | 66 cm (26") | 115 cm (45") | 23.6 mm (No. 7) | 5/8-24 UNEF | 6,4 kg (14.1 lbs) | AICS COMPATIBLE | 10+1 |
| BP156-308 | .308 Win. | 1:10" | 66 cm (26") | 115 cm (45") | 23.6 mm (No. 7) | 5/8-24 UNEF | 6,4 kg (14.1 lbs) | AICS COMPATIBLE | 10+1 |



## B-14² SERIES RIFLES

*B-14² Series Rifle come with the Bergara Performance Trigger and barrel & action in Sniper Grey Cerakote®

| Reference | Caliber | Twist | Barrel Length | Overall Length | Muzzle Diameter | Barrel Thread | Overall Weight | Magazine | Capacity |
|---|---|---|---|---|---|---|---|---|---|
| **CIMA CF** *Feature a RTM carbon fiber sporter stock with SMC carbon mini chassis and CURE Carbon barrel with installed Omni Brake | | | | | | | | | |
| BE193C-223 | .223 Rem. | 1:9" | 51 cm (20") | 101 cm (40") | 21.5 mm (No. 6) | 5/8-24 UNEF | 2,6 kg (5.7 lbs) | AICS COMPATIBLE | 7+1 |
| BE193C-65 | 6.5 Creedmoor | 1:8" | 51 cm (20") | 101 cm (40") | 21.5 mm (No. 6) | 5/8-24 UNEF | 2,6 kg (5.7 lbs) | AICS COMPATIBLE | 3+1 |
| BE193C-308 | .308 Win. | 1:10" | 51 cm (20") | 101 cm (40") | 21.5 mm (No. 6) | 5/8-24 UNEF | 2,6 kg (5.7 lbs) | AICS COMPATIBLE | 3+1 |
| BE194C-300 | 300 Win. Mag. | 1:10" | 56 cm (22") | 101 cm (40") | 21.5 mm (No. 6) | 5/8-24 UNEF | 2,7 kg (5.9 lbs) | AICS COMPATIBLE | 5+1 |
| BE194C-7RM | 7 Rem. Mag. | 1:9,5" | 56 cm (22") | 108 cm (42,5") | 21.5 mm (No. 6) | 5/8-24 UNEF | 2,7 kg (5.9 lbs) | AICS COMPATIBLE | 5+1 |
| BE194C-270 | .270 Win | 1:10" | 56 cm (22") | 106 cm (41,7") | 21.5 mm (No. 6) | 5/8-24 UNEF | 2,7 kg (5.9 lbs) | AICS COMPATIBLE | 5+1 |
| BE194FC-300P | 300 PRC | 1:9" | 56 cm (22") | 108 cm (42,5") | 21.5 mm (No. 6) | 5/8-24 UNEF | 2,7 kg (5.9 lbs) | FLOORPLATE | 3+1 |
| BE193FC-65P | 6,5 PRC | 1:8" | 51 cm (20") | 101 cm (40") | 21.5 mm (No. 6) | 5/8-24 UNEF | 2,6 kg (5.7 lbs) | FLOORPLATE | 3+1 |
| BE194FC-7P | 7 PRC | 1:8" | 56 cm (22") | 108 cm (42,5") | 21.5 mm (No. 6) | 5/8-24 UNEF | 2,7 kg (5.9 lbs) | FLOORPLATE | 3+1 |
| **CREST** *Feature a 100% carbon fiber monocoque stock, steel barrel and installed Omni Brake | | | | | | | | | |
| BE163-223 | .223 Rem. | 1:9" | 51 cm (20") | 104 cm (40") | 17.5 mm (No. 5) | 5/8-24 UNEF | 3,1 kg (6.8 lbs) | AICS COMPATIBLE | 7+1 |
| BE163-65 | 6.5 Creedmoor | 1:8" | 51 cm (20") | 104 cm (40") | 17.5 mm (No. 5) | 5/8-24 UNEF | 3,1 kg (6.8 lbs) | AICS COMPATIBLE | 5+1 |
| BE163-65PRC | 6.5 PRC | 1:8" | 51 cm (20") | 104 cm (40") | 17.5 mm (No. 5) | 5/8-24 UNEF | 3,1 kg (6.8 lbs) | AICS COMPATIBLE | 3+1 |
| BE164-270 | .270 Win. | 1:10" | 56 cm (22") | 111 cm (43.7") | 17.5 mm (No. 5) | 5/8-24 UNEF | 3,2 kg (7 lbs) | AICS COMPATIBLE | 5+1 |
| BE164-7PRC | 7 PRC | 1:8" | 56 cm (22") | 111 cm (43.7") | 17.5 mm (No. 5) | 5/8-24 UNEF | 3,2 kg (7 lbs) | AICS COMPATIBLE | 5+1 |
| BE165-7RM | 7 Rem. Mag. | 1:9,5" | 61 cm (24") | 116 cm (44.5") | 17.5 mm (No. 5) | 5/8-24 UNEF | 3,3 kg (7.2 lbs) | AICS COMPATIBLE | 5+1 |
| BE163-308 | .308 Win. | 1:10" | 51 cm (20") | 104 cm (40") | 17.5 mm (No. 5) | 5/8-24 UNEF | 3,1 kg (6.8 lbs) | AICS COMPATIBLE | 5+1 |
| BE165-300 | .300 Win. Mag. | 1:10" | 61 cm (24") | 116 cm (44.5") | 17.5 mm (No. 5) | 5/8-24 UNEF | 3,3 kg (7.2 lbs) | AICS COMPATIBLE | 5+1 |
| BE165-300PRC | .300 PRC | 1:9" | 61 cm (24") | 116 cm (44.5") | 17.5 mm (No. 5) | 5/8-24 UNEF | 3,3 kg (7.2 lbs) | AICS COMPATIBLE | 5+1 |
| **CREST CARBON** *Feature a 100% carbon fiber monocoque stock and CURE Carbon barrel with installed Omni Brake | | | | | | | | | |
| BE163C-223 | .223 Rem. | 1:9" | 51 cm (20") | 104 cm (40.9") | 21.5 mm (No. 6) | 5/8-24 UNEF | 2,9 kg (6.3 lbs) | AICS COMPATIBLE | 7+1 |
| BE163C-65 | 6.5 Creedmoor | 1:8" | 51 cm (20") | 104 cm (40.9") | 21.5 mm (No. 6) | 5/8-24 UNEF | 2,9 kg (6.3 lbs) | AICS COMPATIBLE | 5+1 |
| BE165C-65PRC | 6.5 PRC | 1:8" | 61 cm (24") | 114 cm (44.9") | 21.5 mm (No. 6) | 5/8-24 UNEF | 3,1 kg (6.8 lbs) | AICS COMPATIBLE | 3+1 |
| BE164C-270 | .270 Win. | 1:10" | 56 cm (22") | 111 cm (43.7") | 21.5 mm (No. 6) | 5/8-24 UNEF | 3 kg (6.6 lbs) | AICS COMPATIBLE | 5+1 |
| BE164C-7PRC | 7 PRC | 1:8" | 56 cm (22") | 111 cm (43.7") | 21.5 mm (No. 6) | 5/8-24 UNEF | 3 kg (6.6 lbs) | AICS COMPATIBLE | 5+1 |
| BE165C-7RM | 7 Rem. Mag. | 1:9,5" | 61 cm (24") | 116 cm (45.7") | 21.5 mm (No. 6) | 5/8-24 UNEF | 3,1 kg (6.8 lbs) | AICS COMPATIBLE | 5+1 |
| BE163C-308 | .308 Win. | 1:10" | 51 cm (20") | 104 cm (40.9") | 21.5 mm (No. 6) | 5/8-24 UNEF | 2,9 kg (6.3 lbs) | AICS COMPATIBLE | 5+1 |
| BE165C-300 | .300 Win. Mag. | 1:10" | 61 cm (24") | 116 cm (45.7") | 21.5 mm (No. 6) | 5/8-24 UNEF | 3,1 kg (6.8 lbs) | AICS COMPATIBLE | 5+1 |
| BE165C-300PRC | .300 PRC | 1:9" | 61 cm (24") | 116 cm (45.7") | 21.5 mm (No. 6) | 5/8-24 UNEF | 3,1 kg (6.8 lbs) | AICS COMPATIBLE | 5+1 |



## B-14 WILDERNESS SERIES® RIFLES

*All B-14 Wilderness Series Rifles feature Bergara barreled actions in Sniper Grey Cerakote® and have stocks with Bergara custom camouflage.

| Reference | Caliber | Twist | Barrel Length | Overall Length | Muzzle Diameter | Barrel Thread | Overall Weight | Magazine | Capacity |
|---|---|---|---|---|---|---|---|---|---|
| **SIERRA** *Feature a Bergara Sporter with adjustable comb stock and steel barrel with installed Omni Brake | | | | | | | | | |
| BW163-223 | .223 Rem. | 1:9" | 51 cm (20") | 103 cm (40.7") | 17.5 mm (No. 5) | 5/8-24 UNEF | 3,2 kg (7 lbs) | AICS COMPATIBLE | 7+1 |
| BW163-65 | 6.5 Creedmoor | 1:8" | 51 cm (20") | 103 cm (40.7") | 17.5 mm (No. 5) | 5/8-24 UNEF | 3,2 kg (7 lbs) | AICS COMPATIBLE | 5+1 |
| BW163-65PRC | 6.5 PRC | 1:8" | 51 cm (20") | 103 cm (40.7") | 17.5 mm (No. 5) | 5/8-24 UNEF | 3,2 kg (7 lbs) | AICS COMPATIBLE | 3+1 |
| BW164-270 | .270 Win. | 1:10" | 56 cm (22") | 110 cm (43.5") | 17.5 mm (No. 5) | 5/8-24 UNEF | 3,3 kg (7.2 lbs) | AICS COMPATIBLE | 5+1 |
| BW164-7PRC | 7 PRC | 1:8" | 56 cm (22") | 110 cm (43.5") | 17.5 mm (No. 5) | 5/8-24 UNEF | 3,3 kg (7.2 lbs) | AICS COMPATIBLE | 5+1 |
| BW165-7RM | 7 Rem. Mag. | 1:9,5" | 61 cm (24") | 115 cm (45.5") | 17.5 mm (No. 5) | 5/8-24 UNEF | 3,4 kg (7.4 lbs) | AICS COMPATIBLE | 5+1 |
| BW163-308 | .308 Win. | 1:10" | 51 cm (20") | 103 cm (40.7") | 17.5 mm (No. 5) | 5/8-24 UNEF | 3,2 kg (7 lbs) | AICS COMPATIBLE | 5+1 |
| BW164-3006 | .30-06 Spring. | 1:10" | 56 cm (22") | 110 cm (43.5") | 17.5 mm (No. 5) | 5/8-24 UNEF | 3,3 kg (7.2 lbs) | AICS COMPATIBLE | 5+1 |
| BW165-300 | .300 Win. Mag. | 1:10" | 61 cm (24") | 115 cm (45.5") | 17.5 mm (No. 5) | 5/8-24 UNEF | 3,4 kg (7.4 lbs) | AICS COMPATIBLE | 5+1 |
| BW165-300PRC | .300 PRC | 1:9" | 61 cm (24") | 115 cm (45.5") | 17.5 mm (No. 5) | 5/8-24 UNEF | 3,4 kg (7.4 lbs) | AICS COMPATIBLE | 5+1 |
| **SIERRA LEFT HANDED** *Feature a Bergara Sporter with adjustable comb stock and steel barrel with installed Omni Brake | | | | | | | | | |
| BW163-65Z | 6.5 Creedmoor | 1:8" | 51 cm (20") | 103 cm (40.7") | 17.5 mm (No. 5) | 5/8-24 UNEF | 3,2 kg (7 lbs) | AICS COMPATIBLE | 5+1 |
| BW163-65PRCZ | 6.5 PRC | 1:8" | 51 cm (20") | 103 cm (40.7") | 17.5 mm (No. 5) | 5/8-24 UNEF | 3,2 kg (7 lbs) | AICS COMPATIBLE | 3+1 |
| BW164-7PRCZ | 7 PRC | 1:8" | 56 cm (22") | 110 cm (43.5") | 17.5 mm (No. 5) | 5/8-24 UNEF | 3,2 kg (7 lbs) | AICS COMPATIBLE | 5+1 |
| BW163-308Z | .308 Win. | 1:10" | 51 cm (20") | 103 cm (40.7") | 17.5 mm (No. 5) | 5/8-24 UNEF | 3,2 kg (7 lbs) | AICS COMPATIBLE | 5+1 |
| BW164-3006Z | .30-06 Spring. | 1:10" | 56 cm (22") | 110 cm (43.5") | 17.5 mm (No. 5) | 5/8-24 UNEF | 3,3 kg (7.2 lbs) | AICS COMPATIBLE | 5+1 |
| BW165-300Z | .300 Win. Mag. | 1:10" | 61 cm (24") | 115 cm (45.5") | 17.5 mm (No. 5) | 5/8-24 UNEF | 3,4 kg (7.4 lbs) | AICS COMPATIBLE | 5+1 |
| **SIERRA CARBON** *Feature a Bergara Sporter with adjustable comb stock and CURE carbon barrel with installed Omni Brake | | | | | | | | | |
| BW163C-223 | .223 Rem. | 1:9" | 51 cm (20") | 103 cm (40.7") | 21.5 mm (No. 6) | 5/8-24 UNEF | 2,9 kg (6.3 lbs) | AICS COMPATIBLE | 7+1 |
| BW164C-65 | 6.5 Creedmoor | 1:8" | 56 cm (22") | 108 cm (42.5") | 21.5 mm (No. 6) | 5/8-24 UNEF | 3 kg (6.6 lbs) | AICS COMPATIBLE | 5+1 |
| BW165C-65PRC | 6.5 PRC | 1:8" | 61 cm (24") | 113 cm (44.5") | 21.5 mm (No. 6) | 5/8-24 UNEF | 3,1 kg (6.8 lbs) | AICS COMPATIBLE | 3+1 |
| BW164C-270 | .270 Win. | 1:10" | 56 cm (22") | 110 cm (43.5") | 21.5 mm (No. 6) | 5/8-24 UNEF | 3 kg (6.6 lbs) | AICS COMPATIBLE | 5+1 |
| BW164C-7PRC | 7 PRC | 1:8" | 56 cm (22") | 110 cm (43.5") | 21.5 mm (No. 6) | 5/8-24 UNEF | 3 kg (6.6 lbs) | AICS COMPATIBLE | 5+1 |
| BW165C-7RM | 7 Rem. Mag. | 1:9,5" | 61 cm (24") | 115 cm (45.5") | 21.5 mm (No. 6) | 5/8-24 UNEF | 3,1 kg (6.8 lbs) | AICS COMPATIBLE | 5+1 |
| BW163C-308 | .308 Win. | 1:10" | 51 cm (20") | 103 cm (40.7") | 21.5 mm (No. 6) | 5/8-24 UNEF | 2,9 kg (6.3 lbs) | AICS COMPATIBLE | 5+1 |
| BW165C-300 | .300 Win. Mag. | 1:10" | 61 cm (24") | 115 cm (45.5") | 21.5 mm (No. 6) | 5/8-24 UNEF | 3,1 kg (6.8 lbs) | AICS COMPATIBLE | 5+1 |
| BW165C-300PRC | .300 PRC | 1:9" | 61 cm (24") | 115 cm (45.5") | 21.5 mm (No. 6) | 5/8-24 UNEF | 3,1 kg (6.8 lbs) | AICS COMPATIBLE | 5+1 |
| **THUMBHOLE** *Feature a Thumbhole Synthetic stock and steel barrel with installed Omni Brake | | | | | | | | | |
| BW153-223 | .223 Rem. | 1:9" | 51 cm (20") | 103 cm (40.5") | 17.5 mm (No. 5) | 5/8-24 UNEF | 3,3 kg (7.2 lbs) | AICS COMPATIBLE | 7+1 |
| BW153-243 | .243 Win. | 1:10" | 51 cm (20") | 103 cm (40.5") | 17.5 mm (No. 5) | 5/8-24 UNEF | 3,3 kg (7.2 lbs) | AICS COMPATIBLE | 5+1 |
| BW153-65 | 6.5 Creedmoor | 1:8" | 51 cm (20") | 103 cm (40.5") | 17.5 mm (No. 5) | 5/8-24 UNEF | 3,3 kg (7.2 lbs) | AICS COMPATIBLE | 5+1 |
| BW153-65PRC | 6.5 PRC | 1:8" | 51 cm (20") | 103 cm (40.5") | 17.5 mm (No. 5) | 5/8-24 UNEF | 3,3 kg (7.2 lbs) | AICS COMPATIBLE | 3+1 |
| BW154-270 | .270 Win. | 1:10" | 56 cm (22") | 110 cm (43.3") | 17.5 mm (No. 5) | 5/8-24 UNEF | 3,4 kg (7.4 lbs) | AICS COMPATIBLE | 5+1 |
| BW154-7PRC | 7 PRC | 1:8" | 56 cm (22") | 110 cm (43.3") | 17.5 mm (No. 5) | 5/8-24 UNEF | 3,4 kg (7.4 lbs) | AICS COMPATIBLE | 5+1 |
| BW155-7RM | 7 Rem. Mag. | 1:9,5" | 61 cm (24") | 114 cm (44.5") | 17.5 mm (No. 5) | 5/8-24 UNEF | 3,5 kg (7.7 lbs) | AICS COMPATIBLE | 5+1 |
| BW153-308 | .308 Win. | 1:10" | 51 cm (20") | 103 cm (40.5") | 17.5 mm (No. 5) | 5/8-24 UNEF | 3,3 kg (7.2 lbs) | AICS COMPATIBLE | 5+1 |
| BW154-3006 | .30-06 Spring. | 1:10" | 56 cm (22") | 110 cm (43.3") | 17.5 mm (No. 5) | 5/8-24 UNEF | 3,4 kg (7.4 lbs) | AICS COMPATIBLE | 5+1 |
| BW155-300 | .300 Win. Mag. | 1:10" | 61 cm (24") | 114 cm (44.5") | 17.5 mm (No. 5) | 5/8-24 UNEF | 3,5 kg (7.7 lbs) | AICS COMPATIBLE | 5+1 |
| BW155-300PRC | .300 PRC | 1:9" | 61 cm (24") | 114 cm (44.5") | 17.5 mm (No. 5) | 5/8-24 UNEF | 3,5 kg (7.7 lbs) | AICS COMPATIBLE | 5+1 |
| **THUMBHOLE CARBON** *Feature a Thumbhole Synthetic stock and CURE carbon barrel with installed Omni Brake | | | | | | | | | |
| BW153C-223 | .223 Rem. | 1:9" | 51 cm (20") | 103 cm (40.5") | 21.5 mm (No. 6) | 5/8-24 UNEF | 3 kg (6.6 lbs) | AICS COMPATIBLE | 7+1 |
| BW154C-65 | 6.5 Creedmoor | 1:8" | 56 cm (22") | 108 cm (42.5") | 21.5 mm (No. 6) | 5/8-24 UNEF | 3,2 kg (7 lbs) | AICS COMPATIBLE | 5+1 |
| BW155C-65PRC | 6.5 PRC | 1:8" | 61 cm (24") | 114 cm (44.5") | 21.5 mm (No. 6) | 5/8-24 UNEF | 3,3 kg (7.4 lbs) | AICS COMPATIBLE | 3+1 |
| BW154C-270 | .270 Win. | 1:10" | 56 cm (22") | 108 cm (42.5") | 21.5 mm (No. 6) | 5/8-24 UNEF | 3,2 kg (7 lbs) | AICS COMPATIBLE | 5+1 |
| BW154C-7PRC | 7 PRC | 1:8" | 56 cm (22") | 110 cm (43.3") | 21.5 mm (No. 6) | 5/8-24 UNEF | 3,2 kg (7 lbs) | AICS COMPATIBLE | 5+1 |
| BW155C-7RM | 7 Rem. Mag. | 1:9,5" | 61 cm (24") | 114 cm (44.5") | 21.5 mm (No. 6) | 5/8-24 UNEF | 3,3 kg (7.4 lbs) | AICS COMPATIBLE | 5+1 |
| BW153C-308 | .308 Win. | 1:10" | 51 cm (20") | 103 cm (40.5") | 21.5 mm (No. 6) | 5/8-24 UNEF | 3 kg (6.6 lbs) | AICS COMPATIBLE | 5+1 |
| BW155C-300 | .300 Win. Mag. | 1:10" | 61 cm (24") | 114 cm (44.5") | 21.5 mm (No. 6) | 5/8-24 UNEF | 3,3 kg (7.4 lbs) | AICS COMPATIBLE | 5+1 |
| BW155C-300PRC | .300 PRC | 1:9" | 61 cm (24") | 114 cm (44.5") | 21.5 mm (No. 6) | 5/8-24 UNEF | 3,3 kg (7.4 lbs) | AICS COMPATIBLE | 5+1 |

| Reference | Caliber | Twist | Barrel Length | Overall Length | Muzzle Diameter | Barrel Thread | Overall Weight | Magazine | Capacity |
|---|---|---|---|---|---|---|---|---|---|
| **HMR** *Feature a Bergara HMR molded stock with mini-chassis and steel barrel with installed Omni Brake | | | | | | | | | |
| BW135-65 | 6.5 Creedmoor | 1:8" | 61 cm (24") | 112 cm (44") | 21.5 mm (No. 6) | 5/8-24 UNEF | 4,4 kg (9.7 lbs) | AICS COMPATIBLE | 5+1 |
| BW135-65PRC | 6.5 PRC | 1:8" | 61 cm (24") | 112 cm (44") | 21.5 mm (No. 6) | 5/8-24 UNEF | 4,4 kg (9.7 lbs) | AICS COMPATIBLE | 3+1 |
| BW134-7PRC | 7 PRC | 1:8" | 56 cm (22") | 109 cm (42.9") | 21.5 mm (No. 6) | 5/8-24 UNEF | 4,3 kg (9.5 lbs) | AICS COMPATIBLE | 5+1 |
| BW133-308 | .308 Win. | 1:10" | 51 cm (20") | 102 cm (40") | 21.5 mm (No. 6) | 5/8-24 UNEF | 4,3 kg (9.5 lbs) | AICS COMPATIBLE | 5+1 |
| BW136-300 | .300 Win. Mag. | 1:10" | 66 cm (26") | 117 cm (46.1") | 21.5 mm (No. 6) | 5/8-24 UNEF | 4,5 kg (9.9 lbs) | AICS COMPATIBLE | 5+1 |
| BW136-300PRC | .300 PRC | 1:9" | 66 cm (26") | 117 cm (46.1") | 21.5 mm (No. 6) | 5/8-24 UNEF | 4,5 kg (9.9 lbs) | AICS COMPATIBLE | 5+1 |
| **HMR CARBON** *Feature a Bergara HMR molded stock with mini-chassis and CURE carbon barrel with installed Omni Brake | | | | | | | | | |
| BW134C-65 | 6.5 Creedmoor | 1:8" | 56 cm (22") | 107 cm (42") | 21.5 mm (No. 6) | 5/8-24 UNEF | 3,6 kg (7.9 lbs) | AICS COMPATIBLE | 5+1 |
| BW135C-65PRC | 6.5 PRC | 1:8" | 61 cm (24") | 112 cm (44") | 21.5 mm (No. 6) | 5/8-24 UNEF | 3,7 kg (8.2 lbs) | AICS COMPATIBLE | 3+1 |
| BW134C-7PRC | 7 PRC | 1:8" | 56 cm (22") | 109 cm (43") | 21.5 mm (No. 6) | 5/8-24 UNEF | 3,6 kg (7.9 lbs) | AICS COMPATIBLE | 5+1 |
| BW133C-308 | .308 Win. | 1:10" | 51 cm (20") | 102 cm (40") | 21.5 mm (No. 6) | 5/8-24 UNEF | 3,4 kg (7.5 lbs) | AICS COMPATIBLE | 5+1 |
| BW135C-300 | .300 Win. Mag. | 1:10" | 61 cm (24") | 112 cm (44.5") | 21.5 mm (No. 6) | 5/8-24 UNEF | 3,8 kg (8.3 lbs) | AICS COMPATIBLE | 5+1 |

## B-14 SERIES RIFLES

*All B-14 Series Rifles come with the Bergara Performance Trigger and barrel & action in Graphite Black or Stainless Grey Cerakote®

| Reference | Caliber | Twist | Barrel Length | Overall Length | Muzzle Diameter | Barrel Thread | Overall Weight | Magazine | Capacity |
|---|---|---|---|---|---|---|---|---|---|
| **SIERRA** *Feature a Bergara Sporter with adjustable comb stock and steel barrel. Not assembled open sights included | | | | | | | | | |
| BE1104-223 | .223 Rem. | 1:9" | 56 cm (22") | 103 cm (40.7") | 5/8-24 UNEF | 17.5 mm (No. 5) | 3,1 kg (6.9 lbs) | AICS COMPATIBLE | 7+1 |
| BE1102-223 | .223 Rem. | 1:9" | 46 cm (18") | 95 cm (37.4") | 5/8-24 UNEF | 17.5 mm (No. 5) | 3 kg (6.6 lbs) | AICS COMPATIBLE | 7+1 |
| BE1104-243 | .243 Win. | 1:10" | 56 cm (22") | 103 cm (40.7") | 5/8-24 UNEF | 17.5 mm (No. 5) | 3,1 kg (6.9 lbs) | AICS COMPATIBLE | 5+1 |
| BE1104-65 | 6.5 Creedmoor | 1:8" | 56 cm (22") | 103 cm (40.7") | 5/8-24 UNEF | 17.5 mm (No. 5) | 3,1 kg (6.9 lbs) | AICS COMPATIBLE | 5+1 |
| BE1104-65P | 6.5 PRC | 1:08" | 56 cm (22") | 103 cm (40.7") | 5/8-24 UNEF | 17.5 mm (No. 5) | 3,2 kg (7 lbs) | AICS COMPATIBLE | 3+1 |
| BE1105-270 | .270 Win. | 1:10" | 61 cm (24") | 108 cm (42.5") | 5/8-24 UNEF | 17.5 mm (No. 5) | 3,2 kg (7 lbs) | AICS COMPATIBLE | 5+1 |
| BE1105-7P | 7 PRC | 1:8" | 61 cm (24") | 110 cm (43.5") | 5/8-24 UNEF | 17.5 mm (No. 5) | 3,3 kg (7.3 lbs) | AICS COMPATIBLE | 5+1 |
| BE1105-7RM | 7 Rem. Mag. | 1:9,5" | 61 cm (24") | 110 cm (43.5") | 5/8-24 UNEF | 17.5 mm (No. 5) | 3,3 kg (7.3 lbs) | AICS COMPATIBLE | 5+1 |
| BE1104-308 | .308 Win. | 1:10" | 56 cm (22") | 103 cm (40.7") | 5/8-24 UNEF | 17.5 mm (No. 5) | 3,1 kg (6.9 lbs) | AICS COMPATIBLE | 5+1 |
| BE1102-308 | .308 Win. | 1:10" | 46 cm (18") | 95 cm (37.4") | 5/8-24 UNEF | 17.5 mm (No. 5) | 3 kg (6.6 lbs) | AICS COMPATIBLE | 5+1 |
| BE1102-3006 | .30-06 Spring. | 1:10" | 46 cm (18") | 98 cm (38.5") | 5/8-24 UNEF | 17.5 mm (No. 5) | 3,1 kg (6.9 lbs) | AICS COMPATIBLE | 5+1 |
| BE1105-3006 | .30-06 Spring. | 1:10" | 61 cm (24") | 115 cm (45.5") | 5/8-24 UNEF | 17.5 mm (No. 5) | 3,3 kg (7.3 lbs) | AICS COMPATIBLE | 5+1 |
| BE1105-300 | .300 Win. Mag. | 1:10" | 61 cm (24") | 115 cm (45.5") | 5/8-24 UNEF | 17.5 mm (No. 5) | 3,4 kg (7.5 lbs) | AICS COMPATIBLE | 5+1 |
| BE1105-300P | .300 PRC | 1:9" | 61 cm (24") | 115 cm (45.5") | 5/8-24 UNEF | 17.5 mm (No. 5) | 3,4 kg (7.5 lbs) | AICS COMPATIBLE | 5+1 |
| BE1105-338 | .338 Win. Mag. | 1:10" | 61 cm (24") | 115 cm (45.5") | 5/8-24 UNEF | 17.5 mm (No. 5) | 3,4 kg (7.5 lbs) | AICS COMPATIBLE | 5+1 |
| **SIERRA STAINLESS** *Feature a Bergara Sporter with adjustable comb stock and stainless steel barrel | | | | | | | | | |
| BE1104S-223 | .223 Rem. | 1:9" | 56 cm (22") | 103 cm (40.7") | 5/8-24 UNEF | 17.5 mm (No. 5) | 3,1 kg (6.9 lbs) | AICS COMPATIBLE | 7+1 |
| BE1102S-223 | .223 Rem. | 1:9" | 46 cm (18") | 95 cm (37.4") | 5/8-24 UNEF | 17.5 mm (No. 5) | 3 kg (6.6 lbs) | AICS COMPATIBLE | 7+1 |
| BE1104S-243 | .243 Win. | 1:10" | 56 cm (22") | 103 cm (40.7") | 5/8-24 UNEF | 17.5 mm (No. 5) | 3,1 kg (6.9 lbs) | AICS COMPATIBLE | 5+1 |
| BE1104S-65 | 6.5 Creedmoor | 1:8" | 56 cm (22") | 103 cm (40.7") | 5/8-24 UNEF | 17.5 mm (No. 5) | 3,1 kg (6.9 lbs) | AICS COMPATIBLE | 5+1 |
| BE1104S-65P | 6.5 PRC | 1:8" | 56 cm (22") | 103 cm (40.7") | 5/8-24 UNEF | 17.5 mm (No. 5) | 3,2 kg (7 lbs) | AICS COMPATIBLE | 3+1 |
| BE1105S-270 | .270 Win. | 1:10" | 61 cm (24") | 108 cm (42.5") | 5/8-24 UNEF | 17.5 mm (No. 5) | 3,2 kg (7 lbs) | AICS COMPATIBLE | 5+1 |
| BE1105S-7P | 7 PRC | 1:8" | 61 cm (24") | 110 cm (43.5") | 5/8-24 UNEF | 17.5 mm (No. 5) | 3,3 kg (7.3 lbs) | AICS COMPATIBLE | 5+1 |
| BE1105S-7RM | 7 Rem. Mag. | 1:9,5" | 61 cm (24") | 110 cm (43.5") | 5/8-24 UNEF | 17.5 mm (No. 5) | 3,3 kg (7.3 lbs) | AICS COMPATIBLE | 5+1 |
| BE1104S-308 | .308 Win. | 1:10" | 56 cm (22") | 103 cm (40.7") | 5/8-24 UNEF | 17.5 mm (No. 5) | 3,1 kg (6.9 lbs) | AICS COMPATIBLE | 5+1 |
| BE1102S-308 | .308 Win. | 1:10" | 46 cm (18") | 95 cm (37.4") | 5/8-24 UNEF | 17.5 mm (No. 5) | 3 kg (6.6 lbs) | AICS COMPATIBLE | 5+1 |
| BE1102S-3006 | .30-06 Spring. | 1:10" | 46 cm (18") | 98 cm (38.5") | 5/8-24 UNEF | 17.5 mm (No. 5) | 3,1 kg (6.9 lbs) | AICS COMPATIBLE | 5+1 |
| BE1105S-3006 | .30-06 Spring. | 1:10" | 61 cm (24") | 115 cm (45.5") | 5/8-24 UNEF | 17.5 mm (No. 5) | 3,3 kg (7.3 lbs) | AICS COMPATIBLE | 5+1 |
| BE1105S-300 | .300 Win. Mag. | 1:10" | 61 cm (24") | 115 cm (45.5") | 5/8-24 UNEF | 17.5 mm (No. 5) | 3,4 kg (7.5 lbs) | AICS COMPATIBLE | 5+1 |
| BE1105S-300P | .300 PRC | 1:9" | 61 cm (24") | 115 cm (45.5") | 5/8-24 UNEF | 17.5 mm (No. 5) | 3,4 kg (7.5 lbs) | AICS COMPATIBLE | 5+1 |
| BE1105S-338 | .338 Win. Mag. | 1:10" | 61 cm (24") | 115 cm (45.5") | 5/8-24 UNEF | 17.5 mm (No. 5) | 3,4 kg (7.5 lbs) | AICS COMPATIBLE | 5+1 |

| Reference | Caliber | Twist | Barrel Length | Overall Length | Muzzle Diameter | Barrel Thread | Overall Weight | Magazine | Capacity |
|---|---|---|---|---|---|---|---|---|---|
| **THUMBHOLE** *Feature a Thumbhole stock. Not assembled open sights included | | | | | | | | | |
| BE184-243 | .243 Win. | 1:10" | 56 cm (22") | 108 cm (42.5") | 17.5 mm (No. 5) | 5/8-24 UNEF | 3,2 kg (7 lbs) | AICS COMPATIBLE | 5+1 |
| BE184-65 | 6.5 Creedmoor | 1:8" | 56 cm (22") | 108 cm (42.5") | 17.5 mm (No. 5) | 5/8-24 UNEF | 3,2 kg (7 lbs) | AICS COMPATIBLE | 5+1 |
| BE184-65P | 6.5 PRC | 1:8" | 57 cm (22") | 108 cm (42.5") | 17.5 mm (No. 5) | 5/8-24 UNEF | 3,2 kg (7 lbs) | AICS COMPATIBLE | 3+1 |
| BE185-270 | .270 Win. | 1:10" | 61 cm (24") | 114 cm (44.9") | 17.5 mm (No. 5) | 5/8-24 UNEF | 3,3 kg (7.2 lbs) | AICS COMPATIBLE | 5+1 |
| BE185-7P | 7 PRC | 1:8" | 62 cm (24") | 114 cm (44.9") | 17.5 mm (No. 5) | 5/8-24 UNEF | 3,3 kg (7.2 lbs) | AICS COMPATIBLE | 5+1 |
| BE185-7RM | 7 Rem. Mag. | 1:9,5" | 61 cm (24") | 114 cm (44.9") | 17.5 mm (No. 5) | 5/8-24 UNEF | 3,3 kg (7.2 lbs) | AICS COMPATIBLE | 5+1 |
| BE184-308 | .308 Win. | 1:10" | 56 cm (22") | 108 cm (42.5") | 17.5 mm (No. 5) | 5/8-24 UNEF | 3,2 kg (7 lbs) | AICS COMPATIBLE | 5+1 |
| BE185-3006 | .30-06 Spring. | 1:10" | 61 cm (24") | 114 cm (44.9") | 17.5 mm (No. 5) | 5/8-24 UNEF | 3,3 kg (7.2 lbs) | AICS COMPATIBLE | 5+1 |
| BE185-300 | .300 Win. Mag. | 1:10" | 61 cm (24") | 114 cm (44.9") | 17.5 mm (No. 5) | 5/8-24 UNEF | 3,3 kg (7.2 lbs) | AICS COMPATIBLE | 5+1 |
| BE185-300P | .300 PRC | 1:9" | 62 cm (24") | 114 cm (44.9") | 17.5 mm (No. 5) | 5/8-24 UNEF | 3,3 kg (7.2 lbs) | AICS COMPATIBLE | 5+1 |
| BE185-338 | .338 Win. Mag. | 1:10" | 61 cm (24") | 114 cm (44.9") | 17.5 mm (No. 5) | 5/8-24 UNEF | 3,3 kg (7.2 lbs) | AICS COMPATIBLE | 5+1 |
| **STOKE** *Feature a compact stock with length-of-pull spacers | | | | | | | | | |
| BE173-22250 | .22-250 Rem. | 1:9" | 51 cm (20") | 97 cm (38.4") | 17.5 mm (No. 5) | 5/8-24 UNEF | 2,8 kg (6.1 lbs) | AICS COMPATIBLE | 3+1 |
| BE171-223 | .223 Rem. | 1:9" | 42 cm (16,5") | 88 cm (34.8") | 17.5 mm (No. 5) | 5/8-24 UNEF | 2,5 kg (5.5 lbs) | AICS COMPATIBLE | 7+1 |
| BE173-243 | .243 Win. | 1:10" | 51 cm (20") | 97 cm (38.4") | 17.5 mm (No. 5) | 5/8-24 UNEF | 2,8 kg (6.1 lbs) | AICS COMPATIBLE | 3+1 |
| BE173-65 | 6.5 Creedmoor | 1:8" | 51 cm (20") | 97 cm (38.4") | 17.5 mm (No. 5) | 5/8-24 UNEF | 2,8 kg (6.1 lbs) | AICS COMPATIBLE | 3+1 |
| BE173-65PRC | 6.5 PRC | 1:8" | 51 cm (20") | 97 cm (38.4") | 17.5 mm (No. 5) | 5/8-24 UNEF | 2,8 kg (6.1 lbs) | AICS COMPATIBLE | 3+1 |
| BE171-300B | .300 BLK | 1:8" | 42 cm (16,5") | 88 cm (34.8") | 17.5 mm (No. 5) | 5/8-24 UNEF | 2,5 kg (5.5 lbs) | AICS COMPATIBLE | 7+1 |
| BE173-308 | .308 Win. | 1:10" | 51 cm (20") | 97 cm (38.4") | 17.5 mm (No. 5) | 5/8-24 UNEF | 2,8 kg (6.1 lbs) | AICS COMPATIBLE | 3+1 |
| **TIMBER** *Feature a walnut Monte Carlo style stock. Not assembled open sights included | | | | | | | | | |
| BE214-243 | .243 Win. | 1:10" | 56 cm (22") | 107 cm (42") | 17.5 mm (No. 5) | 5/8-24 UNEF | 3,4 kg (7.5 lbs) | DETACHABLE | 3+1 |
| BE214-65 | 6.5 Creedmoor | 1:8" | 56 cm (22") | 107 cm (42") | 17.5 mm (No. 5) | 5/8-24 UNEF | 3,5 kg (7.5 lbs) | DETACHABLE | 3+1 |
| BE215-270 | .270 Win. | 1:10" | 61 cm (24") | 115 cm (45") | 17.5 mm (No. 5) | 5/8-24 UNEF | 3,5 kg (7.7 lbs) | DETACHABLE | 3+1 |
| BE215-7RM | 7 Rem. Mag. | 1:9,5" | 61 cm (24") | 115 cm (45") | 17.5 mm (No. 5) | 5/8-24 UNEF | 3,5 kg (7.7 lbs) | DETACHABLE | 2+1 |
| BE214-308 | .308 Win. | 1:12" | 56 cm (22") | 107 cm (42") | 17.5 mm (No. 5) | 5/8-24 UNEF | 3,4 kg (7.5 lbs) | DETACHABLE | 3+1 |
| BE214-3006 | .30-06 Spring. | 1:10" | 56 cm (22") | 110 cm (43") | 17.5 mm (No. 5) | 5/8-24 UNEF | 3,5 kg (7.6 lbs) | DETACHABLE | 3+1 |
| BE215-300 | .300 Win. Mag. | 1:10" | 61 cm (24") | 115 cm (45") | 17.5 mm (No. 5) | 5/8-24 UNEF | 3,5 kg (7.7 lbs) | DETACHABLE | 2+1 |
| BE215-338 | .338 Win. Mag. | 1:10" | 61 cm (24") | 115 cm (43") | 18.5 mm | 5/8-24 UNEF | 3,5 kg (7.6 lbs) | DETACHABLE | 2+1 |
| BE115F-375 | .375 H&H | 1:12" | 61 cm (24") | 115 cm (45") | 21.5 mm (No. 6) | M18x1 | 3,7 kg (7.7 lbs) | FLOORPLATE | 2+1 |
| **TIMBER LEFT HANDED** *Feature a walnut Monte Carlo style stock. Not assembled open sights included | | | | | | | | | |
| BE214-65Z | 6.5 Creedmoor | 1:8" | 56 cm (22") | 107 cm (42") | 17.5 mm (No. 5) | 5/8-24 UNEF | 3,4 kg (7.5 lbs) | DETACHABLE | 3+1 |
| BE215-7RMZ | 7 Rem. Mag. | 1:9,5" | 61 cm (24") | 115 cm (45") | 17.5 mm (No. 5) | 5/8-24 UNEF | 3,5 kg (7.7 lbs) | DETACHABLE | 2+1 |
| BE214-308Z | .308 Win. | 1:12" | 56 cm (22") | 107 cm (42") | 17.5 mm (No. 5) | 5/8-24 UNEF | 3,4 kg (7.5 lbs) | DETACHABLE | 3+1 |
| BE214-3006Z | .30-06 Spring. | 1:10" | 56 cm (22") | 110 cm (43") | 17.5 mm (No. 5) | 5/8-24 UNEF | 3,5 kg (7.6 lbs) | DETACHABLE | 3+1 |
| BE215-300Z | .300 Win. Mag. | 1:10" | 61 cm (24") | 115 cm (45") | 17.5 mm (No. 5) | 5/8-24 UNEF | 3,5 kg (7.7 lbs) | DETACHABLE | 2+1 |
| BE215-338Z | .338 Win. Mag. | 1:10" | 61 cm (24") | 115 cm (45") | 18.5 mm | 5/8-24 UNEF | 3,5 kg (7.6 lbs) | DETACHABLE | 2+1 |
| **HMR** *Feature a Bergara HMR molded stock with mini-chassis | | | | | | | | | |
| BE245-22250 | .22-250 Rem. | 1:9" | 61 cm (24") | 112 cm (44") | 21.5 mm (No. 6) | 5/8-24 UNEF | 4,4 kg (9.7 lbs) | AICS COMPATIBLE | 5+1 |
| BE245-65 | 6.5 Creedmoor | 1:8" | 61 cm (24") | 112 cm (44") | 21.5 mm (No. 6) | 5/8-24 UNEF | 4,4 kg (9.7 lbs) | AICS COMPATIBLE | 5+1 |
| BE245-308 | .308 Win. | 1:10" | 61 cm (24") | 112 cm (44") | 21.5 mm (No. 6) | 5/8-24 UNEF | 4,4 kg (9.7 lbs) | AICS COMPATIBLE | 5+1 |
| BE246-300 | .300 Win. Mag. | 1:10" | 66 cm (26") | 120 cm (47.5") | 21.5 mm (No. 6) | 5/8-24 UNEF | 4,5 kg (9.9 lbs) | AICS COMPATIBLE | 5+1 |
| **HMR LEFT HANDED** *Feature a Bergara HMR molded stock with mini-chassis | | | | | | | | | |
| BE245-22250Z | .22-250 Rem. | 1:9" | 61 cm (24") | 112 cm (44") | 21.5 mm (No. 6) | 5/8-24 UNEF | 4,4 kg (9.7 lbs) | AICS COMPATIBLE | 5+1 |
| BE245-65Z | 6.5 Creedmoor | 1:8" | 61 cm (24") | 112 cm (44") | 21.5 mm (No. 6) | 5/8-24 UNEF | 4,4 kg (9.7 lbs) | AICS COMPATIBLE | 5+1 |
| BE245-308Z | .308 Win. | 1:10" | 61 cm (24") | 112 cm (44") | 21.5 mm (No. 6) | 5/8-24 UNEF | 4,4 kg (9.7 lbs) | AICS COMPATIBLE | 5+1 |
| BE246-300Z | .300 Win. Mag. | 1:10" | 66 cm (26") | 120 cm (47.5") | 21.5 mm (No. 6) | 5/8-24 UNEF | 4,5 kg (9.9 lbs) | AICS COMPATIBLE | 5+1 |



## RIMFIRE SERIES RIFLES

| Reference | Caliber | Twist | Barrel Length | Overall Length | Muzzle Diameter | Barrel Thread | Overall Weight | Magazine | Capacity |
|---|---|---|---|---|---|---|---|---|---|
| **B14-R TRAINER CARBON** *Feature an HMR stock and carbon fiber tube | | | | | | | | | |
| BR142-22LR | .22 LR | 1:16" | 46 cm (18") | 96 cm (38") | 23.2 mm | 1/2-28 UNEF | 3,6 kg (8.1 lbs) | DETACHABLE | 10 |
| **B14-R TRAINER STEEL** *Feature an HMR stock | | | | | | | | | |
| BR132-22LR | .22 LR | 1:16" | 46 cm (18") | 96 cm (38") | 21.5 mm (No. 6) | 1/2-28 UNEF | 4,1 kg (9.2 lbs) | DETACHABLE | 10 |
| **BMR CARBON** *Feature a BMR stock and carbon fiber tube | | | | | | | | | |
| BR163-17HMR | .17 HMR | 1:9" | 51 cm (20") | 97 cm (38") | 23.2 mm | 1/2-28 UNEF | 2,4 kg (5.4 lbs) | DETACHABLE | 5 AND 10 |
| BR162-22LR | .22 LR | 1:16" | 46 cm (18") | 92 cm (36") | 23.2 mm | 1/2-28 UNEF | 2,3 kg (5 lbs) | DETACHABLE | 5 AND 10 |
| BR163-22W | .22 WMR | 1:16" | 51 cm (20") | 97 cm (38") | 23.2 mm | 1/2-28 UNEF | 2,4 kg (5.4 lbs) | DETACHABLE | 5 AND 10 |
| **BMR STEEL** *Feature a BMR stock | | | | | | | | | |
| BR153-17HMR | .17 HMR | 1:9" | 51 cm (20") | 97 cm (38") | 16.6 mm (No. 4) | 1/2-28 UNEF | 2,6 kg (5.8 lbs) | DETACHABLE | 5 AND 10 |
| BR152-22LR | .22 LR | 1:16" | 46 cm (18") | 92 cm (36") | 16.6 mm (No. 4) | 1/2-28 UNEF | 2,5 kg (5.5 lbs) | DETACHABLE | 5 AND 10 |
| BR153-22W | .22 WMR | 1:16" | 51 cm (20") | 97 cm (38") | 16.6 mm (No. 4) | 1/2-28 UNEF | 2,6 kg (5.8 lbs) | DETACHABLE | 5 AND 10 |
| **BMR X CARBON** *Feature a Bergara Tactical stock with LOP spacers and carbon fiber tube | | | | | | | | | |
| BR173-17HMR | .17 HMR | 1:9" | 51 cm (20") | 88 cm (35") | 23.2 mm | 1/2-28 UNEF | 2,4 kg (5.4 lbs) | DETACHABLE | 5 AND 10 |
| BR173-22LR | .22 LR | 1:16" | 51 cm (20") | 88 cm (35") | 23.2 mm | 1/2-28 UNEF | 2,4 kg (5.4 lbs) | DETACHABLE | 5 AND 10 |
| BR173-22W | .22 WMR | 1:16" | 51 cm (20") | 88 cm (35") | 23.2 mm | 1/2-28 UNEF | 2,4 kg (5.4 lbs) | DETACHABLE | 5 AND 10 |
| **BMR X STEEL** *Feature a Bergara Tactical stock with LOP spacers | | | | | | | | | |
| BR183-17HMR | .17 HMR | 1:9" | 51 cm (20") | 88 cm (35") | 21.5 mm (No. 6) | 1/2-28 UNEF | 2,9 kg (6.3 lbs) | DETACHABLE | 5 AND 10 |
| BR183-22LR | .22 LR | 1:16" | 51 cm (20") | 88 cm (35") | 21.5 mm (No. 6) | 1/2-28 UNEF | 2,9 kg (6.3 lbs) | DETACHABLE | 5 AND 10 |
| BR183-22W | .22 WMR | 1:16" | 51 cm (20") | 88 cm (35") | 21.5 mm (No. 6) | 1/2-28 UNEF | 2,9 kg (6.3 lbs) | DETACHABLE | 5 AND 10 |

## BARRELED ACTION

*Rem700 footprint

| Reference | Caliber | Twist | Barrel Length | Overall Length | Muzzle Diameter | Barrel Thread | Overall Weight | Magazine | Capacity |
|---|---|---|---|---|---|---|---|---|---|
| **BARRELED ACTION** *Includes an AICS style magazine | | | | | | | | | |
| BRA176S-6C | 6mm Creedmoor | 1:7,5" | 66 cm (26") | 84,5 cm (33.3") | 23.6 mm (No. 7) | 5/8-24 UNEF | 3,6 kg (7.9 lbs) | AICS DETACHABLE | 10 |
| BRA176S-65 | 6.5 Creedmoor | 1:8" | 66 cm (26") | 84,5 cm (33.3") | 23.6 mm (No. 7) | 5/8-24 UNEF | 3,6 kg (7.9 lbs) | AICS DETACHABLE | 10 |
| BRA176S-308 | .308 Win. | 1:11" | 66 cm (26") | 84,5 cm (33.3") | 23.6 mm (No. 7) | 5/8-24 UNEF | 3,6 kg (7.9 lbs) | AICS DETACHABLE | 10 |
| **PREMIER BARRELED ACTION** *Includes a Diamond TriggerTech trigger and AICS style magazine | | | | | | | | | |
| BPRA176S-6C | 6mm Creedmoor | 1:7,5" | 66 cm (26") | 84,5 cm (33.3") | 23.6 mm (No. 7) | 5/8-24 UNEF | 3,7 kg (8.2 lbs) | AICS DETACHABLE | 10 |
| BPRA176S-65 | 6.5 Creedmoor | 1:8" | 66 cm (26") | 84,5 cm (33.3") | 23.6 mm (No. 7) | 5/8-24 UNEF | 3,7 kg (8.2 lbs) | AICS DETACHABLE | 10 |
| BPRA176S-308 | .308 Win. | 1:11" | 66 cm (26") | 84,5 cm (33.3") | 23.6 mm (No. 7) | 5/8-24 UNEF | 3,7 kg (8.2 lbs) | AICS DETACHABLE | 10 |
| **RIMFIRE BARRELED ACTION** *Includes an AICS style magazine | | | | | | | | | |
| BRA173S-22LR | .22 LR | 1:16" | 51 cm (20") | 74,5 cm (29.3") | 23.6 mm (No. 7) | 1/2-28 UNEF | 3,4 kg (7.5 lbs) | AICS DETACHABLE | 10 |
| BRA173S-22LRZ | .22 LR | 1:16" | 51 cm (20") | 74,5 cm (29.3") | 23.6 mm (No. 7) | 1/2-28 UNEF | 3,4 kg (7.5 lbs) | AICS DETACHABLE | 10 |



# WE'VE GOT THE GEAR

GUN PARTS
ACCESORIES
APPAREL
EVENTS

VISIT WWW.BPIOUTDOORSHOP.COM




## WARRANTY

*Bergara rifles are warranted to be free from manufacturers defects for the life of the gun. With our complete inventory of replacement parts, our experts can repair all Bergara rifles, bringing them back to life.*

## CUSTOMER SERVICE

*If you need a spotter, feel free to call us for backup. We'll get you dialed in. Bergara has a highly trained team of gunsmiths and Customer Service Reps to serve your needs.*


*Bergara reserves the right to make technical changes at any time. Possible errors in descriptions, values, or photographs are subject to correction. All rights reserved.*



*BPI OUTDOORS*
*Garagartza 39*
*20500 Arrasate, Gipuzkoa, Spain*
*info@bpi-outdoors.com*


*www.bergara.online*

BERGARA®


BERGARA®
WWW.BERGARA.ONLINE